

Brenda L Lonsbury-Martin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9140925/publications.pdf>

Version: 2024-02-01

31
papers

2,407
citations

279701

23
h-index

477173

29
g-index

31
all docs

31
docs citations

31
times ranked

743
citing authors

#	ARTICLE	IF	CITATIONS
1	An intracochlear DP-gram: Proof of principle in noise-damaged rabbits. <i>Hearing Research</i> , 2020, 396, 108058.	0.9	1
2	Comparing Distortion Product Otoacoustic Emissions to Intracochlear Distortion Products Inferred from a Noninvasive Assay. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2016, 17, 271-287.	0.9	10
3	Tinnitus. <i>Hearing Research</i> , 2016, 334, 1.	0.9	1
4	Time-domain demonstration of distributed distortion-product otoacoustic emission components. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 342-355.	0.5	16
5	Otoacoustic emissions. <i>Handbook of Clinical Neurophysiology</i> , 2013, 10, 115-135.	0.0	1
6	Characterizing distortion-product otoacoustic emission components across four species. <i>Journal of the Acoustical Society of America</i> , 2011, 129, 3090-3103.	0.5	37
7	Evidence for basal distortion-product otoacoustic emission components. <i>Journal of the Acoustical Society of America</i> , 2010, 127, 2955-2972.	0.5	48
8	Steep and shallow phase gradient distortion product otoacoustic emissions arising basal to the primary tones. <i>Journal of the Acoustical Society of America</i> , 2009, 125, EL85-EL92.	0.5	28
9	Human efferent adaptation of DPOAEs in the L1,L2 space. <i>Hearing Research</i> , 2005, 208, 89-100.	0.9	17
10	Distortion product otoacoustic emissions show exceptional resistance to noise exposure in MOLF/Ei mice. <i>Hearing Research</i> , 2004, 194, 109-117.	0.9	23
11	Suppression and enhancement of distortion-product otoacoustic emissions by interference tones above f2. II. Findings in humans. <i>Hearing Research</i> , 2003, 177, 111-122.	0.9	25
12	Temporary and permanent noise-induced changes in distortion product otoacoustic emissions in CBA/CaJ mice. <i>Hearing Research</i> , 2001, 156, 31-43.	0.9	10
13	Susceptibility of DPOAEs to Sound Overexposure in Inbred Mice with AHL. , 2001, 2, 233-245.		27
14	Third Place "Resident Clinical Science Award 1998: Effects of Cis-Platinum Chemotherapy on Otoacoustic Emissions: The Development of an Objective Screening Protocol. <i>Otolaryngology - Head and Neck Surgery</i> , 1999, 121, 693-701.	1.1	82
15	Suppression and enhancement of distortion-product otoacoustic emissions by interference tones above f2. I. Basic findings in rabbits. <i>Hearing Research</i> , 1999, 136, 105-123.	0.9	50
16	Distortion-Product Otoacoustic Emission Monitoring of Cochlear Blood Flow. <i>Laryngoscope</i> , 1998, 108, 837-842.	1.1	26
17	Effects of loop diuretics on the suppression tuning of distortion-product otoacoustic emissions in rabbits. <i>Journal of the Acoustical Society of America</i> , 1998, 104, 972-983.	0.5	38
18	Locus of generation for the 2 nd vs 2 nd distortion-product otoacoustic emissions in normal-hearing humans revealed by suppression tuning, onset latencies, and amplitude correlations. <i>Journal of the Acoustical Society of America</i> , 1998, 103, 1957-1971.	0.5	61

#	ARTICLE	IF	CITATIONS
19	Patterns of evoked otoacoustic emissions associated with acoustic neuromas. <i>Laryngoscope</i> , 1995, 105, 675-682.	1.1	41
20	Sensitivity of distortion-product otoacoustic emissions in humans to tonal over-exposure: Time course of recovery and effects of lowering L2. <i>Hearing Research</i> , 1994, 75, 161-174.	0.9	91
21	First Place " Resident Clinical Science Award 1994: Early Effects of Cerebellopontine Angle Compression on Rabbit Distortion-Product Otoacoustic Emissions: A Model for Monitoring Cochlear Function during Acoustic Neuroma Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 1994, 111, 407-416.	1.1	39
22	Clinical Testing of Distortion-Product Otoacoustic Emissions. <i>Ear and Hearing</i> , 1993, 14, 11-22.	1.0	88
23	Spontaneous Otoacoustic Emissions in Different Racial Groups. <i>Scandinavian Audiology</i> , 1993, 22, 3-10.	0.5	62
24	Influence of Otitis Media on Evoked Otoacoustic Emissions in Children. <i>Seminars in Hearing</i> , 1992, 13, 53-65.	0.5	46
25	Clinical Applications of Otoacoustic Emissions. <i>Journal of Speech, Language, and Hearing Research</i> , 1991, 34, 964-981.	0.7	104
26	A review of otoacoustic emissions. <i>Journal of the Acoustical Society of America</i> , 1991, 89, 2027-2067.	0.5	697
27	Evidence for the influence of aging on distortion-product otoacoustic emissions in humans. <i>Journal of the Acoustical Society of America</i> , 1991, 89, 1749-1759.	0.5	132
28	The Clinical Utility of Distortion-Product Otoacoustic Emissions. <i>Ear and Hearing</i> , 1990, 11, 144-154.	1.0	188
29	Otoacoustic Emissions in Human Ears. <i>Ear and Hearing</i> , 1990, 11, 106-120.	1.0	102
30	Distortion Product Emissions in Humans. <i>Annals of Otology, Rhinology and Laryngology</i> , 1990, 99, 30-42.	0.6	133
31	Distortion Product Emissions in Humans. <i>Annals of Otology, Rhinology and Laryngology</i> , 1990, 99, 3-14.	0.6	183