

# Preetam Singh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9142061/publications.pdf>

Version: 2024-02-01

43  
papers

1,261  
citations

394421

19  
h-index

361022

35  
g-index

43  
all docs

43  
docs citations

43  
times ranked

1415  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mn-doped ZnO nanocrystalline thin films prepared by ultrasonic spray pyrolysis. Journal of Alloys and Compounds, 2009, 471, 11-15.	5.5	145
2	Growth and characterization of ZnO nanocrystalline thin films and nanopowder via low-cost ultrasonic spray pyrolysis. Journal of Crystal Growth, 2007, 306, 303-310.	1.5	135
3	In situ high temperature XRD studies of ZnO nanopowder prepared via cost effective ultrasonic mist chemical vapour deposition. Bulletin of Materials Science, 2008, 31, 573-577.	1.7	121
4	Structural and optical studies of nanocrystalline V2O5 thin films. Thin Solid Films, 2008, 516, 912-918.	1.8	103
5	Room temperature growth of nanocrystalline anatase TiO2 thin films by dc magnetron sputtering. Physica B: Condensed Matter, 2010, 405, 1258-1266.	2.7	71
6	Influence of film thickness on texture and electrical and optical properties of room temperature deposited nanocrystalline V2O5 thin films. Journal of Applied Physics, 2008, 103, .	2.5	64
7	Low-temperature highly selective and sensitive NO2 gas sensors using CdTe-functionalized ZnO filled porous Si hybrid hierarchical nanostructured thin films. Sensors and Actuators B: Chemical, 2021, 327, 128862.	7.8	55
8	Effect of oxygen partial pressure on the structural and optical properties of sputter deposited ZnO nanocrystalline thin films. Materials Letters, 2007, 61, 2050-2053.	2.6	52
9	ZnO nanocrystalline powder synthesized by ultrasonic mist-chemical vapour deposition. Optical Materials, 2008, 30, 1316-1322.	3.6	49
10	Structural, optical and magnetic properties of Nd-doped BiFeO3 thin films prepared by pulsed laser deposition. Physica B: Condensed Matter, 2011, 406, 1877-1882.	2.7	48
11	Fabrication of highly responsive room temperature H2 sensor based on vertically aligned edge-oriented MoS2 nanostructured thin film functionalized by Pd nanoparticles. Sensors and Actuators B: Chemical, 2020, 325, 128800.	7.8	38
12	Substrate effect on texture properties of nanocrystalline TiO2 thin films. Physica B: Condensed Matter, 2008, 403, 3769-3773.	2.7	34
13	Effect of balanced and unbalanced magnetron sputtering processes on the properties of SnO2 thin films. Current Applied Physics, 2019, 19, 697-703.	2.4	29
14	Substrate effect on electrical transport properties of RNiO3 thin films prepared by pulsed laser deposition. Journal Physics D: Applied Physics, 2006, 39, 5310-5315.	2.8	27
15	Effect of oxygen annealing on magnetic, electric and magnetodielectric properties of Ba-doped BiFeO3. Physica B: Condensed Matter, 2010, 405, 1086-1089.	2.7	26
16	Highly responsive, low-bias operated SnSe2 nanostructured thin film for trap-assisted NIR photodetector. Journal of Alloys and Compounds, 2020, 838, 155384.	5.5	26
17	Preparation of nanocrystalline Pd/SnO2 thin films deposited on alumina substrate by reactive magnetron sputtering for efficient CO gas sensing. Materials Research Bulletin, 2022, 148, 111692.	5.2	26
18	High performing flexible optoelectronic devices using thin films of topological insulator. Scientific Reports, 2021, 11, 832.	3.3	24

#	ARTICLE	IF	CITATIONS
19	Comparative study on surface states and CO gas sensing characteristics of CuO thin films synthesised by vacuum evaporation and sputtering processes. <i>Materials Research Bulletin</i> , 2022, 145, 111567.	5.2	23
20	Magnetron configurations dependent surface properties of SnO <sub>2</sub> thin films deposited by sputtering process. <i>Vacuum</i> , 2020, 177, 109353.	3.5	19
21	Effect of bulk and surface modification of SnO <sub>2</sub> thin films with PdO catalyst on CO gas sensing characteristics prepared by vacuum evaporation process. <i>Journal of Alloys and Compounds</i> , 2020, 843, 155979.	5.5	18
22	Intrinsic magnetism in Zn <sub>1-x</sub> Co <sub>x</sub> O (0.03% $\leq$ $x$ $\leq$ 0.10) thin films prepared by ultrasonic spray pyrolysis. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 315005.	1.8	17
23	Effect Of Substrate Temperature On Nanocrystalline CeO <sub>2</sub> Thin Films Deposited On Si Substrate By RF Magnetron Sputtering. <i>Advanced Materials Letters</i> , 2015, 6, 371-376.	0.6	16
24	Magnetic and ferroelectric properties of epitaxial Sr-doped thin films. <i>Solid State Communications</i> , 2010, 150, 431-434.	1.9	14
25	Room temperature sputtered nanocrystalline SnO <sub>2</sub> thin films sensitized with Pd nanoparticles for high performance CO gas sensing application. <i>Optical Materials</i> , 2022, 128, 112362.	3.6	14
26	Low cost synthesis of high-T <sub>c</sub> superconducting films on metallic substrates via ultrasonic spray pyrolysis. <i>Cryogenics</i> , 2006, 46, 749-758.	1.7	12
27	Effect of post-oxidation processes and thickness of SnO <sub>2</sub> films prepared by vacuum evaporation on CO gas sensing characteristics. <i>Ceramics International</i> , 2021, 47, 13015-13022.	4.8	9
28	X-ray photoelectron spectroscopic studies of CeO <sub>2</sub> thin films deposited on Ni-W (100), c-Al <sub>2</sub> O <sub>3</sub> (0001) and Si (100) substrates. <i>Current Applied Physics</i> , 2016, 16, 1388-1394.	2.4	7
29	Influence of magnetron configurations on the structure and properties of room temperature sputtered ZnO thin films. <i>Physica Scripta</i> , 2021, 96, 015811.	2.5	7
30	Investigation of dynamic optical behavior of CeO <sub>2</sub> thin film using terahertz spectroscopy. <i>Optical Materials</i> , 2018, 85, 295-297.	3.6	6
31	Influence of growth temperature on structural and optical properties of laser MBE grown epitaxial thin GaN films on a-plane sapphire. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2018, 36, 04G102.	1.2	6
32	Ultrafast pump-probe spectroscopy studies of CeO <sub>2</sub> thin film deposited on Ni-W substrate by RF magnetron sputtering. <i>Optical Materials</i> , 2016, 58, 1-4.	3.6	5
33	Optimization of electroless plating of gold during MACE for through etching of silicon wafer. <i>Materials Science in Semiconductor Processing</i> , 2019, 100, 140-144.	4.0	3
34	Investigation of cerium oxide thin film thickness using THz spectroscopy for non-destructive measurement. <i>Journal of Optics (India)</i> , 2021, 50, 90-94.	1.7	2
35	Single Oriented CeO <sub>2</sub> Buffer Layer Deposition On Biaxially Textured Ni-W Substrate By RF Magnetron Sputtering. <i>Advanced Materials Letters</i> , 2015, 6, 883-887.	0.6	2
36	Growth And Field Emission Properties Of Vertically-aligned ZnO Nanowire Array On Biaxially Textured Ni-W Substrate By Thermal Evaporation. <i>Advanced Materials Letters</i> , 2015, 6, 862-866.	0.6	2

#	ARTICLE	IF	CITATIONS
37	Synthesis of CeO <sub>2</sub> microcrystals fabricated on biaxially textured Ni-W substrate by using an e-beam evaporation technique. Journal of the Korean Physical Society, 2015, 66, 726-729.	0.7	1
38	Metrology for Atmospheric Environment. , 2020, , 691-729.		1
39	Growth And Characterization Of Large Grained Poly-Si Films Grown On Biaxially Textured Ni-W Substrate By Hot-wire CVD. Advanced Materials Letters, 2015, 6, 436-441.	0.6	1
40	Spectroscopic identification of ultranano-crystalline phases within amorphous/nano-crystalline silicon. Advanced Materials Letters, 2016, 8, 163-169.	0.6	1
41	Investigation of structural aspect in terms of atypical phases within material deposited for a-Si:H solar cell fabrication. Advanced Materials Proceedings, 2021, 1, 32-37.	0.2	1
42	Efficiency Measurement of Organic Solar Cells Using Apex Calibration Facility at CSIRâ€™National Physical Laboratory. Applied Solar Energy (English Translation of Geliotekhnika), 2021, 57, 261-271.	1.6	1
43	Corrigendum to â€™Magnetron configurations dependent surface properties of SnO <sub>2</sub> thin films deposited by sputtering processâ€™[Vacuum 177 (2020) 109353]. Vacuum, 2021, 184, 109885.	3.5	0