
Xinchuan Zheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9144007/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Affinity-Guided Isolation and Identification of Procyanidin B2 from Mangosteen (Garcinia mangostana) Tj ETQq1 J 2021, 76, 442-448.	. 0.784314 3.2	4 rgBT /Ovel 4
2	The anti-sepsis activity of the components of Huanglian Jiedu Decoction with high lipid A-binding affinity. International Immunopharmacology, 2017, 46, 87-96.	3.8	27
3	1400 W ameliorates acute hypobaric hypoxia/reoxygenation-induced cognitive deficits by suppressing the induction of inducible nitric oxide synthase in rat cerebral cortex microglia. Behavioural Brain Research, 2017, 319, 188-199.	2.2	11
4	Multiple Immunosuppressive Effects of CpG-c41 on Intracellular TLR-Mediated Inflammation. Mediators of Inflammation, 2017, 2017, 1-10.	3.0	8
5	Kukoamine B promotes TLR4-independent lipopolysaccharide uptake in murine hepatocytes. Oncotarget, 2016, 7, 57498-57513.	1.8	9
6	The citrus flavonoid naringenin confers protection in a murine endotoxaemia model through AMPK-ATF3-dependent negative regulation of the TLR4 signalling pathway. Scientific Reports, 2016, 6, 39735.	3.3	66
7	Insight into the inhibition mechanism of kukoamine B against CpG DNA via binding and molecular docking analysis. RSC Advances, 2016, 6, 85756-85762.	3.6	3
8	Nitric oxide from brain microvascular endothelial cells may initiate the compensatory response to mild hypoxia of astrocytes in a hypoxia-inducible factor-11± dependent manner. American Journal of Translational Research (discontinued), 2016, 8, 4735-4749.	0.0	9
9	Geniposide suppresses LPS-induced nitric oxide, PGE2 and inflammatory cytokine by downregulating NF-κB, MAPK and AP-1 signaling pathways in macrophages. International Immunopharmacology, 2014, 20, 298-306.	3.8	118
10	Identification of a new anti-LPS agent, geniposide, from Gardenia jasminoides Ellis, and its ability of direct binding and neutralization of lipopolysaccharide in vitro and in vivo. International Immunopharmacology, 2010, 10, 1209-1219.	3.8	52