
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9144051/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Endovascular treatment beyond 24 hours from the onset of acute ischemic stroke: the Italian Registry of Endovascular Thrombectomy in Acute Stroke (IRETAS). Journal of NeuroInterventional Surgery, 2022, 14, 1186-1188.	2.0	8
2	Sex-Related Differences in Outcomes After Endovascular Treatment of Patients With Late-Window Stroke, 2022, 53, 311-318.	1.0	11
3	Imaging markers of intracerebral hemorrhage expansion in patients with unclear symptom onset. International Journal of Stroke, 2022, 17, 1013-1020.	2.9	4
4	Stroke imaging prior to thrombectomy in the late window: results from a pooled multicentre analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 468-474.	0.9	11
5	Cortical Oxygenation during a Motor Task to Evaluate Recovery in Subacute Stroke Patients: A Study with Near-Infrared Spectroscopy. Neurology International, 2022, 14, 322-335.	1.3	2
6	Sex differences in outcome after thrombectomy for acute ischemic stroke. A propensity score-matched study. European Stroke Journal, 2022, 7, 151-157.	2.7	10
7	Different Roles of Mitochondria in Cell Death and Inflammation: Focusing on Mitochondrial Quality Control in Ischemic Stroke and Reperfusion. Biomedicines, 2021, 9, 169.	1.4	43
8	Clinical Features of Patients With Cervical Artery Dissection and Fibromuscular Dysplasia. Stroke, 2021, 52, 821-829.	1.0	19
9	Hematoma Expansion in Intracerebral Hemorrhage With Unclear Onset. Neurology, 2021, 96, e2363-e2371.	1.5	15
10	Association between perihematomal perfusion and intracerebral hemorrhage shape. Neuroradiology, 2021, 63, 1563-1567.	1.1	4
11	Upregulation of Cortical A2A Adenosine Receptors Is Reflected in Platelets of Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 80, 1105-1117.	1.2	21
12	Azathioprine for people with multiple sclerosis. The Cochrane Library, 2021, 2021, .	1.5	1
13	Incidence pattern update of amyotrophic lateral sclerosis in the province of Ferrara. Journal of the Neurological Sciences, 2021, 429, 119420.	0.3	0
14	Multiple sclerosis incidence update in province of Ferrara, Northern Italy, during COVID19 era. Journal of the Neurological Sciences, 2021, 429, 118212.	0.3	0
15	Delayed perihematomal hypoperfusion is associated with poor outcome in intracerebral haemorrhage. European Journal of Clinical Investigation, 2021, , e13696.	1.7	6
16	Comparison of perihematomal perfusion in deep and lobar intracerebral hemorrhage. Neuroradiology, 2020, 62, 257-261.	1.1	6
17	Detection of serum soluble HLA-G levels in patients with acute ischemic stroke: A pilot study. Human Immunology, 2020, 81, 156-161.	1.2	6
18	Direct thrombectomy for stroke in the presence of absolute exclusion criteria for thrombolysis. Journal of Neurology, 2020, 267, 3731-3740.	1.8	1

#	Article	IF	CITATIONS
19	Endovascular Thrombectomy for Acute Ischemic Stroke Beyond 6 Hours From Onset. Stroke, 2020, 51, 2051-2057.	1.0	44
20	General Anesthesia Versus Conscious Sedation and Local Anesthesia During Thrombectomy for Acute Ischemic Stroke. Stroke, 2020, 51, 2036-2044.	1.0	44
21	Subarachnoid Extension Predicts Lobar Intracerebral Hemorrhage Expansion. Stroke, 2020, 51, 1470-1476.	1.0	14
22	Specific antibodies reacting to JC polyomavirus capsid protein mimotopes in sera from multiple sclerosis and other neurological diseasesâ€affected patients. Journal of Cellular Physiology, 2020, 235, 5847-5855.	2.0	4
23	Association Between Perihematomal Perfusion and Intracerebral Hemorrhage Outcome. Neurocritical Care, 2020, 33, 525-532.	1.2	16
24	Increased age and male sex are independently associated with higher frequency of blood–cerebrospinal fluid barrier dysfunction using the albumin quotient. Fluids and Barriers of the CNS, 2020, 17, 14.	2.4	38
25	Adenosinergic System Involvement in Ischemic Stroke Patients' Lymphocytes. Cells, 2020, 9, 1072.	1.8	7
26	Correlation between auto/mitophagic processes and magnetic resonance imaging activity in multiple sclerosis patients. Journal of Neuroinflammation, 2019, 16, 131.	3.1	31
27	Combined intravenous and endovascular treatment versus primary mechanical thrombectomy. The Italian Registry of Endovascular Treatment in Acute Stroke. International Journal of Stroke, 2019, 14, 898-907.	2.9	23
28	IER-SICH Nomogram to Predict Symptomatic Intracerebral Hemorrhage After Thrombectomy for Stroke, 2019, 50, 909-916.	1.0	42
29	Incidence study of Guillain-Barré syndrome in the province of Ferrara, Northern Italy, between 2003 and 2017. A 40-year follow-up. Neurological Sciences, 2019, 40, 603-609.	0.9	12
30	Migraine improvement after spontaneous cervical artery dissection the Italian Project on Stroke in Young Adults (IPSYS). Neurological Sciences, 2019, 40, 59-66.	0.9	12
31	Multiple sclerosis in the Republic of San Marino, Italian peninsula: an incidence and prevalence study from a high-risk area. Neurological Sciences, 2018, 39, 1231-1236.	0.9	7
32	Bilateral Hypoglossal Nerve Palsy in an Adult Patient With Repaired Tetralogy of Fallot. Neurologist, 2018, 23, 155-156.	0.4	0
33	Multiple Sclerosis in Italy: A 40-Year Follow-Up of the Prevalence in Ferrara. Neuroepidemiology, 2018, 51, 158-165.	1.1	10
34	Autophagy and mitophagy elements are increased in body fluids of multiple sclerosis-affected individuals. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 439-441.	0.9	53
35	Association Between Migraine and Cervical Artery Dissection. JAMA Neurology, 2017, 74, 512.	4.5	71
36	Selective intrathecal enrichment of G1m1â€positive B cells in multiple sclerosis. Annals of Clinical and Translational Neurology, 2017, 4, 756-761.	1.7	12

ILARIA CASETTA

#	Article	IF	CITATIONS
37	Epidemiological Study of Huntington's Disease in the Province of Ferrara, Italy. Neuroepidemiology, 2017, 49, 18-23.	1.1	31
38	Monocyte count at onset predicts poststroke outcomes during a 90-day follow-up. European Journal of Clinical Investigation, 2017, 47, 702-710.	1.7	30
39	Can the age at onset give a clue to the pathogenesis of ALS?. Acta Neurologica Belgica, 2017, 117, 221-227.	0.5	5
40	Negative interaction between smoking and EBV in the risk of multiple sclerosis: The EnvIMS study. Multiple Sclerosis Journal, 2017, 23, 1018-1024.	1.4	18
41	Cerebral Blood Volume ASPECTS Is the Best Predictor of Clinical Outcome in Acute Ischemic Stroke: A Retrospective, Combined Semi-Quantitative and Quantitative Assessment. PLoS ONE, 2016, 11, e0147910.	1.1	41
42	Antiâ€ApoAâ€1 IgG serum levels predict worse poststroke outcomes. European Journal of Clinical Investigation, 2016, 46, 805-817.	1.7	17
43	Decreased serum <scp>PCSK</scp> 9 levels after ischaemic stroke predict worse outcomes. European Journal of Clinical Investigation, 2016, 46, 1053-1062.	1.7	9
44	Serum IgG against Simian Virus 40 antigens are hampered by high levels of sHLA-G in patients affected by inflammatory neurological diseases, as multiple sclerosis. Journal of Translational Medicine, 2016, 14, 216.	1.8	8
45	Cerebrospinal fluid amounts of HLA-G in dimeric form are strongly associated to patients with MRI inactive multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 245-249.	1.4	11
46	KIR2DL2 inhibitory pathway enhances Th17 cytokine secretion by NK cells in response to herpesvirus infection in multiple sclerosis patients. Journal of Neuroimmunology, 2016, 294, 1-5.	1.1	16
47	Prevalence of Multiple Sclerosis in the Republic of Moldova. Neuroepidemiology, 2016, 46, 166-172.	1.1	5
48	Very Early Carotid Endarterectomy After Intravenous Thrombolysis. European Journal of Vascular and Endovascular Surgery, 2016, 51, 482-486.	0.8	25
49	Leptin/adiponectin ratio predicts poststroke neurological outcome. European Journal of Clinical Investigation, 2015, 45, 1184-1191.	1.7	20
50	The EnvIMS Study: Design and Methodology of an International Case-Control Study of Environmental Risk Factors in Multiple Sclerosis. Neuroepidemiology, 2015, 44, 173-181.	1.1	13
51	Treatment with recombinant tissue plasminogen activator (r-TPA) induces neutrophil degranulation in vitro via defined pathways. Vascular Pharmacology, 2015, 64, 16-27.	1.0	42
52	Reduced duration of breastfeeding is associated with a higher risk of multiple sclerosis in both Italian and Norwegian adult males: the EnvIMS study. Journal of Neurology, 2015, 262, 1271-1277.	1.8	39
53	Serum osteopontin levels are upregulated and predict disability after an ischaemic stroke. European Journal of Clinical Investigation, 2015, 45, 579-586.	1.7	40
54	Body size and the risk of multiple sclerosis in Norway and Italy: The EnvIMS study. Multiple Sclerosis Journal, 2015, 21, 388-395.	1.4	90

#	Article	IF	CITATIONS
55	Posterior reversible encephalopathy associated with nocturnal blood pressure non-dipping pattern. Blood Pressure, 2014, 23, 61-63.	0.7	1
56	Season of infectious mononucleosis and risk of multiple sclerosis at different latitudes; the EnvIMS Study. Multiple Sclerosis Journal, 2014, 20, 669-674.	1.4	30
57	Cluster-like headache attacks triggered by nitrofurantoin intake. European Journal of Clinical Pharmacology, 2014, 70, 251-252.	0.8	1
58	Sun exposure and multiple sclerosis risk in Norway and Italy: The EnvIMS study. Multiple Sclerosis Journal, 2014, 20, 1042-1049.	1.4	80
59	A2Aadenosine receptors and Parkinson's disease severity. Acta Neurologica Scandinavica, 2014, 129, 276-281.	1.0	23
60	Adding Blood to Agitated Saline Significantly Improves Detection of Right-to-Left Shunt by Contrast-Transcranial Color-Coded Duplex Sonography. Ultrasound in Medicine and Biology, 2014, 40, 2637-2641.	0.7	14
61	Significant Low Prevalence of Antibodies Reacting with Simian Virus 40 Mimotopes in Serum Samples from Patients Affected by Inflammatory Neurologic Diseases, Including Multiple Sclerosis. PLoS ONE, 2014, 9, e110923.	1.1	11
62	Gait measures with a triaxial accelerometer among patients with neurological impairment. Neurological Sciences, 2013, 34, 435-440.	0.9	38
63	Incidence of epilepsy in Ferrara, Italy. Neurological Sciences, 2013, 34, 2167-2172.	0.9	6
64	Corrigendum to "Altered natural killer cells response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression―[J. Neuroimmunol. 251 (2012) 55–64]. Journal of Neuroimmunology, 2013, 254, 187.	1.1	0
65	Multiple sclerosis lymphocytes upregulate <scp>A</scp> <sub>2A</sub> adenosine receptors that are antiinflammatory when stimulated. European Journal of Immunology, 2013, 43, 2206-2216.	1.6	45
66	A <sub>2A</sub> adenosine receptors are up-regulated in lymphocytes from amyotrophic lateral sclerosis patients. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 406-413.	1.1	34
67	Stroke and Renal Dysfunction. Clinical and Applied Thrombosis/Hemostasis, 2012, 18, 305-311.	0.7	12
68	Epilepsy in Sardinia, Insular Italy: A Population-Based Prevalence Study. Neuroepidemiology, 2012, 39, 19-26.	1.1	13
69	Temporal trend of amyotrophic lateral sclerosis incidence in southern Europe: a population study in the health district of Ferrara, Italy. Journal of Neurology, 2012, 259, 1623-1631.	1.8	16
70	A questionnaire for multinational case-control studies of environmental risk factors in multiple sclerosis (EnvIMS-Q). Acta Neurologica Scandinavica, 2012, 126, 43-50.	1.0	43
71	Altered natural killer cells' response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression. Journal of Neuroimmunology, 2012, 251, 55-64.	1.1	45
72	Incidence of childhood and adolescence epilepsy: a communityâ€based prospective study in the province of Ferrara and in Copparo, Italy, 1996–2005. European Journal of Neurology, 2012, 19, 312-316.	1.7	28

#	Article	IF	CITATIONS
73	Intrathecal levels of vitamin D and IgG in multiple sclerosis. Acta Neurologica Scandinavica, 2012, 125, e28-e31.	1.0	23
74	Incidence and prognosis of stroke in young adults: a population-based study in Ferrara, Italy. Neurological Sciences, 2012, 33, 53-58.	0.9	25
75	An acutely confused young woman. Lancet, The, 2011, 378, 456.	6.3	3
76	Prevalence of self-reported symptoms related to temporomandibular disorders in an Italian population. Journal of Oral Rehabilitation, 2011, 38, 884-890.	1.3	28
77	West Nile virus neuroinvasive disease presenting with acute flaccid paralysis and bilateral sensorineural hearing loss. Journal of Neurology, 2011, 258, 1880-1881.	1.8	14
78	Myasthenia gravis: a changing pattern of incidence. Journal of Neurology, 2010, 257, 2015-2019.	1.8	70
79	A case of asymptomatic pontine myelinolysis. Neurological Sciences, 2010, 31, 361-364.	0.9	16
80	A <sub>2A</sub> adenosine receptor overexpression and functionality, as well as TNFâ€Î± levels, correlate with motor symptoms in Parkinson's disease. FASEB Journal, 2010, 24, 587-598.	0.2	107
81	Timing of Serum Active MMP-9 and MMP-2 Levels in Acute and Subacute Phases After Spontaneous Intracerebral Hemorrhage. Acta Neurochirurgica Supplementum, 2010, 106, 137-140.	0.5	42
82	Timing of Serum Soluble HLA-G Levels in Acute and Subacute Phases After Spontaneous Intracerebral Hemorrhage. Acta Neurochirurgica Supplementum, 2010, 106, 141-145.	0.5	6
83	Gender differences in health-related quality of life in multiple sclerosis. Multiple Sclerosis Journal, 2009, 15, 1339-1346.	1.4	59
84	An unusual cause of a common symptom: Pyomyositis presenting with sciatica. Joint Bone Spine, 2009, 76, 427-428.	0.8	5
85	25-Hydroxyvitamin D in cerebrospinal fluid during relapse and remission of multiple sclerosis. Multiple Sclerosis Journal, 2009, 15, 1280-1285.	1.4	79
86	Multiple sclerosis in the Republic of San Marino: a prevalence and incidence study. Multiple Sclerosis Journal, 2008, 14, 325-329.	1.4	29
87	Incidence of Status Epilepticus in Southern Europe: A Population Study in the Health District of Ferrara, Italy. European Neurology, 2008, 59, 120-126.	0.6	54
88	Azathioprine for multiple sclerosis. The Cochrane Library, 2007, , CD003982.	1.5	80
89	Multiple sclerosis in the province of Ferrara. Journal of Neurology, 2007, 254, 1642-1648.	1.8	51
90	Cerebrospinal fluid and serum levels and intrathecal production of active matrix metalloproteinase-9 (MMP-9) as markers of disease activity in patients with multiple sclerosis. Multiple Sclerosis Journal, 2006, 12, 294-301.	1.4	127

#	Article	IF	CITATIONS
91	Amyotrophic lateral sclerosis, rural environment and agricultural work in the Local Health District of Ferrara, Italy, in the years 1964–1998. Journal of Neurology, 2005, 252, 1322-1327.	1.8	54
92	Oxidative Stress, Antioxidants and Neurodegenerative Diseases. Current Pharmaceutical Design, 2005, 11, 2033-2052.	0.9	126
93	Incidence of Myasthenia gravis in the Province of Ferrara. Neuroepidemiology, 2004, 23, 281-284.	1.1	23
94	Intrathecal production of Chlamydia pneumoniae-specific high-affinity antibodies is significantly associated to a subset of multiple sclerosis patients with progressive forms. Journal of the Neurological Sciences, 2004, 217, 181-188.	0.3	24
95	Subarachnoid hemorrhage presenting as chest pain. American Journal of Emergency Medicine, 2004, 22, 227-228.	0.7	2
96	Pramipexole in restless legs syndrome. Journal of Neurology, 2003, 250, 1494-1495.	1.8	15
97	Is there a decrease in Guillain–Barré syndrome incidence after bovine ganglioside withdrawal in Italy? A population-based study in the Local Health District of Ferrara, Italy. Journal of the Neurological Sciences, 2003, 216, 99-103.	0.3	44
98	Incidence of Amyotrophic Lateral Sclerosis in the Local Health District of Ferrara, Italy, 1964–1998. Neuroepidemiology, 2003, 22, 229-234.	1.1	27
99	Patient Demographic and Clinical Features and Circadian Variation in Onset of Ischemic Stroke. Archives of Neurology, 2002, 59, 48.	4.9	125
100	Risk Factors for Cryptogenic and Idiopathic Partial Epilepsy: A Community-Based Case-Control Study in Copparo, Italy. Neuroepidemiology, 2002, 21, 251-254.	1.1	12
101	Circadian Variability in Hemorrhagic Stroke. JAMA - Journal of the American Medical Association, 2002, 287, 1266-1267.	3.8	93
102	Monday preference in onset of ischemic stroke. American Journal of Medicine, 2001, 111, 401-403.	0.6	64
103	Multiple Sclerosis and Dental Amalgam: Case-Control Study in Ferrara, Italy. Neuroepidemiology, 2001, 20, 134-137.	1.1	32
104	Multiple sclerosis: infectious hypothesis. Neurological Sciences, 2001, 22, 179-185.	0.9	44
105	Early predictors of intractability in childhood epilepsy: a community-based case-control study in Copparo, Italy. Acta Neurologica Scandinavica, 1999, 99, 329-333.	1.0	69
106	The frequency of clinical variants of Guillain-Barré syndrome in Ferrara, Italy. Journal of Neurology, 1999, 246, 1010-1014.	1.8	26
107	Temporal Trend and Factors Associated with Delayed Hospital Admission of Stroke Patients. Neuroepidemiology, 1999, 18, 255-264.	1.1	30
108	Transient global amnesia and transient ischemic attack: a community-based case-control study. Acta Neurologica Scandinavica, 1998, 97, 381-385.	1.0	18

#	Article	IF	CITATIONS
109	An epidemiological study of multiple sclerosis in central Sardinia, Italy. Acta Neurologica Scandinavica, 1998, 98, 391-394.	1.0	29
110	Phenytoin-Induced Gingival Overgrowth: A Community-Based Cross-Sectional Study in Ferrara, Italy. Neuroepidemiology, 1997, 16, 296-303.	1.1	34
111	Prognosis of Childhood Epilepsy: A Community-Based Study in Copparo, Italy. Neuroepidemiology, 1997, 16, 22-28.	1.1	10
112	Incidence of transient global amnesia in the Belluno province, Italy: 1985 through 1995. Acta Neurologica Scandinavica, 1997, 95, 303-310.	1.0	35
113	The incidence of Guillain-Barré syndrome in Ferrara, Italy: Is the disease really increasing?. Journal of the Neurological Sciences, 1996, 137, 62-68.	0.3	25
114	Systemic Lupus erythematosus Related Recurrent Transverse Myelitis in a Patient with Myasthenia gravis and Multiple Sclerosis. European Neurology, 1996, 36, 327-328.	0.6	13
115	Multiple Sclerosis in Italy. Archives of Neurology, 1996, 53, 793.	4.9	59
116	Incidence of transient ischemic attacks in the Belluno Province, Italy. First-year results of a community-based study Acta Neurologica Scandinavica, 1996, 93, 291-296.	1.0	17
117	Risk Factors for Idiopathic Generalized Seizures: A Population-Based Case Control Study in Copparo, Italy. Epilepsia, 1995, 36, 224-229.	2.6	37
118	Exfoliative dermatitis caused by carbamazepine in a patient with isolated IgA deficiency. Contact Dermatitis, 1995, 33, 447-447.	0.8	5
119	Incidence and Prognosis of Stroke in the Belluno Province, Italy. Stroke, 1995, 26, 1787-1793.	1.0	93
120	Environmental Risk Factors and Multiple Sclerosis: A Community-Based, Case-Control Study in the Province of Ferrara, Italy. Neuroepidemiology, 1994, 13, 120-128.	1.1	68
121	Intracranial gliomas in Ferrara, Italy, 1976 to 1991. Acta Neurologica Scandinavica, 1994, 90, 312-317.	1.0	11
122	Multiple sclerosis: Does epidemiology contribute to providing etiological clues?. Journal of the Neurological Sciences, 1993, 115, S16-S23.	0.3	18
123	Retinal Periphlebitis in Multiple Sclerosis: A Marker of Disease Activity?. European Neurology, 1993, 33, 93-96.	0.6	30
124	Incidence of the Guillain-Barré Syndrome in Ferrara, Northern Italy, 1981–1987. Neuroepidemiology, 1991, 10, 105-111.	1.1	31
125	Ganglioside Therapy and Guillain-Barré Syndrome. Neuroepidemiology, 1991, 10, 161-169.	1.1	50
126	Parkinson's Disease in Ferrara, Italy, 1967 Through 1987. Archives of Neurology, 1991, 48, 854-857.	4.9	71