

Ulf Nslund

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9144510/ulf-naslund-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

2,592
citations

17
h-index

50
g-index

65
ext. papers

3,373
ext. citations

5.9
avg. IF

4.04
L-index

#	Paper	IF	Citations
57	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteries. <i>European Heart Journal</i> , 2017 , 38, 112-147	9.5	1274
56	A long-term perspective on the protective effects of an early invasive strategy in unstable coronary artery disease: two-year follow-up of the FRISC-II invasive study. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1902-14	15.1	96
55	Visualization of asymptomatic atherosclerotic disease for optimum cardiovascular prevention (VIPVIZA): a pragmatic, open-label, randomised controlled trial. <i>Lancet, The</i> , 2019 , 393, 133-142	4.0	71
54	(99m)Tc-DPD uptake reflects amyloid fibril composition in hereditary transthyretin amyloidosis. <i>Uppsala Journal of Medical Sciences</i> , 2016 , 121, 17-24	2.8	55
53	Gender differences in trends of acute myocardial infarction events: the Northern Sweden MONICA study 1985 - 2004. <i>BMC Cardiovascular Disorders</i> , 2008 , 8, 17	2.3	47
52	Comparison of triphenyltetrazolium chloride (TTC) staining versus detection of fibronectin in experimental myocardial infarction. <i>Histochemistry</i> , 1993 , 99, 265-75		36
51	Acute effects on heart rate variability when exposed to hand transmitted vibration and noise. <i>International Archives of Occupational and Environmental Health</i> , 2007 , 81, 193-9	3.2	34
50	Clinical significance of abnormal T waves in patients with non-ST-segment elevation acute coronary syndromes. <i>American Journal of Cardiology</i> , 2001 , 88, 1225-9	3	32
49	Trans-catheter aortic valve implantation--early recovery of left and preservation of right ventricular function. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011 , 12, 35-9	1.8	30
48	Long-term risk of cardiovascular disease in Hodgkin lymphoma survivors--retrospective cohort analyses and a concept for prospective intervention. <i>International Journal of Cancer</i> , 2009 , 124, 1914-7	7.5	27
47	Better long-term survival in young and middle-aged women than in men after a first myocardial infarction between 1985 and 2006. An analysis of 8630 patients in the northern Sweden MONICA study. <i>BMC Cardiovascular Disorders</i> , 2011 , 11, 1	2.3	26
46	Older women's prehospital experiences of their first myocardial infarction. <i>Journal of Cardiovascular Nursing</i> , 2013 , 28, 360-9	2.1	24
45	Enzyme and immunohistochemical assessment of myocardial damage after ischaemia and reperfusion in a closed-chest pig model. <i>Histochemistry</i> , 1992 , 98, 341-53		21
44	Longer pre-hospital delay in first myocardial infarction among patients with diabetes: an analysis of 4266 patients in the northern Sweden MONICA Study. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 6	2.3	20
43	Fully automated on-screen carotid intima-media thickness measurement: a screening tool for subclinical atherosclerosis. <i>Journal of Clinical Ultrasound</i> , 2013 , 41, 333-9	1	18
42	Prehospital experiences of older men with a first myocardial infarction: a qualitative analysis within the Northern Sweden MONICA Study. <i>Scandinavian Journal of Caring Sciences</i> , 2011 , 25, 787-97	2.3	17
41	Calcified carotid artery atheromas in panoramic radiographs are associated with a first myocardial infarction: a case-control study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018 , 125, 199-204.e1	2	17

40	Effect of heart rate on ventricular repolarization in healthy individuals applying vectorcardiographic T vector and T vector loop analysis. <i>Annals of Noninvasive Electrocardiology</i> , 2011 , 16, 287-94	1.5	15
39	Lipoprotein(a) and the Apolipoprotein B/A1 Ratio Independently Associate With Surgery for Aortic Stenosis Only in Patients With Concomitant Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	13
38	Proteomic Biomarkers for Incident Aortic Stenosis Requiring Valvular Replacement. <i>Circulation</i> , 2018 , 138, 590-599	16.7	12
37	Central venous oxygen saturation during cardiopulmonary bypass predicts 3-year survival. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013 , 16, 21-6	1.8	11
36	Serum markers are not reliable measures of renal function in conjunction with cardiopulmonary bypass. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011 , 12, 713-7	1.8	11
35	Experiences of and Coping With Severe Aortic Stenosis Among Patients Waiting for Transcatheter Aortic Valve Implantation. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 255-61	2.1	11
34	Successful noviceS training in obtaining accurate assessment of carotid IMT using an automated ultrasound system. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 637-42	4.1	10
33	Case of epidemic nephropathy associated with disseminated intravascular coagulation. <i>Lancet, The</i> , 1983 , 2, 1419	40	10
32	Symptoms and delay times during myocardial infarction in 694 patients with and without diabetes; an explorative cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 108	2.3	9
31	ST-segment deviations during pacing-induced increased heart rate in patients without coronary artery disease. <i>Clinical Physiology and Functional Imaging</i> , 2005 , 25, 246-52	2.4	9
30	Health literacy is independently and inversely associated with carotid artery plaques and cardiovascular risk. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 209-215	3.9	9
29	Symptomatic improvement after catheter ablation of supraventricular tachycardia measured by the arrhythmia-specific questionnaire U22. <i>Upsala Journal of Medical Sciences</i> , 2011 , 116, 52-9	2.8	8
28	Assessment of myocardium at risk with computerized vectorcardiography and technetium-99m-sestamibi-single photon emission computed tomography during coronary angioplasty. <i>Scandinavian Cardiovascular Journal</i> , 2002 , 36, 11-8	2	8
27	Ischaemia and reperfusion induced transient QRS vector changes: relationship to size of the ischaemic territory. <i>Cardiovascular Research</i> , 1993 , 27, 327-33	9.9	8
26	Association of FADS1/2 Locus Variants and Polyunsaturated Fatty Acids With Aortic Stenosis. <i>JAMA Cardiology</i> , 2020 , 5, 694-702	16.2	7
25	U22, a protocol to quantify symptoms associated with supraventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32 Suppl 1, S105-8	1.6	7
24	Ischemia-induced repolarization response in relation to the size and location of the ischemic myocardium during short-lasting coronary occlusion in humans. <i>Journal of Electrocardiology</i> , 2010 , 43, 104-12	1.4	7
23	The influence of acute-phase levels of haemostatic factors on reperfusion and mortality in patients with acute myocardial infarction treated with streptokinase. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 26, 188-95	5.1	7

22	The electrocardiographic reperfusion peak in patients with ST-elevation myocardial infarction. <i>Scandinavian Cardiovascular Journal</i> , 2007 , 41, 25-31	2	7
21	Mild impairment of renal function (shrunken pore syndrome) is associated with increased risk for future surgery for aortic stenosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019 , 79, 524-530	2	6
20	The Process of Care-seeking for Myocardial Infarction Among Patients With Diabetes. <i>Journal of Cardiovascular Nursing</i> , 2015 , 30, E1-8	2.1	6
19	The nature of cardiac calcification in aortic stenosis. <i>International Journal of Cardiology</i> , 2012 , 158, 319-23	3.2	6
18	Technetium-99m pyrophosphate single-photon emission computed tomography of the heart in familial amyloid polyneuropathy. <i>International Journal of Cardiology</i> , 1987 , 14, 365-9	3.2	6
17	Patients' Decision Making About Undergoing Transcatheter Aortic Valve Implantation for Severe Aortic Stenosis. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 523-528	2.1	6
16	Long-term results after aortic valve replacement for bicuspid or tricuspid valve morphology in a Swedish population. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 59, 570-576	3	6
15	Long-term follow-up of mitral valve regurgitation--importance of mitral valve pathology and left ventricular function on survival. <i>International Journal of Cardiology</i> , 2009 , 137, 145-50	3.2	5
14	Hope and despair: patients' experiences of being ineligible for transcatheter aortic valve implantation. <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 593-600	3.3	4
13	Patients' experiences of the transcatheter aortic valve implantation trajectory: A grounded theory study. <i>Nursing Open</i> , 2018 , 5, 149-157	2.1	4
12	Vectorcardiographic ST deviations related to increased heart rate in the absence of ischemia in an experimental pig model. <i>Journal of Electrocardiology</i> , 2006 , 39, 169-76	1.4	4
11	Risk Marker Variability in Subclinical Carotid Plaques Based on Ultrasound is Influenced by Cardiac Phase, Echogenicity and Size. <i>Ultrasound in Medicine and Biology</i> , 2018 , 44, 1742-1750	3.5	4
10	The beneficial effect over 3 years by pictorial information to patients and their physician about subclinical atherosclerosis and cardiovascular risk: Results from the VIPVIZA randomized clinical trial. <i>American Journal of Preventive Cardiology</i> , 2021 , 7, 100199	1.9	4
9	Patients' self-reported function, symptoms and health-related quality of life before and 6 months after transcatheter aortic valve implantation and surgical aortic valve replacement. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 213-221	3.3	3
8	Ischemic ST-segment episodes during the initial 24 hours of ST elevation myocardial infarction predict prognosis at 1 and 5 years. <i>Journal of Electrocardiology</i> , 2010 , 43, 224-9	1.4	2
7	Inter-sonographer reproducibility of carotid ultrasound plaque detection using Mannheim consensus in subclinical atherosclerosis. <i>Clinical Physiology and Functional Imaging</i> , 2020 , 40, 46-51	2.4	2
6	Is intima-media thickness a predictor for cardiovascular risk? - Authors' reply. <i>Lancet, The</i> , 2019 , 394, 3814	0	1
5	ST changes and temporal relation to the J point during heart rate increase and myocardial ischemia. <i>Journal of Electrocardiology</i> , 2009 , 42, 6-11	1.4	1

4	Lipoprotein size is a main determinant for the rate of hydrolysis by exogenous lipoprotein lipase in human plasma. <i>Journal of Lipid Research</i> , 2021 , 100144	6.3	o
3	Prescription of Lipid-Lowering and Antihypertensive Drugs Following Pictorial Information About Subclinical Atherosclerosis: A Secondary Outcome of a Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2121683	10.4	o
2	Long-term exposure to particulate air pollution and presence and progression of carotid artery plaques - A northern Sweden VIPVIZA cohort study.. <i>Environmental Research</i> , 2022 , 113061	7.9	o
1	Patient-doctor engagement in cardiovascular prevention - AuthorsSreply. <i>Lancet, The</i> , 2019 , 394, e27	4.0	