## Ulf Näslund

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9144510/publications.pdf

Version: 2024-02-01

361296 118793 4,125 65 20 62 citations h-index g-index papers 65 65 65 5629 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Association of high cardiovascular risk and diabetes with calcified carotid artery atheromas depicted on panoramic radiographs. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2022, 133, 88-99.	0.2	2
2	Lipoprotein size is a main determinant for the rate of hydrolysis by exogenous LPL in human plasma. Journal of Lipid Research, 2022, 63, 100144.	2.0	5
3	Time to initiation of lipid-lowering drugs for subclinical atherosclerosis: sub-study of VIPVIZA randomized controlled trial, with single-arm cross-over. European Heart Journal Open, 2022, 2, .	0.9	2
4	Long-term exposure to particulate air pollution and presence and progression of carotid artery plaques - A northern Sweden VIPVIZA cohort study. Environmental Research, 2022, 211, 113061.	3.7	5
5	Long-term results after aortic valve replacement for bicuspid or tricuspid valve morphology in a Swedish population. European Journal of Cardio-thoracic Surgery, 2021, 59, 570-576.	0.6	17
6	High risk of cardiovascular side effects after treatment of Hodgkin's lymphoma – is there a need for intervention in long-term survivors?. Upsala Journal of Medical Sciences, 2021, 126, .	0.4	3
7	The right pick: Does a self-assessment measurement tool correctly identify health care consumers with inadequate health literacy?. Patient Education and Counseling, 2021, , .	1.0	1
8	Prescription of Lipid-Lowering and Antihypertensive Drugs Following Pictorial Information About Subclinical Atherosclerosis. JAMA Network Open, 2021, 4, e2121683.	2.8	7
9	The beneficial effect over 3 years by pictorial information to patients and their physician about subclinical atherosclerosis and cardiovascular risk: Results from the VIPVIZA randomized clinical trial. American Journal of Preventive Cardiology, 2021, 7, 100199.	1.3	21
10	Health literacy is independently and inversely associated with carotid artery plaques and cardiovascular risk. European Journal of Preventive Cardiology, 2020, 27, 209-215.	0.8	20
11	Interâ€sonographer reproducibility of carotid ultrasound plaque detection using Mannheim consensus in subclinical atherosclerosis. Clinical Physiology and Functional Imaging, 2020, 40, 46-51.	0.5	11
12	Association of <i>FADS1/2</i> Locus Variants and Polyunsaturated Fatty Acids With Aortic Stenosis. JAMA Cardiology, 2020, 5, 694.	3.0	32
13	Troponin T but not C reactive protein is associated with future surgery for aortic stenosis: a population-based nested case-referent study. Open Heart, 2020, 7, e001325.	0.9	5
14	Is intima-media thickness a predictor for cardiovascular risk? – Authors' reply. Lancet, The, 2019, 394, 381.	6.3	1
15	Mild impairment of renal function (shrunken pore syndrome) is associated with increased risk for future surgery for aortic stenosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 524-530.	0.6	12
16	Patient–doctor engagement in cardiovascular prevention – Authors' reply. Lancet, The, 2019, 394, e27.	6.3	0
17	Hope and despair: patients' experiences of being ineligible for transcatheter aortic valve implantation. European Journal of Cardiovascular Nursing, 2019, 18, 593-600.	0.4	6
18	Visualization of asymptomatic atherosclerotic disease for optimum cardiovascular prevention (VIPVIZA): a pragmatic, open-label, randomised controlled trial. Lancet, The, 2019, 393, 133-142.	6.3	142

#	Article	IF	Citations
19	Proteomic Biomarkers for Incident Aortic Stenosis Requiring Valvular Replacement. Circulation, 2018, 138, 590-599.	1.6	24
20	Patients' experiences of the transcatheter aortic valve implantation trajectory: A grounded theory study. Nursing Open, 2018, 5, 149-157.	1.1	9
21	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). European Heart Journal, 2018, 39, 763-816.	1.0	2,305
22	Calcified carotid artery atheromas in panoramic radiographs are associated with a first myocardial infarction: a case-control study. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2018, 125, 199-204.e1.	0.2	24
23	Risk Marker Variability in Subclinical Carotid Plaques Based on Ultrasound is Influenced by Cardiac Phase, Echogenicity and Size. Ultrasound in Medicine and Biology, 2018, 44, 1742-1750.	0.7	8
24	Patients' self-reported function, symptoms and health-related quality of life before and 6 months after transcatheter aortic valve implantation and surgical aortic valve replacement. European Journal of Cardiovascular Nursing, 2017, 16, 213-221.	0.4	12
25	Lipoprotein(a) and the Apolipoprotein B/A1 Ratio Independently Associate With Surgery for Aortic Stenosis Only in Patients With Concomitant Coronary Artery Disease. Journal of the American Heart Association, 2017, $6$ , .	1.6	23
26	Experiences of and Coping With Severe Aortic Stenosis Among Patients Waiting for Transcatheter Aortic Valve Implantation. Journal of Cardiovascular Nursing, 2016, 31, 255-261.	0.6	15
27	Patients' Decision Making About Undergoing Transcatheter Aortic Valve Implantation for Severe Aortic Stenosis. Journal of Cardiovascular Nursing, 2016, 31, 523-528.	0.6	11
28	Symptoms and delay times during myocardial infarction in 694 patients with and without diabetes; an explorative cross-sectional study. BMC Cardiovascular Disorders, 2016, 16, 108.	0.7	22
29	<sup>99m</sup> Tc-DPD uptake reflects amyloid fibril composition in hereditary transthyretin amyloidosis. Upsala Journal of Medical Sciences, 2016, 121, 17-24.	0.4	82
30	The Process of Care-seeking for Myocardial Infarction Among Patients With Diabetes. Journal of Cardiovascular Nursing, 2015, 30, E1-E8.	0.6	13
31	Successful novice's training in obtaining accurate assessment of carotid IMT using an automated ultrasound system. European Heart Journal Cardiovascular Imaging, 2014, 15, 637-642.	0.5	13
32	Longer pre-hospital delay in first myocardial infarction among patients with diabetes: an analysis of 4266 patients in the Northern Sweden MONICA Study. BMC Cardiovascular Disorders, 2013, 13, 6.	0.7	30
33	Central venous oxygen saturation during cardiopulmonary bypass predicts 3-year survival. Interactive Cardiovascular and Thoracic Surgery, 2013, 16, 21-26.	0.5	17
34	Older Women's Prehospital Experiences of Their First Myocardial Infarction. Journal of Cardiovascular Nursing, 2013, 28, 360-369.	0.6	25
35	Fully automated onâ€screen carotid intimaâ€media thickness measurement: A screening tool for subclinical atherosclerosis. Journal of Clinical Ultrasound, 2013, 41, 333-339.	0.4	29
36	The nature of cardiac calcification in aortic stenosis. International Journal of Cardiology, 2012, 158, 319-321.	0.8	6

#	Article	IF	CITATIONS
37	Prehospital experiences of older men with a first myocardial infarction: a qualitative analysis within the Northern Sweden MONICA Study. Scandinavian Journal of Caring Sciences, 2011, 25, 787-797.	1.0	19
38	Effect of Heart Rate on Ventricular Repolarization in Healthy Individuals Applying Vectorcardiographic T Vector and T Vector Loop Analysis., 2011, 16, 287-294.		17
39	Better long-term survival in young and middle-aged women than in men after a first myocardial infarction between 1985 and 2006. an analysis of 8630 patients in the Northern Sweden MONICA Study. BMC Cardiovascular Disorders, 2011, 11, 1.	0.7	38
40	Symptomatic improvement after catheter ablation of supraventricular tachycardia measured by the arrhythmia-specific questionnaire U22. Upsala Journal of Medical Sciences, 2011, 116, 52-59.	0.4	10
41	Serum markers are not reliable measures of renal function in conjunction with cardiopulmonary bypassâ~†. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 713-717.	0.5	12
42	Trans-catheter aortic valve implantation $\hat{a} \in ``early recovery of left and preservation of right ventricular function. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 35-39.$	0.5	35
43	Ischemia-induced repolarization response in relation to the size and location of the ischemic myocardium during short-lasting coronary occlusion in humans. Journal of Electrocardiology, 2010, 43, 104-112.	0.4	7
44	Ischemic ST-segment episodes during the initial 24 hours of ST elevation myocardial infarction predict prognosis at 1 and 5 years. Journal of Electrocardiology, 2010, 43, 224-229.	0.4	6
45	ST changes and temporal relation to the J point during heart rate increase and myocardial ischemia. Journal of Electrocardiology, 2009, 42, 6-11.	0.4	2
46	Longâ€ŧerm risk of cardiovascular disease in Hodgkin lymphoma survivors—Retrospective cohort analyses and a concept for prospective intervention. International Journal of Cancer, 2009, 124, 1917.	2.3	32
47	U22, a Protocol to Quantify Symptoms Associated with Supraventricular Tachycardia. PACE - Pacing and Clinical Electrophysiology, 2009, 32, S105-8.	0.5	12
48	Long-term follow-up of mitral valve regurgitationâ€"Importance of mitral valve pathology and left ventricular function on survival. International Journal of Cardiology, 2009, 137, 145-150.	0.8	7
49	The influence of acute-phase levels of haemostatic factors on reperfusion and mortality in patients with acute myocardial infarction treated with streptokinase. Journal of Thrombosis and Thrombolysis, 2008, 26, 188-195.	1.0	8
50	Gender differences in trends of acute myocardial infarction events: The Northern Sweden MONICA study 1985 – 2004. BMC Cardiovascular Disorders, 2008, 8, 17.	0.7	52
51	The electrocardiographic reperfusion peak in patients with ST-elevation myocardial infarction. Scandinavian Cardiovascular Journal, 2007, 41, 25-31.	0.4	7
52	Acute effects on heart rate variability when exposed to hand transmitted vibration and noise. International Archives of Occupational and Environmental Health, 2007, 81, 193-199.	1.1	42
53	Vectorcardiographic ST deviations related to increased heart rate in the absence of ischemia in an experimental pig model. Journal of Electrocardiology, 2006, 39, 169-176.	0.4	5
54	ST-segment deviations during pacing-induced increased heart rate in patients without coronary artery disease. Clinical Physiology and Functional Imaging, 2005, 25, 246-252.	0.5	11

#	Article	IF	CITATIONS
55	Assessment of Myocardium at Risk with Computerized Vectorcardiography and Technetium-99m-Sestamibi-Single Photon Emission Computed Tomography during Coronary Angioplasty. Scandinavian Cardiovascular Journal, 2002, 36, 11-18.	0.4	8
56	A long-term perspective on the protective effects of an early invasive strategy in unstable coronary artery disease. Journal of the American College of Cardiology, 2002, 40, 1902-1914.	1.2	119
57	Clinical significance of abnormal T waves in patients with non–ST-segment elevation acute coronary syndromes. American Journal of Cardiology, 2001, 88, 1225-1229.	0.7	34
58	lt's Time for a Change to a Troponin Standard. Circulation, 2000, 102, 1216-1220.	1.6	584
59	Comparison of triphenyltetrazolium chloride (TTC) staining versus detection of fibronectin in experimental myocardial infarction. Histochemistry, 1993, 99, 265-275.	1.9	41
60	Ischaemia and reperfusion induced transient QRS vector changes: relationship to size of the ischaemic territory. Cardiovascular Research, 1993, 27, 327-333.	1.8	8
61	Reversible and irreversible myocyte injury evaluated with immunocytochemistry and electron microscopy. Journal of Molecular and Cellular Cardiology, 1992, 24, 78.	0.9	1
62	Comparison of TTC staining and anti fibronectin staining for the estimation of myocardial infarct size. Journal of Molecular and Cellular Cardiology, 1992, 24, 189.	0.9	1
63	Enzyme and immunohistochemical assessment of myocardial damage after ischaemia and reperfusion in a closed-chest pig model. Histochemistry, 1992, 98, 341-353.	1.9	25
64	Technetium-99m pyrophosphate single-photon emission computed tomography of the heart in familial amyloid polyneuropathy. International Journal of Cardiology, 1987, 14, 365-369.	0.8	6
65	CASE OF EPIDEMIC NEPHROPATHY ASSOCIATED WITH DISSEMINATED INTRAVASCULAR COAGULATION. Lancet, The, 1983, 322, 1419.	6.3	16