Robert Silbergleit

List of Publications by Citations

Source: https://exaly.com/author-pdf/9144718/robert-silbergleit-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 2,852 22 53 g-index h-index citations papers 8.8 4.82 72 3,595 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
65	Intensive Blood-Pressure Lowering in Patients with Acute Cerebral Hemorrhage. <i>New England Journal of Medicine</i> , 2016 , 375, 1033-43	59.2	576
64	Intramuscular versus intravenous therapy for prehospital status epilepticus. <i>New England Journal of Medicine</i> , 2012 , 366, 591-600	59.2	454
63	Very early administration of progesterone for acute traumatic brain injury. <i>New England Journal of Medicine</i> , 2014 , 371, 2457-66	59.2	374
62	Randomized Trial of Three Anticonvulsant Medications for Status Epilepticus. <i>New England Journal of Medicine</i> , 2019 , 381, 2103-2113	59.2	181
61	Reframing Consent for Clinical Research: A Function-Based Approach. <i>American Journal of Bioethics</i> , 2017 , 17, 3-11	1.1	133
60	Midazolam versus diazepam for the treatment of status epilepticus in children and young adults: a meta-analysis. <i>Academic Emergency Medicine</i> , 2010 , 17, 575-82	3.4	114
59	The established status epilepticus trial 2013. <i>Epilepsia</i> , 2013 , 54 Suppl 6, 89-92	6.4	84
58	Efficacy of levetiracetam, fosphenytoin, and valproate for established status epilepticus by age group (ESETT): a double-blind, responsive-adaptive, randomised controlled trial. <i>Lancet, The</i> , 2020 , 395, 1217-1224	40	76
57	RAMPART (Rapid Anticonvulsant Medication Prior to Arrival Trial): a double-blind randomized clinical trial of the efficacy of intramuscular midazolam versus intravenous lorazepam in the prehospital treatment of status epilepticus by paramedics. <i>Epilepsia</i> , 2011 , 52 Suppl 8, 45-7	6.4	69
56	Early Convalescent Plasma for High-Risk Outpatients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 1951-1960	59.2	60
55	Cost-effectiveness of helicopter transport of stroke patients for thrombolysis. <i>Academic Emergency Medicine</i> , 2003 , 10, 966-72	3.4	57
54	The influence of age and chronic medical conditions on neurological outcomes in out of hospital cardiac arrest. <i>Resuscitation</i> , 2015 , 89, 169-76	4	55
53	Intramuscular midazolam versus intravenous lorazepam for the prehospital treatment of status epilepticus in the pediatric population. <i>Epilepsia</i> , 2015 , 56, 254-62	6.4	44
52	Lessons from the RAMPART studyand which is the best route of administration of benzodiazepines in status epilepticus. <i>Epilepsia</i> , 2013 , 54 Suppl 6, 74-7	6.4	42
51	Implementation of the exception from informed consent regulations in a large multicenter emergency clinical trials network: the RAMPART experience. <i>Academic Emergency Medicine</i> , 2012 , 19, 448-54	3.4	34
50	Endotracheal Intubation in Patients Treated for Prehospital Status Epilepticus. <i>Neurocritical Care</i> , 2015 , 23, 33-43	3.3	33
49	Enrollment in research under exception from informed consent: the Patients Experiences in Emergency Research (PEER) study. <i>Resuscitation</i> , 2013 , 84, 1416-21	4	32

(2021-2017)

48	Prehospital Intubation is Associated with Favorable Outcomes and Lower Mortality in ProTECT III. Prehospital Emergency Care, 2017 , 21, 539-544	2.8	29
47	Underdosing of Benzodiazepines in Patients With Status Epilepticus Enrolled in Established Status Epilepticus Treatment Trial. <i>Academic Emergency Medicine</i> , 2019 , 26, 940-943	3.4	25
46	Confronting Ethical and Regulatory Challenges of Emergency Care Research With Conscious Patients. <i>Annals of Emergency Medicine</i> , 2016 , 67, 538-45	2.1	25
45	Emergency Neurological Life Support: Status Epilepticus. <i>Neurocritical Care</i> , 2015 , 23 Suppl 2, S136-42	3.3	24
44	Consulting communities when patients cannot consent: a multicenter study of community consultation for research in emergency settings. <i>Critical Care Medicine</i> , 2014 , 42, 272-80	1.4	22
43	Very Early Administration of Progesterone Does Not Improve Neuropsychological Outcomes in Subjects with Moderate to Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017 , 34, 115-120	5.4	21
42	Association of Very Early Serum Levels of S100B, Glial Fibrillary Acidic Protein, Ubiquitin C-Terminal Hydrolase-L1, and Spectrin Breakdown Product with Outcome in ProTECT III. <i>Journal of Neurotrauma</i> , 2019 , 36, 2863-2871	5.4	21
41	Emergency treatment of status epilepticus: current thinking. <i>Emergency Medicine Clinics of North America</i> , 2009 , 27, 101-13, ix	1.9	21
40	Emergency neurological life support: status epilepticus. <i>Neurocritical Care</i> , 2012 , 17 Suppl 1, S73-8	3.3	20
39	Outcomes of Intensive Systolic Blood Pressure Reduction in Patients With Intracerebral Hemorrhage and Excessively High Initial Systolic Blood Pressure: Post Hoc Analysis of a Randomized Clinical Trial. <i>JAMA Neurology</i> , 2020 , 77, 1355-1365	17.2	20
38	The 60-day temperature-dependent degradation of midazolam and Lorazepam in the prehospital environment. <i>Prehospital Emergency Care</i> , 2013 , 17, 1-7	2.8	19
37	Screen failure data in clinical trials: Are screening logs worth it?. Clinical Trials, 2014, 11, 467-472	2.2	16
36	Degradation of benzodiazepines after 120 days of EMS deployment. <i>Prehospital Emergency Care</i> , 2014 , 18, 368-74	2.8	13
35	Emergency Consent: Patients Land Surrogates Lerspectives on Consent for Clinical Trials in Acute Stroke and Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2019 , 8, e010905	6	12
34	Community consultation for prehospital research: experiences of study coordinators and principal investigators. <i>Prehospital Emergency Care</i> , 2014 , 18, 274-81	2.8	11
33	Blood Pressure-Attained Analysis of ATACH 2 Trial. <i>Stroke</i> , 2018 , 49, 1412-1418	6.7	11
32	Pre-hospital midazolam for benzodiazepine-treated seizures before and after the Rapid Anticonvulsant Medication Prior to Arrival Trial: A national observational cohort study. <i>PLoS ONE</i> , 2017 , 12, e0173539	3.7	10
31	Extracorporeal Cardiopulmonary Resuscitation for Refractory Out-of-Hospital Cardiac Arrest (EROCA): Results of a Randomized Feasibility Trial of Expedited Out-of-Hospital Transport. <i>Annals of Emergency Medicine</i> , 2021 , 78, 92-101	2.1	10

30	Balancing ethical goals in challenging individual participant scenarios occurring in a trial conducted with exception from informed consent. <i>Academic Emergency Medicine</i> , 2015 , 22, 340-6	3.4	9
29	Hyperbaric oxygen brain injury treatment (HOBIT) trial: a multifactor design with response adaptive randomization and longitudinal modeling. <i>Pharmaceutical Statistics</i> , 2016 , 15, 396-404	1	9
28	Patterns of benzodiazepine underdosing in the Established Status Epilepticus Treatment Trial. <i>Epilepsia</i> , 2021 , 62, 795-806	6.4	9
27	Outcome of patients after air medical transport for management of nontraumatic acute intracranial bleeding. <i>Prehospital and Disaster Medicine</i> , 1994 , 9, 252-6	0.8	8
26	The Effect of Goal-Directed Therapy on Patient Morbidity and Mortality After Traumatic Brain Injury: Results From the Progesterone for the Treatment of Traumatic Brain Injury III Clinical Trial. <i>Critical Care Medicine</i> , 2019 , 47, 623-631	1.4	8
25	Patient Engagement in Neurological Clinical Trials Design: A Conference Summary. <i>Clinical and Translational Science</i> , 2015 , 8, 776-8	4.9	7
24	Quality of emergency care on the night shift. Academic Emergency Medicine, 2006, 13, 325-30	3.4	7
23	Challenges in the design and analysis of non-inferiority trials: a case study. Clinical Trials, 2011, 8, 601-8	2.2	6
22	Lessons from the Established Status Epilepticus Treatment Trial. <i>Epilepsy and Behavior</i> , 2019 , 101, 1062	962	5
21	A systematic review of Federal Drug Administration Docket for community consultation and public disclosure in exception from informed consent trials. <i>Clinical Trials</i> , 2018 , 15, 29-35	2.2	4
20	Sliding Scoring of the Glasgow Outcome Scale-Extended as Primary Outcome in Traumatic Brain Injury Trials. <i>Journal of Neurotrauma</i> , 2020 , 37, 2674-2679	5.4	4
19	Progesterone Treatment Does Not Decrease Serum Levels of Biomarkers of Glial and Neuronal Cell Injury in Moderate and Severe Traumatic Brain Injury Subjects: A Secondary Analysis of the Progesterone for Traumatic Brain Injury, Experimental Clinical Treatment (ProTECT) III Trial. Journal	5.4	4
18	Priorities to Overcome Barriers Impacting Data Science Application in Emergency Care Research. Academic Emergency Medicine, 2019 , 26, 97-105	3.4	3
17	Accounting for repeat enrollments during an emergency clinical trial: the Rapid Anticonvulsant Medications Prior to Arrival Trial (RAMPART). <i>Academic Emergency Medicine</i> , 2015 , 22, 373-7	3.4	3
16	Electroencephalographic Seizures in Emergency Department Patients After Treatment for Convulsive Status Epilepticus. <i>Journal of Clinical Neurophysiology</i> , 2020 , Publish Ahead of Print,	2.2	3
15	Patient and Surrogate Postenrollment Perspectives on Research Using the Exception From Informed Consent: An Integrated Survey. <i>Annals of Emergency Medicine</i> , 2020 , 76, 343-349	2.1	3
14	Levetiracetam no better than phenytoin in children with convulsive status epilepticus. <i>Lancet, The</i> , 2019 , 393, 2101-2102	40	2
13	Clinical Practice Variability in Temperature Correction of Arterial Blood Gas Measurements and Outcomes in Hypothermia-Treated Patients After Cardiac Arrest. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015 , 5, 135-42	1.3	2

LIST OF PUBLICATIONS

12	The association of patient weight and dose of fosphenytoin, levetiracetam, and valproic acid with treatment success in status epilepticus. <i>Epilepsia</i> , 2020 , 61, e66-e70	6.4	2	
11	Response to Food and Drug Administration draft guidance statement on research into the treatment of life-threatening emergency conditions using exception from informed consent: testimony of the neurological emergencies treatment trials. <i>Academic Emergency Medicine</i> , 2007 ,	3.4	2	
10	Context and principles must drive alternatives to consent in emergency research. <i>Lancet Neurology, The</i> , 2020 , 19, 968-969	24.1	1	
9	Meeting unique requirements: Community consultation and public disclosure for research in emergency setting using exception from informed consent. <i>Academic Emergency Medicine</i> , 2021 , 28, 1183-1194	3.4	1	
8	Missed Opportunities in New-onset Seizures in the Emergency Department. <i>Academic Emergency Medicine</i> , 2021 , 28, 477-479	3.4	1	
7	Early Neurologic Recovery, Practice Pattern Variation, and the Risk of Endotracheal Intubation Following Established Status Epilepticus. <i>Neurology</i> , 2021 , 96, e2372-e2386	6.5	1	
6	A pharmacokinetic simulation study to assess the performance of a sparse blood sampling approach to quantify early drug exposure. <i>Clinical and Translational Science</i> , 2021 , 14, 1444-1451	4.9	O	
5	Efficacy of Home Anticonvulsant Administration for Second-Line Status Epilepticus Treatment. <i>Neurology</i> , 2021 , 97, e720-e727	6.5	O	
4	The Experiences and Needs of Families of Comatose Patients After Cardiac Arrest and Severe Neurotrauma: The Perspectives of National Key Stakeholders During a National Institutes of Health-Funded Workshop. 2022 , 4, e0648		O	
3	Managing Hypothermia in Cardiac Arrest and Rewarming. <i>Therapeutic Hypothermia and Temperature Management</i> , 2013 , 3, 166-170	1.3		
2	Studies Utilizing Therapeutic Hypothermia and Targeted Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021 , 11, 71-75	1.3		
1	Early Exposure of Fosphenytoin, Levetiracetam, and Valproic Acid After High-Dose Intravenous Administration in Young Children With Benzodiazepine-Refractory Status Epilepticus. <i>Journal of Clinical Pharmacology</i> , 2021 , 61, 763-768	2.9		