

David J Moser

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9145383/david-j-moser-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

5,023
citations

39
h-index

67
g-index

127
ext. papers

5,582
ext. citations

3.7
avg, IF

4.94
L-index

#	Paper	IF	Citations
127	DMPK mRNA Expression in Human Brain Tissue Throughout the Lifespan. <i>Neurology: Genetics</i> , 2021 , 7, e537	3.8	1
126	Daily Activities: The Impact of COPD and Cognitive Dysfunction. <i>Archives of Clinical Neuropsychology</i> , 2021 , 36, acaa090 767 779-767	2.7	2
125	Cognitive performance is lower among individuals with overlap syndrome than in individuals with COPD or obstructive sleep apnea alone: association with carotid artery stiffness. <i>Journal of Applied Physiology</i> , 2021 , 131, 131-141	3.7	2
124	Cognitive Deficits, Apathy, and Hypersomnolence Represent the Core Brain Symptoms of Adult-Onset Myotonic Dystrophy Type 1. <i>Frontiers in Neurology</i> , 2021 , 12, 700796	4.1	3
123	Cognitive function and its relationship with brain structure in myotonic dystrophy type 1. <i>Journal of Neuroscience Research</i> , 2021 , 99, 190-199	4.4	7
122	Comparison of TRho MRI, Glucose Metabolism, and Amyloid Burden Across the Cognitive Spectrum: A Pilot Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020 , 32, 352-361	2.7	2
121	Carotid Artery Stiffness is Associated With Cognitive Performance in Former Smokers With and Without Chronic Obstructive Pulmonary Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e014862	6.1	7
120	Encoding of facial expressions in individuals with adult-onset myotonic dystrophy type 1. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020 , 42, 932-940	2.1	
119	Long-Term Cognitive and Psychological Functioning in Post-Electroconvulsive Therapy Patients. <i>Journal of ECT</i> , 2019 , 35, 27-34	2	2
118	Reduced Attention in Former Smokers with and without COPD. <i>International Journal of Behavioral Medicine</i> , 2019 , 26, 600-607	2.6	2
117	Elevated Aortic Stiffness is Associated with Lower Brain pH and Executive Function Performance in Middle-aged and Older Adults. <i>FASEB Journal</i> , 2019 , 33, 696.15	0.9	
116	Education moderates the effects of large central artery aging on cognitive performance in middle-aged and older adults. <i>Physiological Reports</i> , 2019 , 7, e14291	2.6	2
115	Early Phase PIB-PET as a Surrogate for Global and Regional Cerebral Blood Flow Measures. <i>Journal of Neuroimaging</i> , 2019 , 29, 85-96	2.8	3
114	Author response: Evaluating depression and suicidality in tetrabenazine users with Huntington disease. <i>Neurology</i> , 2019 , 92, 448	6.5	
113	Evaluating depression and suicidality in tetrabenazine users with Huntington disease. <i>Neurology</i> , 2018 , 91, e202-e207	6.5	24
112	Higher Aortic Stiffness Is Associated With Lower Global Cerebrovascular Reserve Among Older Humans. <i>Hypertension</i> , 2018 , 72, 476-482	8.5	18
111	Elevated Aortic Stiffness is Associated with Weaker Executive Function in Individuals with Lower Cognitive Reserve via Reductions in Frontal Cerebrovascular Reserve. <i>FASEB Journal</i> , 2018 , 32, 711.3	0.9	

110	Subjective cognitive complaints and neuropsychological performance in former smokers with and without chronic obstructive pulmonary disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018 , 40, 411-422	2.1	4
109	Consensus-based care recommendations for adults with myotonic dystrophy type 1. <i>Neurology: Clinical Practice</i> , 2018 , 8, 507-520	1.7	65
108	Substance abuse may hasten motor onset of Huntington disease: Evaluating the Enroll-HD database. <i>Neurology</i> , 2017 , 88, 909-915	6.5	22
107	Anxiety independently contributes to elevated inflammation in humans with obesity. <i>Obesity</i> , 2017 , 25, 286-289	8	20
106	Substance abuse leads to earlier age of onset of huntington disease: an epidemiological study of the Enroll-HD database. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, A71.1-A71	5.5	
105	Depressive symptoms related to low fractional anisotropy of white matter underlying the right ventral anterior cingulate in older adults with atherosclerotic vascular disease. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 408	3.3	4
104	Prevention of post-stroke generalized anxiety disorder, using escitalopram or problem-solving therapy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014 , 26, 323-8	2.7	25
103	Social motivation in individuals with isolated cleft lip and palate. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 489-500	2.1	9
102	Characterizing white matter health and organization in atherosclerotic vascular disease: a diffusion tensor imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 214, 389-94	2.9	9
101	Neuropsychological performance, impulsivity, symptoms of ADHD, and Cloninger's personality traits in pathological gambling. <i>Addiction Research and Theory</i> , 2013 , 21, 216-226	2.6	17
100	Prevention of poststroke apathy using escitalopram or problem-solving therapy. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 855-62	6.5	24
99	Incident apathy during the first year after stroke and its effect on physical and cognitive recovery. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 848-54	6.5	18
98	Association of anxiety with resistance vessel dysfunction in human atherosclerosis. <i>Psychosomatic Medicine</i> , 2013 , 75, 537-44	3.7	18
97	White matter fractional anisotropy is inversely related to anxious symptoms in older adults with atherosclerosis. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1069-76	3.9	9
96	Substance abuse may be a risk factor for earlier onset of Huntington disease. <i>Journal of Neurology</i> , 2012 , 259, 1824-31	5.5	31
95	Patterns of serotonergic antidepressant usage in prodromal Huntington disease. <i>Psychiatry Research</i> , 2012 , 196, 309-14	9.9	17
94	Anxious symptoms and cognitive function in non-demented older adults: an inverse relationship. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 792-8	3.9	27
93	Cerebral blood flow and neuropsychological functioning in elderly vascular disease patients. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012 , 34, 220-5	2.1	15

92	Gender differences in neuropsychological performance in individuals with atherosclerosis: impact of vascular function. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011 , 33, 9-16	2.1	2
91	Increased frequency of first-episode poststroke depression after discontinuation of escitalopram. <i>Stroke</i> , 2011 , 42, 3281-3	6.7	24
90	The Trail Making Test in prodromal Huntington disease: contributions of disease progression to test performance. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011 , 33, 567-79	2.1	42
89	Practice effects predict cognitive outcome in amnesic mild cognitive impairment. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 932-9	6.5	82
88	Influence of education on subcortical hyperintensities and global cognitive status in vascular dementia. <i>Journal of the International Neuropsychological Society</i> , 2011 , 17, 531-6	3.1	13
87	The RBANS Effort Index: base rates in geriatric samples. <i>Applied Neuropsychology</i> , 2011 , 18, 11-7		29
86	Escitalopram and enhancement of cognitive recovery following stroke. <i>Archives of General Psychiatry</i> , 2010 , 67, 187-96		141
85	Predicting cognitive change in older adults: the relative contribution of practice effects. <i>Archives of Clinical Neuropsychology</i> , 2010 , 25, 81-8	2.7	45
84	Predicting cognitive change within domains. <i>Clinical Neuropsychologist</i> , 2010 , 24, 779-92	4.4	5
83	Practice effects and outcome of cognitive training: preliminary evidence from a memory training course. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 91	6.5	33
82	Predictors of neuropsychological recovery in treatment for anorexia nervosa. <i>Eating Disorders</i> , 2010 , 18, 302-17	3.9	6
81	Self-paced timing detects and tracks change in prodromal Huntington disease. <i>Neuropsychology</i> , 2010 , 24, 435-42	3.8	67
80	Challenges assessing clinical endpoints in early Huntington disease. <i>Movement Disorders</i> , 2010 , 25, 2595-603		60
79	Normative data on and psychometric properties of Verbal and Visual Indexes of the RBANS in older adults. <i>Clinical Neuropsychologist</i> , 2009 , 23, 39-50	4.4	6
78	The Indiana faces in places test: preliminary findings on a new visuospatial memory test in patients with mild cognitive impairment. <i>Archives of Clinical Neuropsychology</i> , 2009 , 24, 607-18	2.7	3
77	The neuropsychology of borderline personality disorder: A preliminary study on the predictive variance of neuropsychological tests vs. personality trait dimensions. <i>Personality and Mental Health</i> , 2009 , 3, 128-141	3.1	9
76	Sex differences in parietal lobe morphology: relationship to mental rotation performance. <i>Brain and Cognition</i> , 2009 , 69, 451-9	2.7	119
75	Decisional capacity for research participation in individuals with mild cognitive impairment. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1236-43	5.6	71

74	Vascular Health and Cognitive Function in Older Adults with Cardiovascular Disease. <i>Artery Research</i> , 2008 , 2, 35-43	2.2	23
73	Premorbid intellect and current RBANS performance: discrepancy scores in three geriatric samples. <i>Applied Neuropsychology</i> , 2008 , 15, 241-9		3
72	Treatment of vascular depression using repetitive transcranial magnetic stimulation. <i>Archives of General Psychiatry</i> , 2008 , 65, 268-76		151
71	Retention rates on RBANS memory subtests in elderly adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2008 , 21, 26-33	3.8	8
70	Escitalopram and problem-solving therapy for prevention of poststroke depression: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 299, 2391-400	27.4	242
69	Evaluation of older persons with mild cognitive deficits: potential utility of magnetic resonance imaging. <i>Annals of Clinical Psychiatry</i> , 2008 , 20, 204-8	1.4	2
68	Stability of neuropsychological performance in anorexia nervosa. <i>Annals of Clinical Psychiatry</i> , 2008 , 20, 9-13	1.4	16
67	Vascular smooth muscle function is associated with initiation and processing speed in patients with atherosclerotic vascular disease. <i>Journal of the International Neuropsychological Society</i> , 2008 , 14, 535-41 ^{3.1}		12
66	Short-term practice effects in amnesic mild cognitive impairment: implications for diagnosis and treatment. <i>International Psychogeriatrics</i> , 2008 , 20, 986-99	3.4	58
65	Neuropsychological characteristics and personality traits in pathological gambling. <i>CNS Spectrums</i> , 2008 , 13, 306-15	1.8	107
64	Correlation between denial of illness and executive function following stroke: a pilot study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2008 , 20, 96-100	2.7	4
63	Cardiac dysfunction and cognition in older adults with heart failure. <i>Cognitive and Behavioral Neurology</i> , 2008 , 21, 65-72	1.6	80
62	Obsessive and compulsive symptoms in prediagnosed Huntington's disease. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1758-65	4.6	47
61	Predictors of subjective cognitive difficulties in older adults with atherosclerotic vascular disease. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 328-34	6.5	6
60	Credibility of neuropsychological performances of Persian Gulf War veterans and military control subjects participating in clinical epidemiological research. <i>Military Medicine</i> , 2007 , 172, 697-707	1.3	5
59	Effect of antidepressant therapy on executive function after stroke. <i>British Journal of Psychiatry</i> , 2007 , 190, 260-5	5.4	51
58	Patients with Huntington's disease have impaired awareness of cognitive, emotional, and functional abilities. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007 , 29, 365-76	2.1	102
57	Endothelial function and white matter hyperintensities in older adults with cardiovascular disease. <i>Stroke</i> , 2007 , 38, 308-12	6.7	120

56	Neuropsychological performance is associated with vascular function in patients with atherosclerotic vascular disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 141-6	9.4	23
55	Neuropsychological correlates of normal variation in emotional response to visual stimuli. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 112-8	1.8	6
54	LA allelic heterozygosity of the 5HTTLPR polymorphism is associated with higher cognitive function and lower interpersonal sensitivity. <i>Psychiatric Genetics</i> , 2007 , 17, 3-4	2.9	14
53	Neuropsychological and psychiatric functioning pre- and posthematopoietic stem cell transplantation in adult cancer patients: a preliminary study. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 172-7	3.1	29
52	Practice effects in the prediction of long-term cognitive outcome in three patient samples: a novel prognostic index. <i>Archives of Clinical Neuropsychology</i> , 2007 , 22, 15-24	2.7	107
51	Cognitive predictors of functional decline in vascular dementia. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 752-4	3.9	32
50	Evaluation of the GTRACT diffusion tensor tractography algorithm: a validation and reliability study. <i>NeuroImage</i> , 2006 , 31, 1075-85	7.9	45
49	Examining the repeatable battery for the assessment of neuropsychological status: factor analytic studies in an elderly sample. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 976-9	6.5	29
48	Perception of socially relevant stimuli in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 83, 257-67	3.6	55
47	Aggressive behavior in patients with stroke: association with psychopathology and results of antidepressant treatment on aggression. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 793-8	2.8	48
46	Global cerebral blood flow in relation to cognitive performance and reserve in subjects with mild memory deficits. <i>Molecular Imaging and Biology</i> , 2006 , 8, 363-72	3.8	14
45	Using a brief intervention to improve decisional capacity in schizophrenia research. <i>Schizophrenia Bulletin</i> , 2006 , 32, 116-20	1.3	48
44	Progressive morphometric and cognitive changes in vascular dementia. <i>Archives of Clinical Neuropsychology</i> , 2005 , 20, 229-41	2.7	17
43	Alcohol misuse and mood disorders following traumatic brain injury. <i>Archives of General Psychiatry</i> , 2005 , 62, 742-9		94
42	White matter volume and cognitive dysfunction in early Huntington's disease. <i>Cognitive and Behavioral Neurology</i> , 2005 , 18, 102-7	1.6	75
41	Phobic anxiety in late-life in relationship to cognition and 5HTTLPR polymorphism. <i>Psychiatric Genetics</i> , 2005 , 15, 305-6	2.9	15
40	Informed consent in medication-free schizophrenia research. <i>American Journal of Psychiatry</i> , 2005 , 162, 1209-11	11.9	23
39	Major depression following traumatic brain injury. <i>Archives of General Psychiatry</i> , 2004 , 61, 42-50		529

38	Executive impairments predict functional declines in vascular dementia. <i>Clinical Neuropsychologist</i> , 2004 , 18, 75-82	4.4	59
37	Blood vessel function and cognition in elderly patients with atherosclerosis. <i>Stroke</i> , 2004 , 35, e369-72	6.7	26
36	Computer-mediated measurement and subjective ratings of white matter hyperintensities in vascular dementia: relationships to neuropsychological performance. <i>Clinical Neuropsychologist</i> , 2004 , 18, 50-62	4.4	13
35	Repetitive transcranial magnetic stimulation as treatment of poststroke depression: a preliminary study. <i>Biological Psychiatry</i> , 2004 , 55, 398-405	7.9	139
34	Coercion and informed consent in research involving prisoners. <i>Comprehensive Psychiatry</i> , 2004 , 45, 1-9	7.3	91
33	The neuropsychological profile of vascular cognitive impairment--no dementia: comparisons to patients at risk for cerebrovascular disease and vascular dementia. <i>Archives of Clinical Neuropsychology</i> , 2004 , 19, 745-57	2.7	88
32	Concordance between the CVLT and the WMS-III word lists test. <i>Archives of Clinical Neuropsychology</i> , 2004 , 19, 319-24	2.7	12
31	Clinical correlates of cognitive decline in vascular dementia. <i>Cognitive and Behavioral Neurology</i> , 2003 , 16, 40-6	1.6	14
30	The influence of cognitive impairment and behavioral dysregulation on daily functioning in the nursing home setting. <i>American Journal of Psychiatry</i> , 2003 , 160, 582-4	11.9	17
29	Neuropsychological functioning pretreatment and posttreatment in an inpatient eating disorders program. <i>International Journal of Eating Disorders</i> , 2003 , 33, 64-70	6.3	52
28	Cognitive impairment in anorexia nervosa is not due to depressed mood. <i>International Journal of Eating Disorders</i> , 2003 , 33, 351-5	6.3	28
27	Long-term citicoline (cytidine diphosphate choline) use in patients with vascular dementia: neuroimaging and neuropsychological outcomes. <i>Cerebrovascular Diseases</i> , 2003 , 16, 199-204	3.2	28
26	Sensitivity of the dementia rating scale in vascular dementia: comparison between two sets of criteria to define cognitive impairment. <i>Cerebrovascular Diseases</i> , 2003 , 15, 116-20	3.2	0
25	Untreated initial psychosis: relation to cognitive deficits and brain morphology in first-episode schizophrenia. <i>American Journal of Psychiatry</i> , 2003 , 160, 142-8	11.9	149
24	Neuroimaging correlates of dementia rating scale performance at baseline and 12-month follow-up among patients with vascular dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003 , 16, 240-4	3.8	10
23	Cognitive and motor impairments predict functional declines in patients with vascular dementia. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 164-9	3.9	76
22	Behavioral problems as predictors of functional abilities of vascular dementia patients. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2002 , 14, 296-302	2.7	30
21	Acute neuropsychological functioning following cardiosurgical interventions associated with the production of intraoperative cerebral microemboli. <i>Clinical Neuropsychologist</i> , 2002 , 16, 463-71	4.4	21

20	The global deterioration scale: relationships to neuropsychological performance and activities of daily living in patients with vascular dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2002 , 15, 50-4	3.8	16
19	Neuropsychological Characteristics of Patients in a Hospital-Based Eating Disorder Program. <i>Annals of Clinical Psychiatry</i> , 2002 , 14, 203-207	1.4	35
18	The serial position effect in mild and moderately severe vascular dementia. <i>Journal of the International Neuropsychological Society</i> , 2002 , 8, 584-7	3.1	2
17	The relationship of subcortical MRI hyperintensities and brain volume to cognitive function in vascular dementia. <i>Journal of the International Neuropsychological Society</i> , 2002 , 8, 743-52	3.1	39
16	Capacity to provide informed consent for participation in schizophrenia and HIV research. <i>American Journal of Psychiatry</i> , 2002 , 159, 1201-7	11.9	155
15	Neuropsychological characteristics of patients in a hospital-based eating disorder program. <i>Annals of Clinical Psychiatry</i> , 2002 , 14, 203-7	1.4	12
14	The influence of cognitive impairment and psychiatric symptoms on daily functioning in nursing facilities: a longitudinal study. <i>Annals of Clinical Psychiatry</i> , 2002 , 14, 209-13	1.4	8
13	Emotional and personality changes following cingulotomy. <i>Emotion</i> , 2001 , 1, 38-50	4.1	67
12	Unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli. <i>Ultrasound in Medicine and Biology</i> , 2001 , 27, 757-60	3.5	4
11	Single photon emission computed tomography, magnetic resonance imaging hyperintensity, and cognitive impairments in patients with vascular dementia. <i>Journal of Neuroimaging</i> , 2001 , 11, 253-60	2.8	11
10	Dementia severity and pattern of cognitive performance in vascular dementia. <i>Applied Neuropsychology</i> , 2001 , 8, 211-7		14
9	Bupropion SR vs. Methylphenidate vs. Placebo for Attention Deficit Hyperactivity Disorder in Adults. <i>Annals of Clinical Psychiatry</i> , 2001 , 13, 129-134	1.4	67
8	Performance on the Mattis Dementia Rating Scale in patients with vascular dementia: relationships to neuroimaging findings. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2001 , 14, 33-6	3.8	15
7	Cognitive and functional status in two subtypes of vascular dementia. <i>NeuroRehabilitation</i> , 2000 , 15, 199-205	2	6
6	Electroencephalographic, volumetric, and neuropsychological indicators of seizure focus lateralization in temporal lobe epilepsy. <i>Archives of Neurology</i> , 2000 , 57, 707-12		22
5	Dementia rating scale performance: a comparison of vascular and Alzheimer's dementia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2000 , 22, 445-54	2.1	26
4	Neurocognitive functioning and improvement in quality of life following participation in cardiac rehabilitation. <i>American Journal of Cardiology</i> , 1999 , 83, 1374-8	3	84
3	Alteration of intention and self-initiated action associated with bilateral anterior cingulotomy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1999 , 11, 444-53	2.7	111

2	Neuropsychological functioning among cardiac rehabilitation patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1999 , 19, 91-7		51
1	Reduplicative paramnesia: longitudinal neurobehavioral and neuroimaging analysis. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1998 , 11, 174-80	3.8	19