

# Christian NÃÃ±ez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9146412/publications.pdf>

Version: 2024-02-01

23  
papers

354  
citations

840119

11  
h-index

839053

18  
g-index

24  
all docs

24  
docs citations

24  
times ranked

630  
citing authors

#	ARTICLE	IF	CITATIONS
1	Raloxifene as an Adjunctive Treatment for Postmenopausal Women With Schizophrenia: A 24-Week Double-Blind, Randomized, Parallel, Placebo-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2016, 42, 309-317.	2.3	54
2	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 846-858.	2.3	41
3	Clustering a large Spanish sample of patients with fibromyalgia using the Fibromyalgia Impact QuestionnaireâRevised: differences in clinical outcomes, economic costs, inflammatory markers, and gray matter volumes. <i>Pain</i> , 2019, 160, 908-921.	2.0	27
4	Different Cortical Gyrfication Patterns in <scp>Alzheimer's Disease</scp> and Impact on Memory Performance. <i>Annals of Neurology</i> , 2020, 88, 67-80.	2.8	23
5	Cannabis use and cognitive function in first episode psychosis: differential effect of heavy use. <i>Psychopharmacology</i> , 2016, 233, 809-821.	1.5	22
6	Global brain asymmetry is increased in schizophrenia and related to avolition. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 448-459.	2.2	19
7	Pharmacogenetic study of the effects of raloxifene on negative symptoms of postmenopausal women with schizophrenia: A double-blind, randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2016, 26, 1683-1689.	0.3	18
8	A large-scale study on the effects of sex on gray matter asymmetry. <i>Brain Structure and Function</i> , 2018, 223, 183-193.	1.2	18
9	Effects of caffeine intake and smoking on neurocognition in schizophrenia. <i>Psychiatry Research</i> , 2015, 230, 924-931.	1.7	17
10	Effects of raloxifene on cognition in postmenopausal women with schizophrenia: a 24-week double-blind, randomized, parallel, placebo-controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 729-737.	1.8	15
11	Three-Dimensional Map of Neonatal Arterial Ischemic Stroke Distribution From Early Multimodal Brain Imaging. <i>Stroke</i> , 2017, 48, 482-485.	1.0	14
12	Depression, auditory-verbal hallucinations, and delusions in patients with schizophrenia: Different patterns of association with prefrontal gray and white matter volume. <i>Psychiatry Research - Neuroimaging</i> , 2019, 283, 55-63.	0.9	13
13	Differential effects of sex on substance use between first episode psychosis patients and healthy people. <i>Comprehensive Psychiatry</i> , 2016, 69, 169-178.	1.5	12
14	Depressive symptoms and their relationship with negative and other psychotic symptoms in early onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1383-1390.	2.8	12
15	Caffeine effects and schizophrenia: Is there a need for more research?. <i>Schizophrenia Research</i> , 2019, 211, 34-35.	1.1	9
16	Neuron-specific enolase is correlated with lesion topology, relative infarct volume and outcome of symptomatic NAIS. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 132-137.	1.4	9
17	Digging into the construct of fibrofog: Psychometric properties of the Spanish version of the Multidimensional Inventory of Subjective Cognitive Impairment in patients with fibromyalgia. <i>Journal of Applied Biobehavioral Research</i> , 2018, 23, e12134.	2.0	8
18	Fluctuating asymmetry in patients with schizophrenia is related to hallucinations and thought disorganisation. <i>Psychiatry Research</i> , 2020, 285, 112816.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Specificity proteins 1 and 4 in peripheral blood mononuclear cells in postmenopausal women with schizophrenia: a 24-week double-blind, randomized, parallel, placebo-controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 941-948.	1.8	4
20	Precise neonatal arterial ischemic stroke classification with a three-dimensional map of the arterial territories of the neonatal brain. <i>Pediatric Research</i> , 2020, 87, 1231-1236.	1.1	4
21	The Bed Nucleus of the Stria Terminalis as a Brain Correlate of Psychological Inflexibility in Fibromyalgia. <i>Journal of Clinical Medicine</i> , 2020, 9, 374.	1.0	4
22	Neonatal arterial stroke location is associated with outcome at 2 years: a voxel-based lesion-symptom mapping study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021, , fetalneonatal-2020-320400.	1.4	4
23	Subclinical depression and anxiety impact verbal memory functioning differently in men and women –an fMRI study. <i>Journal of Psychiatric Research</i> , 2021, 140, 308-315.	1.5	2