Abu Yousuf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9146793/publications.pdf

Version: 2024-02-01

72 papers

1,920 citations

236833 25 h-index 276775 41 g-index

74 all docs

74 docs citations

times ranked

74

2422 citing authors

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Yeast and bacteria co-culture-based lipid production through bioremediation of palm oil mill effluent: a statistical optimization. Biomass Conversion and Biorefinery, 2023, 13, 2947-2958. | 2.9 | 20 |
| 2 | Biogas production from anaerobic co-digestion using kitchen waste and poultry manure as substrateâ€"part 1: substrate ratio and effect of temperature. Biomass Conversion and Biorefinery, 2023, 13, 6635-6645. | 2.9 | 21 |
| 3 | Catalytic Gasification of Empty Palm Fruit Bunches Using Charcoal and Bismuth Oxide for Syngas Production. Topics in Catalysis, 2023, 66, 64-74. | 1.3 | 2 |
| 4 | Integrated technique to produce sustainable bioethanol from lignocellulosic biomass. Materials Letters: X, 2022, 13, 100127. | 0.3 | 3 |
| 5 | Impact of temperature, inoculum flow pattern, inoculum type, and their ratio on dry anaerobic digestion for biogas production. Scientific Reports, 2022, 12, 6162. | 1.6 | 14 |
| 6 | Conversion pathways for biomass-derived aviation fuels., 2022,, 1-25. | | 0 |
| 7 | A novel multi-phase treatment scheme for odorous rubber effluent. Environmental Technology (United Kingdom), 2021, 42, 1366-1372. | 1.2 | 7 |
| 8 | Microbial lipid accumulation through bioremediation of palm oil mill effluent using a yeast-bacteria co-culture. Renewable Energy, 2021, 176, 106-114. | 4.3 | 20 |
| 9 | Technical difficulties of mixed culture driven waste biomass-based biohydrogen production: Sustainability of current pretreatment techniques and future prospective. Renewable and Sustainable Energy Reviews, 2021, 151, 111519. | 8.2 | 23 |
| 10 | Syngas Production from Co-gasification of Forest Residue and Charcoal in a Pilot Scale Downdraft Reactor. Waste and Biomass Valorization, 2020, 11, 635-651. | 1.8 | 23 |
| 11 | Hydrogen-rich syngas fermentation for bioethanol production using Sacharomyces cerevisiea. International Journal of Hydrogen Energy, 2020, 45, 18241-18249. | 3.8 | 13 |
| 12 | Microalgal Cell Disruption and Lipid Extraction Techniques for Potential Biofuel Production. , 2020, , 129-147. | | 23 |
| 13 | Microalgae Cultivation Systems. , 2020, , 11-29. | | 24 |
| 14 | Lignocellulosic biomass to biodiesel. , 2020, , 127-167. | | 10 |
| 15 | Syngas fermentation to bioethanol. , 2020, , 195-216. | | 2 |
| 16 | Fundamentals of Microalgae Cultivation. , 2020, , 1-9. | | 10 |
| 17 | Fundamentals of lignocellulosic biomass. , 2020, , 1-15. | | 23 |
| 18 | Bioethanol production through syngas fermentation in a tar free bioreactor using Clostridium butyricum. Renewable Energy, 2020, 157, 1116-1123. | 4.3 | 28 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Microbial synergistic interactions enhanced power generation in co-culture driven microbial fuel cell. Science of the Total Environment, 2020, 738, 140138. | 3.9 | 33 |
| 20 | Dry fermenters for biogas production. , 2020, , 75-87. | | 1 |
| 21 | Microbial Lipid Accumulation through Bioremediation of Palm Oil Mill Wastewater by <i>Bacillus cereus</i> . ACS Sustainable Chemistry and Engineering, 2019, 7, 14500-14508. | 3.2 | 28 |
| 22 | IoT Based Hybrid Green Energy Driven Highway Lighting System. , 2019, , . | | 20 |
| 23 | Enhanced Biohydrogen Production from Citrus Wastewater Using Anaerobic Sludge Pretreated by an Electroporation Technique. Industrial & Electroporation Technique. | 1.8 | 21 |
| 24 | Photoelectrocatalytic Reduction of Carbon Dioxide to Methanol Using CuFe ₂ O ₄ Modified with Graphene Oxide under Visible Light Irradiation. Industrial & Company: Engineering Chemistry Research, 2019, 58, 563-572. | 1.8 | 62 |
| 25 | Techno-economic evaluation of heat integrated second generation bioethanol and furfural coproduction. Biochemical Engineering Journal, 2019, 144, 89-103. | 1.8 | 42 |
| 26 | Role of Biocatalyst in Microbial Fuel Cell Performance. , 2019, , 85-105. | | 0 |
| 27 | Microbial lipid extraction from <i>Lipomyces starkeyi</i> using irreversible electroporation. Biotechnology Progress, 2018, 34, 838-845. | 1.3 | 13 |
| 28 | An Insight of Synergy between <i>Pseudomonas aeruginosa</i> and <i>Klebsiella variicola</i> in a Microbial Fuel Cell. ACS Sustainable Chemistry and Engineering, 2018, 6, 4130-4137. | 3.2 | 54 |
| 29 | Co-gasification of empty fruit bunch in a downdraft reactor: A pilot scale approach. Bioresource Technology Reports, 2018, 1, 39-49. | 1.5 | 56 |
| 30 | Enhanced Current Generation Using Mutualistic Interaction of Yeast-Bacterial Coculture in Dual Chamber Microbial Fuel Cell. Industrial & Engineering Chemistry Research, 2018, 57, 813-821. | 1.8 | 46 |
| 31 | Bioremediation of palm oil mill effluent and lipid production by Lipomyces starkeyi: A combined approach. Journal of Cleaner Production, 2018, 172, 1779-1787. | 4.6 | 58 |
| 32 | Facile Synthesis of PVP-MnO2/CNT Composites as ORR Electrocatalyst for an Air-Cathode Microbial Fuel Cell. International Journal of Electrochemical Science, 2018, 13, 7789-7799. | 0.5 | 8 |
| 33 | Gasification of lignocellulosic biomass to produce syngas in a 50â€kW downdraft reactor. Biomass and Bioenergy, 2018, 119, 335-345. | 2.9 | 37 |
| 34 | Photoelectrochemical reduction of carbon dioxide to methanol on p-type CuFe2O4 under visible light irradiation. International Journal of Hydrogen Energy, 2018, 43, 18185-18193. | 3.8 | 55 |
| 35 | Palm kernel meal as a melamine urea formaldehyde adhesive filler for plywood applications. International Journal of Adhesion and Adhesives, 2018, 85, 8-14. | 1.4 | 24 |
| 36 | Fungal Biorefinery for the Production of Single Cell Oils as Advanced Biofuels. Fungal Biology, 2018, , 185-213. | 0.3 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Electrochemical Study of Copper Ferrite as a Catalyst for CO2 Photoelectrochemical Reduction. Bulletin of Chemical Reaction Engineering and Catalysis, 2018, 13, 236. | 0.5 | 9 |
| 38 | Augmentation of air cathode microbial fuel cell performance using wild type Klebsiella variicola. RSC Advances, 2017, 7, 4798-4805. | 1.7 | 50 |
| 39 | Application of Electroporation Technique in Biofuel Processing. MATEC Web of Conferences, 2017, 97, 01085. | 0.1 | 4 |
| 40 | Electrogenic and Antimethanogenic Properties of <i> Bacillus cereus < /i > for Enhanced Power Generation in Anaerobic Sludge-Driven Microbial Fuel Cells. Energy & Color, 2017, 31, 6132-6139.</i> | 2.5 | 52 |
| 41 | Economic and Market Value of Biogas Technology. , 2017, , 137-158. | | 4 |
| 42 | Ultrasound Driven Biofilm Removal for Stable Power Generation in Microbial Fuel Cell. Energy & Samp; Fuels, 2017, 31, 968-976. | 2.5 | 44 |
| 43 | Social business models for empowering the biogas technology. Energy Sources, Part B: Economics, Planning and Policy, 2017, 12, 99-109. | 1.8 | 21 |
| 44 | Correlation of power generation with time-course biofilm architecture using Klebsiella variicola in dual chamber microbial fuel cell. International Journal of Hydrogen Energy, 2017, 42, 25933-25941. | 3.8 | 26 |
| 45 | Technical difficulties and solutions of direct transesterification process of microbial oil for biodiesel synthesis. Biotechnology Letters, 2017, 39, 13-23. | 1.1 | 40 |
| 46 | A mathematical model for ethanol fermentation from oil palm trunk sap using Saccharomyces cerevisiae. Journal of Physics: Conference Series, 2017, 890, 012050. | 0.3 | 1 |
| 47 | Enhancing Co-Gasification of Coconut Shell by reusing Char. Indian Journal of Science and Technology, 2017, 10, 1-5. | 0.5 | 18 |
| 48 | PRODUCTION OF MICROBIAL LIPIDS FROM TOMATO WASTE TO BE USED AS FEEDSTOCK FOR BIODIESEL. Environmental Engineering and Management Journal, 2017, 16, 59-65. | 0.2 | 3 |
| 49 | BIOELECTROCHEMICAL BEHAVIOR OF WILD TYPE BACILLUS CEREUS IN DUAL CHAMBER MICROBIAL FUEL CELL. IIUM Engineering Journal, 2017, 18, 79-86. | 0.5 | 5 |
| 50 | Performance of Klebsiella oxytocato generate electricity from POME in microbial fuel cell. MATEC Web of Conferences, 2016, 38, 03004. | 0.1 | 10 |
| 51 | Assessment of organic acid-rich bio-sap to generate electricity. International Journal of Sustainable Energy, 2016, 35, 746-756. | 1.3 | 0 |
| 52 | Electricity generation form pretreated palm oil mill effluent using Klebsiella Variicola as an inoculum in Microbial fuel cell. , 2016 , , . | | 6 |
| 53 | Financial sustainability of biogas technology: Barriers, opportunities, and solutions. Energy Sources, Part B: Economics, Planning and Policy, 2016, 11, 841-848. | 1.8 | 32 |
| 54 | Schottky barrier and surface plasmonic resonance phenomena towards the photocatalytic reaction: study of their mechanisms to enhance photocatalytic activity. Catalysis Science and Technology, 2015, 5, 2522-2531. | 2.1 | 245 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Lipid production from Arundo donax grown under different agronomical conditions. Renewable Energy, 2015, 77, 456-462. | 4.3 | 18 |
| 56 | Effect of waste rubber powder as filler for plywood application. Polish Journal of Chemical Technology, 2015, 17, 41-47. | 0.3 | 28 |
| 57 | Photocatalytic reduction of CO2 into methanol over CuFe2O4/TiO2 under visible light irradiation. Reaction Kinetics, Mechanisms and Catalysis, 2015, 116, 589-604. | 0.8 | 53 |
| 58 | Synthesis and characterization of a CaFe ₂ O ₄ catalyst for oleic acid esterification. RSC Advances, 2015, 5, 100362-100368. | 1.7 | 27 |
| 59 | Enhanced power generation using controlled inoculum from palm oil mill effluent fed microbial fuel cell. Fuel, 2015, 143, 72-79. | 3.4 | 53 |
| 60 | EFFECT OF NICKEL CONTAMINATION ON THE GROWTH OF OLEAGINOUS YEASTS IN HYDROLISATES OF Arundo donax. Environmental Engineering and Management Journal, 2015, 14, 1683-1690. | 0.2 | 3 |
| 61 | Optimization and fabrication of a portable biogas reactor. Journal of Chemical Engineering, 2014, 27, 36-40. | 0.1 | 4 |
| 62 | Anaerobic Digestion of Kitchen Waste to Produce Biogas. Procedia Engineering, 2014, 90, 657-662. | 1.2 | 40 |
| 63 | Synthesis and characterization of CuO/C catalyst for the esterification of free fatty acid in rubber seed oil. Fuel, 2014, 120, 195-201. | 3.4 | 42 |
| 64 | A comparative study on anaerobic co-digestion of kitchen waste with sewage sludge and cow manure, , 2014, , . | | 0 |
| 65 | Generation of Bio-Electricity From Whey. Journal of Chemical Engineering, 2014, 28, 22-26. | 0.1 | 1 |
| 66 | Biodiesel from lignocellulosic biomass – Prospects and challenges. Waste Management, 2012, 32, 2061-2067. | 3.7 | 121 |
| 67 | SYNTHESIS OF BIODIESEL FROM HYDROLYZATES OF Arundo donax. Environmental Engineering and Management Journal, 2012, 11, 1797-1801. | 0.2 | 6 |
| 68 | Microbial Conversion of Olive Oil Mill Wastewaters into Lipids Suitable for Biodiesel Production. Journal of Agricultural and Food Chemistry, 2010, 58, 8630-8635. | 2.4 | 91 |
| 69 | Remediation of Waters Contaminated with MCPA by the YeastsLipomyces starkeyiEntrapped in a Solâ^'Gel Zirconia Matrix. Environmental Science & Environm | 4.6 | 18 |
| 70 | Prospect of agro-industrial residues as feedstock of biodiesel. , 2009, , . | | 3 |
| 71 | Optimization of Lipase Production by a Rhizopus MR12 in Shake Culture. Journal of Applied Sciences, 2007, 7, 855-860. | 0.1 | 8 |
| 72 | Effect of Single and Mixed Inoculum on Biogas Yield During Dry Anaerobic Digestion of Organic Municipal Solid Waste. Chemical Engineering Research Bulletin, 0, , 77-81. | 0.2 | 0 |