

Dean John Naisbitt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9147990/dean-john-naisbitt-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

7,496
citations

47
h-index

82
g-index

175
ext. papers

8,472
ext. citations

6
avg, IF

5.59
L-index

#	Paper	IF	Citations
166	Pathomechanisms of Drug Hypersensitivity Targeting the Liver and Skin 2022 , 47-57		
165	Shedding Light on Drug-Induced Liver Injury: Activation of T Cells From Drug Naive Human Donors With Tolvaptan and a Hydroxybutyric Acid Metabolite. <i>Toxicological Sciences</i> , 2021 , 179, 95-107	4.4	0
164	T cell assays differentiate clinical and subclinical SARS-CoV-2 infections from cross-reactive antiviral responses. <i>Nature Communications</i> , 2021 , 12, 2055	17.4	37
163	Approaches to Predict and Study T-Cell Mediated Hypersensitivity to Drugs. <i>Frontiers in Immunology</i> , 2021 , 12, 630530	8.4	3
162	Characterization of T-Cell Responses to SMX and SMX-NO in Co-Trimoxazole Hypersensitivity Patients Expressing. <i>Frontiers in Immunology</i> , 2021 , 12, 658593	8.4	2
161	Is a Predictive Marker of Dapsone-Induced Severe Cutaneous Adverse Reactions in Thai Patients. <i>Frontiers in Immunology</i> , 2021 , 12, 661135	8.4	7
160	T cell mediated hypersensitivity to previously tolerated iodinated contrast media precipitated by introduction of atezolizumab 2021 , 9,		2
159	Extracellular Vesicles from Human Plasma Show a Distinctive Proteome and miRNome Profile in Patients with Severe Cutaneous Adverse Reactions. <i>Chemical Research in Toxicology</i> , 2021 , 34, 1738-1748		0
158	Deciphering Adverse Drug Reactions: In Vitro Priming and Characterization of Vancomycin-Specific T Cells From Healthy Donors Expressing HLA-A*32:01. <i>Toxicological Sciences</i> , 2021 , 183, 139-153	4.4	1
157	Biopsy Pathology and Immunohistochemistry of a Case of Immune-Mediated Drug-Induced Liver Injury With Atabecestat. <i>Hepatology</i> , 2021 , 73, 452-455	11.2	4
156	Drug allergy to CFTR modulator therapy associated with lumacaftor-specific CD4 T lymphocytes. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 753-756	11.5	2
155	Drug-specific T-cell responses in patients with liver injury following treatment with the BACE inhibitor atabecestat. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1825-1835	9.3	2
154	Prospective observational study of SARS-CoV-2 infection, transmission and immunity in a cohort of households in Liverpool City Region, UK (COVID-LIV): a study protocol. <i>BMJ Open</i> , 2021 , 11, e048317	3	1
153	Drug hapten-specific T-cell activation: Current status and unanswered questions. <i>Proteomics</i> , 2021 , 21, e2000267	4.8	0
152	HLA Allele-Restricted Immune-Mediated Adverse Drug Reactions: Framework for Genetic Prediction. <i>Annual Review of Pharmacology and Toxicology</i> , 2021 ,	17.9	1
151	HLA Class-II-Restricted CD8 T Cells Contribute to the Promiscuous Immune Response in Dapsone-Hypersensitive Patients. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2412-2425.e2	4.3	4
150	Development of an Improved T-cell Assay to Assess the Intrinsic Immunogenicity of Haptenic Compounds. <i>Toxicological Sciences</i> , 2020 , 175, 266-278	4.4	7

149	Current perspective of the etiopathogenesis of delayed-type, and T-cell-mediated drug-related skin diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1142-1144	11.5	3
148	Characterization of amoxicillin and clavulanic acid specific T-cell clones from patients with immediate drug hypersensitivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2562-2573	9.3	4
147	T-Cell Activation by Low Molecular Weight Drugs and Factors That Influence Susceptibility to Drug Hypersensitivity. <i>Chemical Research in Toxicology</i> , 2020 , 33, 77-94	4	5
146	Modification of the cyclopropyl moiety of abacavir provides insight into the structure activity relationship between HLA-B*57:01 binding and T-cell activation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 636-647	9.3	12
145	Managing the challenge of drug-induced liver injury: a roadmap for the development and deployment of preclinical predictive models. <i>Nature Reviews Drug Discovery</i> , 2020 , 19, 131-148	64.1	82
144	Immune dysregulation increases the incidence of delayed-type drug hypersensitivity reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 781-797	9.3	11
143	Characterization of Clozapine-Responsive Human T Cells. <i>Journal of Immunology</i> , 2020 , 205, 2375-2390	5.3	4
142	Tolvaptan- and Tolvaptan-Metabolite-Responsive T Cells in Patients with Drug-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2020 , 33, 2745-2748	4	4
141	Cell Membrane Transporters Facilitate the Accumulation of Hepatocellular Flucloxacillin Protein Adducts: Implication in Flucloxacillin-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2020 , 33, 2939-2943 ⁴	4	4
140	Identification of Flucloxacillin-Haptenated HLA-B*57:01 Ligands: Evidence of Antigen Processing and Presentation. <i>Toxicological Sciences</i> , 2020 , 177, 454-465	4.4	13
139	HLA DRB1*15:01-DQB1*06:02-Restricted Human CD4+ T Cells Are Selectively Activated With Amoxicillin-Peptide Adducts. <i>Toxicological Sciences</i> , 2020 , 178, 115-126	4.4	10
138	Definition of Haptens Derived from Sulfamethoxazole: In Vitro and in Vivo. <i>Chemical Research in Toxicology</i> , 2019 , 32, 2095-2106	4	8
137	Exosomal Transport of Hepatocyte-Derived Drug-Modified Proteins to the Immune System. <i>Hepatology</i> , 2019 , 70, 1732-1749	11.2	20
136	Dapsone- and nitroso dapsone-specific activation of T cells from hypersensitive patients expressing the risk allele HLA-B*13:01. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1533-1548	9.3	19
135	Characterization of Healthy Donor-Derived T-Cell Responses Specific to Telaprevir Diastereomers. <i>Toxicological Sciences</i> , 2019 , 168, 597-609	4.4	1
134	The skin as a metabolic and immune-competent organ: Implications for drug-induced skin rash. <i>Journal of Immunotoxicology</i> , 2019 , 16, 1-12	3.1	11
133	Up-Regulation of T-Cell Activation MicroRNAs in Drug-Specific CD4 T-Cells from Hypersensitive Patients. <i>Chemical Research in Toxicology</i> , 2018 , 31, 454-461	4	11
132	Application of in Vitro T Cell Assay Using Human Leukocyte Antigen-Typed Healthy Donors for the Assessment of Drug Immunogenicity. <i>Chemical Research in Toxicology</i> , 2018 , 31, 165-167	4	11

131	Immune drug-induced liver disease and drugs. <i>Current Opinion in Toxicology</i> , 2018 , 10, 46-53	4.4	6
130	Immune Mechanisms in Drug-Induced Liver Injury. <i>Methods in Pharmacology and Toxicology</i> , 2018 , 511-531	11	2
129	β-Lactam hypersensitivity involves expansion of circulating and skin-resident T22 cells. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 235-249.e8	11.5	20
128	State-of-the-art and new options to assess T cell activation by skin sensitizers: Cosmetics Europe Workshop. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2018 , 35, 179-192	4.3	14
127	HLA-A*33:03-Restricted Activation of Ticlopidine-Specific T-Cells from Human Donors. <i>Chemical Research in Toxicology</i> , 2018 , 31, 1022-1024	4	6
126	Mechanisms leading to T-cell activation in drug hypersensitivity. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2018 , 18, 317-324	3.3	17
125	Identification of drug- and drug-metabolite immune responses originating from both naive and memory T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 578-581.e5	11.5	7
124	Definition of the Nature and Hapten Threshold of the β-Lactam Antigen Required for T Cell Activation In Vitro and in Patients. <i>Journal of Immunology</i> , 2017 , 198, 4217-4227	5.3	37
123	Characterization of Drug-Specific Signaling Between Primary Human Hepatocytes and Immune Cells. <i>Toxicological Sciences</i> , 2017 , 158, 76-89	4.4	25
122	Human leukocyte antigen and idiosyncratic adverse drug reactions. <i>Drug Metabolism and Pharmacokinetics</i> , 2017 , 32, 21-30	2.2	25
121	Trimethoprim-induced aseptic meningism. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2017 , 78, 108-109	0.8	3
120	Dapsone and Nitroso Dapsone Activation of Naïve T-Cells from Healthy Donors. <i>Chemical Research in Toxicology</i> , 2017 , 30, 2174-2186	4	12
119	Assessment of Antipiperacillin IgG Binding to Structurally Related Drug Protein Adducts. <i>Chemical Research in Toxicology</i> , 2017 , 30, 2097-2099	4	4
118	The Effect of Inhibitory Signals on the Priming of Drug Hapten-Specific T Cells That Express Distinct Vβ Receptors. <i>Journal of Immunology</i> , 2017 , 199, 1223-1237	5.3	30
117	From the Cover: Characterization of Isoniazid-Specific T-Cell Clones in Patients with anti-Tuberculosis Drug-Related Liver and Skin Injury. <i>Toxicological Sciences</i> , 2017 , 155, 420-431	4.4	25
116	Detection of drug-responsive B lymphocytes and antidrug IgG in patients with β-lactam hypersensitivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 896-907	9.3	13
115	New Approaches to Investigate Drug-Induced Hypersensitivity. <i>Chemical Research in Toxicology</i> , 2017 , 30, 239-259	4	15
114	Drug-specific CD4 T-cell immune responses are responsible for antituberculosis drug-induced maculopapular exanthema and drug reaction with eosinophilia and systemic symptoms syndrome. <i>British Journal of Dermatology</i> , 2017 , 176, 378-386	4	28

113	Effect of Repeated Daily Dosing with 2,4-Dinitrochlorobenzene on Glutathione Biosynthesis and Nrf2 Activation in Reconstructed Human Epidermis. <i>Toxicological Sciences</i> , 2016 , 154, 5-15	4.4	6
112	Amoxicillin and Clavulanate Form Chemically and Immunologically Distinct Multiple Haptenic Structures in Patients. <i>Chemical Research in Toxicology</i> , 2016 , 29, 1762-1772	4	37
111	Detection of Drug-Responsive T-Lymphocytes in a Case of Fatal Antituberculosis Drug-Related Liver Injury. <i>Chemical Research in Toxicology</i> , 2016 , 29, 1793-1795	4	9
110	No Evidence for Drug-Specific Activation of Circulating T Cells from Patients with HLA-DRB1*07:01-Restricted Lapatinib-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2016 , 29, 2111-2113	4	6
109	Immunological Mechanisms of Drug Hypersensitivity. <i>Current Pharmaceutical Design</i> , 2016 , 22, 6734-6743	3.3	8
108	Update on Advances in Research on Idiosyncratic Drug-Induced Liver Injury. <i>Allergy, Asthma and Immunology Research</i> , 2016 , 8, 3	5.3	1
107	Update on Advances in Research on Idiosyncratic Drug-Induced Liver Injury. <i>Allergy, Asthma and Immunology Research</i> , 2016 , 8, 3-11	5.3	41
106	Detection of Primary T Cell Responses to Drugs and Chemicals in HLA-Typed Volunteers: Implications for the Prediction of Drug Immunogenicity. <i>Toxicological Sciences</i> , 2016 , 154, 416-429	4.4	30
105	Promiscuous T-cell responses to drugs and drug-haptens. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 474-6.e8	11.5	31
104	Glutathione metabolism in the HaCaT cell line as a model for the detoxification of the model sensitizers 2,4-dinitrohalobenzenes in human skin. <i>Toxicology Letters</i> , 2015 , 237, 11-20	4.4	14
103	Report from the National Institute of Allergy and Infectious Diseases workshop on drug allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 262-71.e2	11.5	37
102	Are drug metabolites able to cause T-cell-mediated hypersensitivity reactions?. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015 , 11, 357-68	5.5	12
101	In Vitro Priming of Naïve T-cells with p-Phenylenediamine and Bandrowski's Base. <i>Chemical Research in Toxicology</i> , 2015 , 28, 2069-77	4	14
100	Mechanism-Based Markers of Drug-Induced Liver Injury to Improve the Physiological Relevance and Predictivity of In Vitro Models. <i>Applied in Vitro Toxicology</i> , 2015 , 1, 175-186	1.3	5
99	Activation of Flucloxacillin-Specific CD8+ T-Cells With the Potential to Promote Hepatocyte Cytotoxicity in a Mouse Model. <i>Toxicological Sciences</i> , 2015 , 146, 146-56	4.4	20
98	The chemical, genetic and immunological basis of idiosyncratic drug-induced liver injury. <i>Human and Experimental Toxicology</i> , 2015 , 34, 1310-7	3.4	26
97	HLA-DQ allele-restricted activation of nitroso sulfamethoxazole-specific CD4-positive T lymphocytes from patients with cystic fibrosis. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 1305-16	4.1	9
96	Characterization of amoxicillin- and clavulanic acid-specific T cells in patients with amoxicillin-clavulanate-induced liver injury. <i>Hepatology</i> , 2015 , 62, 887-99	11.2	67

95	Towards depersonalized abacavir therapy: chemical modification eliminates HLA-B*57 : 01-restricted CD8+ T-cell activation. <i>Aids</i> , 2015 , 29, 2385-95	3.5	14
94	Auto-oxidation of Isoniazid Leads to Isonicotinic-Lysine Adducts on Human Serum Albumin. <i>Chemical Research in Toxicology</i> , 2015 , 28, 51-8	4	28
93	Characterization of Peroxidases Expressed in Human Antigen Presenting Cells and Analysis of the Covalent Binding of Nitroso Sulfamethoxazole to Myeloperoxidase. <i>Chemical Research in Toxicology</i> , 2015 , 28, 144-54	4	15
92	Negative regulation by PD-L1 during drug-specific priming of IL-22-secreting T cells and the influence of PD-1 on effector T cell function. <i>Journal of Immunology</i> , 2014 , 192, 2611-2621	5.3	44
91	HLA restriction of carbamazepine-specific T-Cell clones from an HLA-A*31:01-positive hypersensitive patient. <i>Chemical Research in Toxicology</i> , 2014 , 27, 175-7	4	31
90	Gemcitabine and capecitabine with or without telomerase peptide vaccine GV1001 in patients with locally advanced or metastatic pancreatic cancer (TeloVac): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , 2014 , 15, 829-40	21.7	237
89	Negative regulation by Programmed Death Ligand-1 during drug-specific priming of T-cells and the influence of Programmed Death-1 on effector T-cell function. <i>Clinical and Translational Allergy</i> , 2014 , 4, O2	5.2	78
88	In vitro diagnosis of delayed-type drug hypersensitivity: mechanistic aspects and unmet needs. <i>Immunology and Allergy Clinics of North America</i> , 2014 , 34, 691-705, x	3.3	14
87	Abacavir forms novel cross-linking abacavir protein adducts in patients. <i>Chemical Research in Toxicology</i> , 2014 , 27, 524-35	4	19
86	The importance of hapten-protein complex formation in the development of drug allergy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2014 , 14, 293-300	3.3	36
85	Recent advances in 2D and 3D in vitro systems using primary hepatocytes, alternative hepatocyte sources and non-parenchymal liver cells and their use in investigating mechanisms of hepatotoxicity, cell signaling and ADME. <i>Archives of Toxicology</i> , 2013 , 87, 1315-530	5.8	837
84	Activation of carbamazepine-responsive T-cell clones with metabolically inert halogenated derivatives. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 493-5	11.5	11
83	Immunoglobulin G1 and immunoglobulin G4 antibodies in multiple sclerosis patients treated with IFN β interact with the endogenous cytokine and activate complement. <i>Clinical Immunology</i> , 2013 , 148, 177-85	9	11
82	Challenges and approaches for the development of safer immunomodulatory biologics. <i>Nature Reviews Drug Discovery</i> , 2013 , 12, 306-24	64.1	106
81	T-cells from HLA-B*57:01+ human subjects are activated with abacavir through two independent pathways and induce cell death by multiple mechanisms. <i>Chemical Research in Toxicology</i> , 2013 , 26, 759-66	4	40
80	Oxidative bioactivation of abacavir in subcellular fractions of human antigen presenting cells. <i>Chemical Research in Toxicology</i> , 2013 , 26, 1064-72	4	9
79	β -Lactam antibiotics form distinct haptenic structures on albumin and activate drug-specific T-lymphocyte responses in multiallergic patients with cystic fibrosis. <i>Chemical Research in Toxicology</i> , 2013 , 26, 963-75	4	44
78	The generation, detection, and effects of reactive drug metabolites. <i>Medicinal Research Reviews</i> , 2013 , 33, 985-1080	14.4	62

77	Detection of drug bioactivation in vivo: mechanism of nevirapine-albumin conjugate formation in patients. <i>Chemical Research in Toxicology</i> , 2013 , 26, 575-83	4	34
76	Idiosyncratic adverse drug reactions: current concepts. <i>Pharmacological Reviews</i> , 2013 , 65, 779-808	22.5	212
75	Human leukocyte antigen (HLA)-B*57:01-restricted activation of drug-specific T cells provides the immunological basis for flucloxacillin-induced liver injury. <i>Hepatology</i> , 2013 , 57, 727-39	11.2	182
74	IL-8 release from human neutrophils cultured with pro-haptenic chemical sensitizers. <i>Chemical Research in Toxicology</i> , 2012 , 25, 2054-6	4	4
73	In silico analysis of HLA associations with drug-induced liver injury: use of a HLA-genotyped DNA archive from healthy volunteers. <i>Genome Medicine</i> , 2012 , 4, 51	14.4	48
72	Multiple drug hypersensitivity: normal Treg cell function but enhanced in vivo activation of drug-specific T cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 58-66	9.3	42
71	Drug hypersensitivity 2012 , 321-330		4
70	The development of in vitro culture methods to characterize primary T-cell responses to drugs. <i>Toxicological Sciences</i> , 2012 , 127, 150-8	4.4	53
69	Nonimmediate β -lactam reactions in patients with cystic fibrosis. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2012 , 12, 369-75	3.3	26
68	Characterization of the antigen specificity of T-cell clones from piperacillin-hypersensitive patients with cystic fibrosis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 341, 597-610	4.7	68
67	Explanation for HLA-B*57:01-linked immune-mediated abacavir-induced hypersensitivity. <i>Pharmacogenomics</i> , 2012 , 13, 1567-9	2.6	6
66	Enhanced antigenicity leads to altered immunogenicity in sulfamethoxazole-hypersensitive patients with cystic fibrosis. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 1543-51.e3	11.5	33
65	Characterization of drug-specific lymphocyte responses in a patient with drug-induced liver injury. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 680-3	11.5	10
64	Managing the challenge of chemically reactive metabolites in drug development. <i>Nature Reviews Drug Discovery</i> , 2011 , 10, 292-306	64.1	348
63	Drug bioactivation and protein adduct formation in the pathogenesis of drug-induced toxicity. <i>Chemico-Biological Interactions</i> , 2011 , 192, 30-6	5	73
62	Trimethoprim stimulates T-cells through metabolism-dependent and -independent pathways. <i>Chemical Research in Toxicology</i> , 2011 , 24, 791-3	4	2
61	Mass spectrometric characterization of circulating and functional antigens derived from piperacillin in patients with cystic fibrosis. <i>Journal of Immunology</i> , 2011 , 187, 200-11	5.3	87
60	Direct evidence for the formation of diastereoisomeric benzylpenicilloyl haptens from benzylpenicillin and benzylpenicillic acid in patients. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 338, 841-9	4.7	68

59	Measurement of CD4+ and CD8+ T-lymphocyte cytokine secretion and gene expression changes in p-phenylenediamine allergic patients and tolerant individuals. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 161-74	4.3	31
58	Characterization of p-phenylenediamine-albumin binding sites and T-cell responses to hapten-modified protein. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 732-42	4.3	53
57	Drug antigenicity, immunogenicity, and costimulatory signaling: evidence for formation of a functional antigen through immune cell metabolism. <i>Journal of Immunology</i> , 2010 , 185, 6448-60	5.3	46
56	Current status of GV1001 and other telomerase vaccination strategies in the treatment of cancer. <i>Expert Review of Vaccines</i> , 2010 , 9, 1007-16	5.2	32
55	Stimulation of human T cells with sulfonamides and sulfonamide metabolites. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 411-418.e4	11.5	94
54	Drug metabolite-specific lymphocyte responses in sulfamethoxazole allergic patients with cystic fibrosis. <i>Chemical Research in Toxicology</i> , 2010 , 23, 1009-11	4	16
53	Metabolic and chemical origins of cross-reactive immunological reactions to arylamine benzenesulfonamides: T-cell responses to hydroxylamine and nitroso derivatives. <i>Chemical Research in Toxicology</i> , 2010 , 23, 184-92	4	23
52	T-cell recognition of chemicals, protein allergens and drugs: towards the development of in vitro assays. <i>Cellular and Molecular Life Sciences</i> , 2010 , 67, 4171-84	10.3	114
51	"Danger" conditions increase sulfamethoxazole-protein adduct formation in human antigen-presenting cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 331, 372-81	4.7	39
50	Role of protein haptentation in triggering maturation events in the dendritic cell surrogate cell line THP-1. <i>Toxicology and Applied Pharmacology</i> , 2009 , 238, 120-32	4.6	34
49	Multiple adduction reactions of nitroso sulfamethoxazole with cysteinyl residues of peptides and proteins: implications for hapten formation. <i>Chemical Research in Toxicology</i> , 2009 , 22, 937-48	4	67
48	A mechanistic investigation into the irreversible protein binding and antigenicity of p-phenylenediamine. <i>Chemical Research in Toxicology</i> , 2009 , 22, 1172-80	4	35
47	Investigation of the immunogenicity of p-phenylenediamine and Bandrowski® base in the mouse. <i>Toxicology Letters</i> , 2009 , 185, 153-9	4.4	18
46	Activation of T-cells from allergic patients and volunteers by p-phenylenediamine and Bandrowski® base. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 897-905	4.3	40
45	Nonenzymatic formation of a novel hydroxylated sulfamethoxazole derivative in human liver microsomes: implications for bioanalysis of sulfamethoxazole metabolites. <i>Drug Metabolism and Disposition</i> , 2008 , 36, 2424-8	4	3
44	The roles of drug metabolism in the pathogenesis of T-cell-mediated drug hypersensitivity. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2008 , 8, 299-307	3.3	35
43	Investigation of the immunogenicity of diclofenac and diclofenac metabolites. <i>Toxicology Letters</i> , 2007 , 168, 45-50	4.4	45
42	Generation and characterization of antigen-specific CD4+, CD8+, and CD4+CD8+ T-cell clones from patients with carbamazepine hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 119, 973-81	11.5	94

41	Sulfamethoxazole and its metabolite nitroso sulfamethoxazole stimulate dendritic cell costimulatory signaling. <i>Journal of Immunology</i> , 2007 , 178, 5533-42	5.3	100
40	Drug hypersensitivity reactions in patients with HIV disease. <i>Expert Review of Clinical Immunology</i> , 2007 , 3, 395-410	5.1	5
39	Activation of human dendritic cells by p-phenylenediamine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 320, 885-92	4.7	35
38	Immunological principles of T-cell-mediated adverse drug reactions in skin. <i>Expert Opinion on Drug Safety</i> , 2007 , 6, 109-24	4.1	13
37	Drugs as Haptens, Antigens, and Immunogens 2007 , 55-65		7
36	The 2nd International Drug Hypersensitivity Meeting 18 - 21 April 2006, The University of Liverpool, Liverpool, UK. <i>Expert Opinion on Drug Safety</i> , 2006 , 5, 729-34	4.1	1
35	Role of bioactivation in drug-induced hypersensitivity reactions. <i>AAPS Journal</i> , 2006 , 8, E55-64	3.7	51
34	Activation of T cells by carbamazepine and carbamazepine metabolites. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 233-41	11.5	107
33	Drug-Specific T Cells in An HIV-Positive Patient with Nevirapine-Induced Hepatitis. <i>Antiviral Therapy</i> , 2006 , 11, 393-395	1.6	10
32	Selective haptentation of cellular or extracellular protein by chemical allergens: association with cytokine polarization. <i>Chemical Research in Toxicology</i> , 2005 , 18, 375-81	4	59
31	Drug presentation to T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 115, 876-7; author reply 877-8	11.5	2
30	Exposure of mice to the nitroso metabolite of sulfamethoxazole stimulates interleukin 5 production by CD4+ T-cells. <i>Toxicology</i> , 2005 , 206, 221-31	4.4	13
29	Carbamazepine-induced acute liver failure as part of the DRESS syndrome. <i>International Journal of Clinical Practice</i> , 2005 , 59, 988-91	2.9	37
28	Investigation of toxic metabolites during drug development. <i>Toxicology and Applied Pharmacology</i> , 2005 , 207, 425-34	4.6	77
27	Characterization of the T-cell response in a patient with phenindione hypersensitivity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 313, 1058-65	4.7	15
26	Drug hypersensitivity reactions in skin: understanding mechanisms and the development of diagnostic and predictive tests. <i>Toxicology</i> , 2004 , 194, 179-96	4.4	53
25	A chemically inert drug can stimulate T cells in vitro by their T cell receptor in non-sensitised individuals. <i>Toxicology</i> , 2004 , 197, 47-56	4.4	49
24	Characterization of sulfamethoxazole and sulfamethoxazole metabolite-specific T-cell responses in animals and humans. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003 , 306, 229-37	4.7	67

23	Immunopharmacology of hypersensitivity reactions to drugs. <i>Current Allergy and Asthma Reports</i> , 2003 , 3, 22-9	5.6	33
22	Characterization of drug-specific T cells in lamotrigine hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 111, 1393-403	11.5	170
21	Hypersensitivity reactions to carbamazepine: characterization of the specificity, phenotype, and cytokine profile of drug-specific T cell clones. <i>Molecular Pharmacology</i> , 2003 , 63, 732-41	4.3	188
20	Mechanisms of drug hypersensitivity in HIV-infected patients: the role of the immune system. <i>Journal of HIV Therapy</i> , 2003 , 8, 42-7		8
19	The danger hypothesis--potential role in idiosyncratic drug reactions. <i>Toxicology</i> , 2002 , 181-182, 55-63	4.4	112
18	Covalent binding of the nitroso metabolite of sulfamethoxazole leads to toxicity and major histocompatibility complex-restricted antigen presentation. <i>Molecular Pharmacology</i> , 2002 , 62, 628-37	4.3	120
17	Cellular and molecular pathophysiology of cutaneous drug reactions. <i>American Journal of Clinical Dermatology</i> , 2002 , 3, 229-38	7.1	94
16	Are chemically reactive metabolites responsible for adverse reactions to drugs?. <i>Current Drug Metabolism</i> , 2002 , 3, 351-66	3.5	50
15	Toxicophores: groups and metabolic routes associated with increased safety risk. <i>Current Opinion in Drug Discovery & Development</i> , 2002 , 5, 104-15		13
14	Metabolic activation in drug allergies. <i>Toxicology</i> , 2001 , 158, 11-23	4.4	109
13	Influence of reduced glutathione on the proliferative response of sulfamethoxazole-specific and sulfamethoxazole-metabolite-specific human CD4+ T-cells. <i>British Journal of Pharmacology</i> , 2001 , 132, 623-30	8.6	76
12	Antigenicity and immunogenicity of sulphamethoxazole: demonstration of metabolism-dependent haptentation and T-cell proliferation in vivo. <i>British Journal of Pharmacology</i> , 2001 , 133, 295-305	8.6	100
11	Reactive metabolites and their role in drug reactions. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2001 , 1, 317-325	3.3	42
10	Reactive metabolites and their role in drug reactions. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2001 , 1, 317-25	3.3	15
9	Induction of metabolism-dependent and -independent neutrophil apoptosis by clozapine. <i>Molecular Pharmacology</i> , 2000 , 58, 207-16	4.3	101
8	Recognition of sulfamethoxazole and its reactive metabolites by drug-specific CD4+ T cells from allergic individuals. <i>Journal of Immunology</i> , 2000 , 164, 6647-54	5.3	188
7	Plasma cysteine deficiency and decreased reduction of nitrososulfamethoxazole with HIV infection. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 1929-38	1.6	52
6	Metabolism of lamotrigine to a reactive arene oxide intermediate. <i>Chemical Research in Toxicology</i> , 2000 , 13, 1075-81	4	96

5	Immunological principles of adverse drug reactions: the initiation and propagation of immune responses elicited by drug treatment. <i>Drug Safety</i> , 2000 , 23, 483-507	5.1	110
4	Cellular disposition of sulphamethoxazole and its metabolites: implications for hypersensitivity. <i>British Journal of Pharmacology</i> , 1999 , 126, 1393-407	8.6	116
3	Metabolism-dependent neutrophil cytotoxicity of amodiaquine: A comparison with pyronaridine and related antimalarial drugs. <i>Chemical Research in Toxicology</i> , 1998 , 11, 1586-95	4	76
2	Manipulation of the N-alkyl substituent in amodiaquine to overcome the verapamil-sensitive chloroquine resistance component. <i>Antimicrobial Agents and Chemotherapy</i> , 1996 , 40, 2345-9	5.9	29
1	Synthesis and reactions of nitroso sulphamethoxazole with biological nucleophiles: Implications for immune mediated toxicity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996 , 6, 1511-1516	2.9	59