## Eva Gerdts

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9148675/publications.pdf

Version: 2024-02-01

103	13,630	35	101
papers	citations	h-index	g-index
103	103 docs citations	103	16356
all docs		times ranked	citing authors

#	Article	IF	CITATIONS
1	2018 ESC/ESH Guidelines for the management of arterial hypertension. European Heart Journal, 2018, 39, 3021-3104.	1.0	6,826
2	Intensive Lipid Lowering with Simvastatin and Ezetimibe in Aortic Stenosis. New England Journal of Medicine, 2008, 359, 1343-1356.	13.9	1,395
3	Prognostic Significance of Left Ventricular Mass Change During Treatment of Hypertension. JAMA - Journal of the American Medical Association, 2004, 292, 2350.	3.8	740
4	Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. European Heart Journal, 2016, 37, 24-34.	1.0	512
5	Sex differences in cardiometabolic disorders. Nature Medicine, 2019, 25, 1657-1666.	15.2	244
6	Prognostic effect of inappropriately high left ventricular mass in asymptomatic severe aortic stenosis. Heart, 2011, 97, 301-307.	1.2	243
7	Impact of Different Partition Values on Prevalences of Left Ventricular Hypertrophy and Concentric Geometry in a Large Hypertensive Population. Hypertension, 2000, 35, 6-12.	1.3	216
8	Correlates of Left Atrial Size in Hypertensive Patients With Left Ventricular Hypertrophy. Hypertension, 2002, 39, 739-743.	1.3	213
9	Left Atrial Size and Risk of Major Cardiovascular Events During Antihypertensive Treatment. Hypertension, 2007, 49, 311-316.	1.3	202
10	Low-Flow Aortic Stenosis in Asymptomatic Patients. JACC: Cardiovascular Imaging, 2009, 2, 390-399.	2.3	192
11	Left ventricular filling patterns in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study)â^—â^—See Appendix for the list of LIFE investigators American Journal of Cardiology, 2000, 85, 466-472.	0.7	153
12	Impact of left ventricular geometry on prognosis in hypertensive patients with left ventricular hypertrophy (the LIFE study). European Journal of Echocardiography, 2008, 9, 809-815.	2.3	132
13	Urine albumin/creatinine ratio and echocardiographic left ventricular structure and function in hypertensive patients with electrocardiographic left ventricular hypertrophy: The LIFE study. American Heart Journal, 2002, 143, 319-326.	1.2	130
14	Prognostic Value of Energy Loss Index in Asymptomatic Aortic Stenosis. Circulation, 2013, 127, 1149-1156.	1.6	117
15	Hypertension in Aortic Stenosis. Hypertension, 2012, 60, 90-97.	1.3	113
16	Gender Differences in Left Ventricular Structure and Function During Antihypertensive Treatment. Hypertension, 2008, 51, 1109-1114.	1.3	109
17	Echocardiographic Left Ventricular Geometry in Hypertensive Patients with Electrocardiographic Left Ventricular Hypertrophy: The LIFE Study. Blood Pressure, 2001, 10, 74-82.	0.7	105
18	Impact of Pressure Recovery on Echocardiographic Assessment of Asymptomatic Aortic Stenosis: A SEAS Substudy. JACC: Cardiovascular Imaging, 2010, 3, 555-562.	2.3	103

#	Article	IF	CITATIONS
19	Four-Group Classification of Left Ventricular Hypertrophy Based on Ventricular Concentricity and Dilatation Identifies a Low-Risk Subset of Eccentric Hypertrophy in Hypertensive Patients. Circulation: Cardiovascular Imaging, 2014, 7, 422-429.	1.3	87
20	Left Ventricular Hypertrophy Regression During Antihypertensive Treatment in an Outpatient Clinic (the Campania Salute Network). Journal of the American Heart Association, 2017, 6, .	1.6	87
21	Relation of Left Ventricular Mass to Prognosis in Initially Asymptomatic Mild to Moderate Aortic Valve Stenosis. Circulation: Cardiovascular Imaging, 2015, 8, e003644; discussion e003644.	1.3	78
22	Change in Systolic Left Ventricular Performance After 3 Years of Antihypertensive Treatment. Circulation, 2002, 106, 227-232.	1.6	77
23	Left ventricular wall stresses and wall stress–mass–heart rate products in hypertensive patients with electrocardiographic left ventricular hypertrophy. Journal of Hypertension, 2000, 18, 1129-1138.	0.3	66
24	Left ventricular hypertrophy offsets the sex difference in cardiovascular risk (the Campania Salute) Tj ETQq0 0 C	) rgBT /Ove	erlock 10 Tf 50
25	Sex differences in cardiovascular outcome during progression of aortic valve stenosis. Heart, 2015, 101, 209-214.	1.2	62
26	Hypertensive target organ damage predicts incident diabetes mellitus. European Heart Journal, 2013, 34, 3419-3426.	1.0	60
27	Effects of Losartan in Women With Hypertension and Left Ventricular Hypertrophy. Hypertension, 2008, 51, 1103-1108.	1.3	59
28	In-treatment reduced left atrial diameter during antihypertensive treatment is associated with reduced new-onset atrial fibrillation in hypertensive patients with left ventricular hypertrophy: The LIFE Study. Blood Pressure, 2010, 19, 169-175.	0.7	59
29	Effect of Overweight and Obesity on Cardiovascular Events in Asymptomatic AorticÂStenosis. Journal of the American College of Cardiology, 2013, 62, 1683-1690.	1.2	54
30	Improving translational research in sex-specific effects of comorbidities and risk factors in ischaemic heart disease and cardioprotection: position paper and recommendations of the ESC Working Group on Cellular Biology of the Heart. Cardiovascular Research, 2021, 117, 367-385.	1.8	53
31	Impact of hypertension on left ventricular structure in patients with asymptomatic aortic valve stenosis (a SEAS substudy). Journal of Hypertension, 2010, 28, 377-383.	0.3	52
32	Long-term blood pressure trajectories and incident atrial fibrillation in women and men: the Troms $\tilde{A}_3$ Study. European Heart Journal, 2020, 41, 1554-1562.	1.0	50
33	Effect of Obesity on Left Ventricular Mass and Systolic Function in Patients With Asymptomatic Aortic Stenosis (a Simvastatin Ezetimibe in Aortic Stenosis [SEAS] Substudy). American Journal of Cardiology, 2010, 105, 1456-1460.	0.7	46
34	Lower Transaortic Flow Rate Is Associated With Increased Mortality in Aortic ValveÂStenosis. JACC: Cardiovascular Imaging, 2017, 10, 912-920.	2.3	45
35	In-treatment midwall and endocardial fractional shortening predict cardiovascular outcome in hypertensive patients with preserved baseline systolic ventricular function: the Losartan Intervention For Endpoint reduction study. Journal of Hypertension, 2010, 28, 1541-1546.	0.3	39
36	Left atrial size in hypertension and stroke. Journal of Hypertension, 2011, 29, 1988-1993.	0.3	36

#	Article	IF	CITATIONS
37	Asymmetric septal hypertrophy – a marker of hypertension in aortic stenosis (a SEAS substudy). Blood Pressure, 2010, 19, 140-144.	0.7	35
38	Differential effect of obesity on prevalence of cardiac and carotid target organ damage in hypertension (the Campania Salute Network). International Journal of Cardiology, 2017, 244, 260-264.	0.8	32
39	Impact of Baseline Severity of Aortic Valve Stenosis on Effect of Intensive Lipid Lowering Therapy (from the SEAS Study). American Journal of Cardiology, 2010, 106, 1634-1639.	0.7	30
40	Small aortic root in aortic valve stenosis: clinical characteristics and prognostic implications. European Heart Journal Cardiovascular Imaging, 2016, 18, jew159.	0.5	30
41	Left ventricular hypertrophy contributes to Myocardial Ischemia in Non-obstructive Coronary Artery Disease (the MicroCAD study). International Journal of Cardiology, 2019, 286, 1-6.	0.8	30
42	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. European Journal of Preventive Cardiology, 2022, 29, 147-154.	0.8	30
43	Disease activity and left ventricular structure in patients with rheumatoid arthritis. Rheumatology, 2015, 54, 511-519.	0.9	27
44	Epidemiology of left ventricular hypertrophy in hypertension: implications for the clinic. Expert Review of Cardiovascular Therapy, 2016, 14, 915-926.	0.6	27
45	Impact of diastolic doppler indices on exercise capacity in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). Journal of Hypertension, 2002, 20, 1223-1229.	0.3	24
46	Association of heart failure hospitalizations with combined electrocardiography and echocardiography criteria for left ventricular hypertrophy. American Journal of Hypertension, 2012, 25, 678-683.	1.0	24
47	Global left ventricular load in asymptomatic aortic stenosis: covariates and prognostic implication (the SEAS trial). Cardiovascular Ultrasound, 2012, 10, 43.	0.5	21
48	Impact of Obesity and Nonobesity on Grading the Severity of Aortic Valve Stenosis. American Journal of Cardiology, 2014, 113, 1532-1535.	0.7	21
49	Left Ventricular Wall Stress–Mass–Heart Rate Product and Cardiovascular Events in Treated Hypertensive Patients. Hypertension, 2015, 66, 945-953.	1.3	20
50	Impact of stroke volume on cardiovascular risk during progression of aortic valve stenosis. Heart, 2017, 103, 1443-1448.	1.2	20
51	The association of hypertension with asymptomatic cardiovascular organ damage in rheumatoid arthritis. Blood Pressure, 2016, 25, 298-304.	0.7	19
52	Adjusting parameters of aortic valve stenosis severity by body size. Heart, 2014, 100, 1024-1030.	1.2	18
53	Systolic left ventricular function according to left ventricular concentricity and dilatation in hypertensive patients. Journal of Hypertension, 2013, 31, 2060-2068.	0.3	17
54	Masked hypertension in obesity. Blood Pressure Monitoring, 2017, 22, 12-17.	0.4	17

#	Article	IF	CITATIONS
55	Correlates of pulse pressure reduction during antihypertensive treatment (losartan or atenolol) in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). American Journal of Cardiology, 2002, 89, 399-402.	0.7	15
56	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. Blood Pressure, 2020, 29, 267-275.	0.7	15
57	Higher pulse pressure/stroke volume index is associated with impaired outcome in hypertensive patients with left ventricular hypertrophy the LIFE study. Blood Pressure, 2017, 26, 150-155.	0.7	14
58	Myocardial Contrast Echocardiography in Assessment of Stable Coronary Artery Disease at Intermediate Dobutamineâ€Induced Stress Level. Echocardiography, 2009, 26, 52-60.	0.3	13
59	Impact of aortic stiffness on myocardial ischaemia in non-obstructive coronary artery disease. Open Heart, 2019, 6, e000981.	0.9	13
60	Searching for Explanations for Cryptogenic Stroke in the Young: Revealing the Etiology, Triggers, and Outcome (SECRETO): echocardiography performance protocol. Echo Research and Practice, 2019, 6, 53-61.	0.6	13
61	Contrast stress echocardiography in hypertensive heart disease. Cardiovascular Ultrasound, 2011, 9, 33.	0.5	11
62	Effect of bariatric surgery on left ventricular geometry and function in severe obesity. Obesity Research and Clinical Practice, 2012, 6, e189-e196.	0.8	11
63	Ankylosing Spondylitis Is Associated with Increased Prevalence of Left Ventricular Hypertrophy. Journal of Rheumatology, 2018, 45, 1249-1255.	1.0	11
64	Association of Myocardial Energetic Efficiency with Circumferential and Longitudinal Left Ventricular Myocardial Function in Subjects with Increased Body Mass Index (the FATCOR Study). Journal of Clinical Medicine, 2021, 10, 1581.	1.0	11
65	One-year impact of bariatric surgery on left ventricular mechanics: results from the prospective FatWest study. European Heart Journal Open, 2021, 1, .	0.9	11
66	Contrasting Hemodynamic Mechanisms of Losartan- vs. Atenolol-Based Antihypertensive Treatment: A LIFE Study. American Journal of Hypertension, 2012, 25, 1017-1023.	1.0	10
67	Impact of hypertension on left ventricular hypertrophy regression and exercise capacity in patients operated for aortic valve stenosis. Scandinavian Cardiovascular Journal, 2006, 40, 167-174.	0.4	9
68	Exercise performance during losartan―or atenololâ€based treatment in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). Blood Pressure, 2006, 15, 220-226.	0.7	9
69	Pulse pressure, left ventricular function and cardiovascular events during antihypertensive treatment (the LIFE study). Blood Pressure, 2009, 18, 180-186.	0.7	9
70	Left atrial volume index as a marker of left ventricular diastolic dysfunction in asymptomatic Tanzanian diabetic patients. Blood Pressure, 2013, 22, 86-93.	0.7	9
71	Obesity-associated metabolic changes influence resting and peak heart rate in women and men. Scandinavian Cardiovascular Journal, 2015, 49, 337-43.	0.4	9
72	Prevalence and covariates of abnormal left ventricular geometry in never-treated hypertensive patients in Tanzania. Blood Pressure, 2014, 23, 31-38.	0.7	8

#	Article	IF	CITATIONS
73	Relationship of left ventricular systolic function to persistence or development of electrocardiographic left ventricular hypertrophy in hypertensive patients. Journal of Hypertension, 2014, 32, 2472-2478.	0.3	8
74	Impact of estimated left atrial volume on prognosis in patients with asymptomatic mild to moderate aortic valve stenosis. International Journal of Cardiology, 2019, 297, 121-125.	0.8	8
75	Higher left ventricular mass–wall stress–heart rate product and outcome in aortic valve stenosis. Heart, 2019, 105, 1629-1633.	1.2	8
76	Left ventricular myocardial dysfunction in young and middle-aged ischemic stroke patients. Journal of Hypertension, 2019, 37, 538-545.	0.3	8
77	Left ventricular myocardial oxygen demand and subclinical dysfunction in patients with severe obesity referred for bariatric surgery. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 666-674.	1.1	8
78	Sex-Specific Associations between Blood Pressure and Risk of Atrial Fibrillation Subtypes in the Troms $\tilde{A}_s$ , Study. Journal of Clinical Medicine, 2021, 10, 1514.	1.0	8
79	Sex disparities in blood pressure development: time for action. European Journal of Preventive Cardiology, 2022, 29, 178-179.	0.8	8
80	Hypertension in Women: Should There be a Sex-specific Threshold?. European Cardiology Review, 2021, 16, e38.	0.7	8
81	Postoperative Doppler Echocardiographic Evaluation in Different Sizes of Medtronic-Hall, Biocor and Carpentier-Edwards S.A.V. Prosthetic Aortic Valves. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1994, 28, 25-29.	0.2	7
82	Global Coronary Artery Plaque Area is Associated with Myocardial Hypoperfusion in Women with Non-ST Elevation Myocardial Infarction. Journal of Women's Health, 2015, 24, 367-373.	1.5	7
83	Managing complications of hypertension in aortic valve stenosis patients. Expert Review of Cardiovascular Therapy, 2018, 16, 897-907.	0.6	7
84	Prognostic impact of increased pulse pressure/stroke index in a registry of hypertensive patients: the Campania Salute Network. Blood Pressure, 2019, 28, 268-275.	0.7	7
85	Association of increased arterial stiffness with diastolic dysfunction in ischemic stroke patients: the Norwegian Stroke in the Young Study. Journal of Hypertension, 2020, 38, 467-473.	0.3	7
86	Increased relative wall thickness is a marker of subclinical cardiac target-organ damage in African diabetic patients: cardiovascular topic. Cardiovascular Journal of Africa, 2012, 23, 435-441.	0.2	7
87	Determinants of systolic blood pressure response during exercise in overweight subjects. Blood Pressure, 2014, 23, 200-205.	0.7	6
88	Covariables and types of abnormal left ventricular geometry in nonelderly ischemic stroke survivors. Journal of Hypertension, 2018, 36, 1858-1864.	0.3	6
89	Covariables of Myocardial Function in Women and Men with Increased Body Mass Index. High Blood Pressure and Cardiovascular Prevention, 2020, 27, 579-586.	1.0	6
90	Regression of hypertensive left ventricular hypertrophy by angiotensin receptor blockade versus beta-blockade: the LIFE trial. American Journal of Hypertension, 2002, 15, A15.	1.0	5

#	Article	IF	CITATIONS
91	Preclinical cardiac disease in women and men with primary aldosteronism. Blood Pressure, 2021, 30, 230-236.	0.7	5
92	Concomitant hypertension is associated with abnormal left ventricular geometry and lower systolic myocardial function in overweight participants: the FAT associated CardiOvasculaR dysfunction study. Journal of Hypertension, 2020, 38, 1158-1164.	0.3	5
93	Myocardial function in aortic stenosis $\hat{a} \in \hat{a}$ insights from radial multilayer Doppler strain. Cardiovascular Ultrasound, 2015, 13, 8.	0.5	4
94	Low myocardial energetic efficiency is associated with increased mortality in aortic stenosis. Open Heart, 2021, 8, e001720.	0.9	4
95	Quantitative contrast stress echocardiography in assessment of restenosis after percutaneous coronary intervention in stable coronary artery disease. European Journal of Echocardiography, 2009, 10, 858-864.	2.3	3
96	Preclinical cardiac organ damage during statin treatment in patients with inflammatory joint diseases: the RORA-AS statin intervention study. Rheumatology, 2020, 59, 3700-3708.	0.9	3
97	Incremental prognostic value of left atrial function indices in the prediction of incident atrial fibrillation in patients with ST-elevation myocardial infarction. International Journal of Cardiology, 2018, 263, 7-8.	0.8	2
98	Total coronary atherosclerotic plaque burden is associated with myocardial ischemia in non-obstructive coronary artery disease. IJC Heart and Vasculature, 2021, 35, 100831.	0.6	2
99	Orientation of the Atrial Septum to the Inferior Vena Cava May Contribute to the Persistent Patency of the Foramen Ovale. Cardiology, 2022, 147, 169-178.	0.6	2
100	Time-varying serum uric acid predicts new-onset atrial fibrillation in treated hypertensive patients. The LIFE Study. Exploration of Medicine, 0, , 128-138.	1.5	2
101	Persistent cardiac organ damage in surgically and medically treated primary aldosteronism. Journal of Hypertension, 2022, Publish Ahead of Print, .	0.3	2
102	Development of systolic dysfunction unrelated to myocardial infarction in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. Exploration of Medicine, 0, , 160-172.	1.5	2
103	Subclinical Cardiac Organ Damage in Patients with Moderate to Severe Psoriasis. Journal of Clinical Medicine, 2021, 10, 2440.	1.0	1