## Eva Gerdts

### List of Publications by Citations

Source: https://exaly.com/author-pdf/9148675/eva-gerdts-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

8,874
citations

103
ext. papers

11,439
ext. citations

8,874
h-index

94
g-index

5.1
avg, IF
L-index

#	Paper	IF	Citations
96	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , <b>2018</b> , 39, 3021-3104	9.5	3698
95	Intensive lipid lowering with simvastatin and ezetimibe in aortic stenosis. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1343-56	59.2	1097
94	Prognostic significance of left ventricular mass change during treatment of hypertension. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 292, 2350-6	27.4	592
93	Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. <i>European Heart Journal</i> , <b>2016</b> , 37, 24-34	9.5	333
92	Impact of different partition values on prevalences of left ventricular hypertrophy and concentric geometry in a large hypertensive population: the LIFE study. <i>Hypertension</i> , <b>2000</b> , 35, 6-12	8.5	<b>2</b> 00
91	Prognostic effect of inappropriately high left ventricular mass in asymptomatic severe aortic stenosis. <i>Heart</i> , <b>2011</b> , 97, 301-7	5.1	188
90	Correlates of left atrial size in hypertensive patients with left ventricular hypertrophy: the Losartan Intervention For Endpoint Reduction in Hypertension (LIFE) Study. <i>Hypertension</i> , <b>2002</b> , 39, 739-43	8.5	176
89	Left atrial size and risk of major cardiovascular events during antihypertensive treatment: losartan intervention for endpoint reduction in hypertension trial. <i>Hypertension</i> , <b>2007</b> , 49, 311-6	8.5	168
88	Low-flow aortic stenosis in asymptomatic patients: valvular-arterial impedance and systolic function from the SEAS Substudy. <i>JACC: Cardiovascular Imaging</i> , <b>2009</b> , 2, 390-9	8.4	162
87	Left ventricular filling patterns in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study). Losartan Intervention For Endpoint. <i>American Journal of Cardiology</i> , <b>2000</b> , 85, 466-72	3	140
86	Impact of left ventricular geometry on prognosis in hypertensive patients with left ventricular hypertrophy (the LIFE study). <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 809-15		116
85	Sex differences in cardiometabolic disorders. <i>Nature Medicine</i> , <b>2019</b> , 25, 1657-1666	50.5	115
84	Urine albumin/creatinine ratio and echocardiographic left ventricular structure and function in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE study. Losartan Intervention for Endpoint Reduction. <i>American Heart Journal</i> , <b>2002</b> , 143, 319-26	4.9	107
83	Echocardiographic left ventricular geometry in hypertensive patients with electrocardiographic left ventricular hypertrophy: The LIFE Study. <i>Blood Pressure</i> , <b>2001</b> , 10, 74-82	1.7	97
82	Prognostic value of energy loss index in asymptomatic aortic stenosis. <i>Circulation</i> , <b>2013</b> , 127, 1149-56	16.7	91
81	Hypertension in aortic stenosis: implications for left ventricular structure and cardiovascular events. <i>Hypertension</i> , <b>2012</b> , 60, 90-7	8.5	87
80	Gender differences in left ventricular structure and function during antihypertensive treatment: the Losartan Intervention for Endpoint Reduction in Hypertension Study. <i>Hypertension</i> , <b>2008</b> , 51, 1109-	1 <sup>8</sup> ·5	79

## (2010-2010)

79	Impact of pressure recovery on echocardiographic assessment of asymptomatic aortic stenosis: a SEAS substudy. <i>JACC: Cardiovascular Imaging</i> , <b>2010</b> , 3, 555-62	8.4	78
78	Four-group classification of left ventricular hypertrophy based on ventricular concentricity and dilatation identifies a low-risk subset of eccentric hypertrophy in hypertensive patients. <i>Circulation: Cardiovascular Imaging</i> , <b>2014</b> , 7, 422-9	3.9	71
77	Change in systolic left ventricular performance after 3 years of antihypertensive treatment: the Losartan Intervention for Endpoint (LIFE) Study. <i>Circulation</i> , <b>2002</b> , 106, 227-32	16.7	70
76	Left ventricular wall stresses and wall stress-mass-heart rate products in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE study. Losartan Intervention For Endpoint reduction in hypertension. <i>Journal of Hypertension</i> , <b>2000</b> , 18, 1129-38	1.9	60
75	Relation of Left Ventricular Mass to Prognosis in Initially Asymptomatic Mild to Moderate Aortic Valve Stenosis. <i>Circulation: Cardiovascular Imaging</i> , <b>2015</b> , 8, e003644; discussion e003644	3.9	59
74	Hypertensive target organ damage predicts incident diabetes mellitus. <i>European Heart Journal</i> , <b>2013</b> , 34, 3419-26	9.5	50
73	Left Ventricular Hypertrophy Regression During Antihypertensive Treatment in an Outpatient Clinic (the Campania Salute Network). <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	49
72	Left ventricular hypertrophy offsets the sex difference in cardiovascular risk (the Campania Salute Network). <i>International Journal of Cardiology</i> , <b>2018</b> , 258, 257-261	3.2	48
71	In-treatment reduced left atrial diameter during antihypertensive treatment is associated with reduced new-onset atrial fibrillation in hypertensive patients with left ventricular hypertrophy: The LIFE Study. <i>Blood Pressure</i> , <b>2010</b> , 19, 169-75	1.7	45
70	Impact of hypertension on left ventricular structure in patients with asymptomatic aortic valve stenosis (a SEAS substudy). <i>Journal of Hypertension</i> , <b>2010</b> , 28, 377-83	1.9	44
69	Effects of losartan in women with hypertension and left ventricular hypertrophy: results from the Losartan Intervention for Endpoint Reduction in Hypertension Study. <i>Hypertension</i> , <b>2008</b> , 51, 1103-8	8.5	44
68	Sex differences in cardiovascular outcome during progression of aortic valve stenosis. <i>Heart</i> , <b>2015</b> , 101, 209-14	5.1	43
67	Effect of obesity on left ventricular mass and systolic function in patients with asymptomatic aortic stenosis (a Simvastatin Ezetimibe in Aortic Stenosis [SEAS] substudy). <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 1456-60	3	42
66	Effect of overweight and obesity on cardiovascular events in asymptomatic aortic stenosis: a SEAS substudy (Simvastatin Ezetimibe in Aortic Stenosis). <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 1683-1690	15.1	41
65	In-treatment midwall and endocardial fractional shortening predict cardiovascular outcome in hypertensive patients with preserved baseline systolic ventricular function: the Losartan Intervention For Endpoint reduction study. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 1541-6	1.9	33
64	Left atrial size in hypertension and stroke. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 1988-93	1.9	32
63	Lower Transaortic Flow Rate Is Associated With Increased Mortality in Aortic Valve Stenosis. <i>JACC:</i> Cardiovascular Imaging, <b>2017</b> , 10, 912-920	8.4	31
62	Asymmetric septal hypertrophy - a marker of hypertension in aortic stenosis (a SEAS substudy). <i>Blood Pressure</i> , <b>2010</b> , 19, 140-4	1.7	27

61	Impact of baseline severity of aortic valve stenosis on effect of intensive lipid lowering therapy (from the SEAS study). <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 1634-9	3	27
60	Differential effect of obesity on prevalence of cardiac and carotid target organ damage in hypertension (the Campania Salute Network). <i>International Journal of Cardiology</i> , <b>2017</b> , 244, 260-264	3.2	25
59	Improving translational research in sex-specific effects of comorbidities and risk factors in ischaemic heart disease and cardioprotection: position paper and recommendations of the ESC Working Group on Cellular Biology of the Heart. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 367-385	9.9	24
58	Association of heart failure hospitalizations with combined electrocardiography and echocardiography criteria for left ventricular hypertrophy. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 678-83	2.3	21
57	Long-term blood pressure trajectories and incident atrial fibrillation in women and men: the Tromsl Etudy. European Heart Journal, 2020, 41, 1554-1562	9.5	21
56	Disease activity and left ventricular structure in patients with rheumatoid arthritis. <i>Rheumatology</i> , <b>2015</b> , 54, 511-9	3.9	20
55	Small aortic root in aortic valve stenosis: clinical characteristics and prognostic implications. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2017</b> , 18, 404-412	4.1	20
54	Impact of diastolic Doppler indices on exercise capacity in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). <i>Journal of Hypertension</i> , <b>2002</b> , 20, 1223-9	1.9	20
53	Left Ventricular Wall Stress-Mass-Heart Rate Product and Cardiovascular Events in Treated Hypertensive Patients: LIFE Study. <i>Hypertension</i> , <b>2015</b> , 66, 945-53	8.5	19
52	Global left ventricular load in asymptomatic aortic stenosis: covariates and prognostic implication (the SEAS trial). <i>Cardiovascular Ultrasound</i> , <b>2012</b> , 10, 43	2.4	19
51	Left ventricular hypertrophy contributes to Myocardial Ischemia in Non-obstructive Coronary Artery Disease (the MicroCAD study). <i>International Journal of Cardiology</i> , <b>2019</b> , 286, 1-6	3.2	18
50	Adjusting parameters of aortic valve stenosis severity by body size. <i>Heart</i> , <b>2014</b> , 100, 1024-30	5.1	18
49	Epidemiology of left ventricular hypertrophy in hypertension: implications for the clinic. <i>Expert Review of Cardiovascular Therapy</i> , <b>2016</b> , 14, 915-26	2.5	17
48	Impact of stroke volume on cardiovascular risk during progression of aortic valve stenosis. <i>Heart</i> , <b>2017</b> , 103, 1443-1448	5.1	14
47	Impact of obesity and nonobesity on grading the severity of aortic valve stenosis. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 1532-5	3	14
46	Correlates of pulse pressure reduction during antihypertensive treatment (losartan or atenolol) in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 399-402	3	14
45	The association of hypertension with asymptomatic cardiovascular organ damage in rheumatoid arthritis. <i>Blood Pressure</i> , <b>2016</b> , 25, 298-304	1.7	14
44	Systolic left ventricular function according to left ventricular concentricity and dilatation in hypertensive patients: the Losartan Intervention For Endpoint reduction in hypertension study. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 2060-8	1.9	13

# (2012-2017)

43	Masked hypertension in obesity: potential predictors and arterial damage. <i>Blood Pressure Monitoring</i> , <b>2017</b> , 22, 12-17	1.3	12
42	Higher pulse pressure/stroke volume index is associated with impaired outcome in hypertensive patients with left ventricular hypertrophy the LIFE study. <i>Blood Pressure</i> , <b>2017</b> , 26, 150-155	1.7	12
41	Myocardial contrast echocardiography in assessment of stable coronary artery disease at intermediate dobutamine-induced stress level. <i>Echocardiography</i> , <b>2009</b> , 26, 52-60	1.5	12
40	Ankylosing Spondylitis Is Associated with Increased Prevalence of Left Ventricular Hypertrophy. Journal of Rheumatology, <b>2018</b> , 45, 1249-1255	4.1	9
39	Effect of bariatric surgery on left ventricular geometry and function in severe obesity. <i>Obesity Research and Clinical Practice</i> , <b>2012</b> , 6, e175-262	5.4	9
38	Contrast stress echocardiography in hypertensive heart disease. Cardiovascular Ultrasound, 2011, 9, 33	2.4	9
37	Pulse pressure, left ventricular function and cardiovascular events during antihypertensive treatment (the LIFE study). <i>Blood Pressure</i> , <b>2009</b> , 18, 180-6	1.7	9
36	Exercise performance during losartan- or atenolol-based treatment in hypertensive patients with electrocardiographic left ventricular hypertrophy (a LIFE substudy). <i>Blood Pressure</i> , <b>2006</b> , 15, 220-6	1.7	9
35	Impact of hypertension on left ventricular hypertrophy regression and exercise capacity in patients operated for aortic valve stenosis. <i>Scandinavian Cardiovascular Journal</i> , <b>2006</b> , 40, 167-74	2	9
34	Obesity-associated metabolic changes influence resting and peak heart rate in women and men. <i>Scandinavian Cardiovascular Journal</i> , <b>2015</b> , 49, 337-43	2	9
33	Searching for Explanations for Cryptogenic Stroke in the Young: Revealing the Etiology, Triggers, and Outcome (SECRETO): echocardiography performance protocol. <i>Echo Research and Practice</i> , <b>2019</b> , 6, 53-61	2	8
32	Contrasting hemodynamic mechanisms of losartan- vs. atenolol-based antihypertensive treatment: a LIFE study. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 1017-23	2.3	7
31	Postoperative Doppler echocardiographic evaluation in different sizes of Medtronic-Hall, Biocor and Carpentier-Edwards S.A.V. prosthetic aortic valves. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , <b>1994</b> , 28, 25-9		7
30	Impact of aortic stiffness on myocardial ischaemia in non-obstructive coronary artery disease. <i>Open Heart</i> , <b>2019</b> , 6, e000981	3	6
29	Prognostic impact of increased pulse pressure/stroke index in a registry of hypertensive patients: the Campania Salute Network. <i>Blood Pressure</i> , <b>2019</b> , 28, 268-275	1.7	6
28	Prevalence and covariates of abnormal left ventricular geometry in never-treated hypertensive patients in Tanzania. <i>Blood Pressure</i> , <b>2014</b> , 23, 31-8	1.7	6
27	Left atrial volume index as a marker of left ventricular diastolic dysfunction in asymptomatic Tanzanian diabetic patients. <i>Blood Pressure</i> , <b>2013</b> , 22, 86-93	1.7	6
26	Increased relative wall thickness is a marker of subclinical cardiac target-organ damage in African diabetic patients. <i>Cardiovascular Journal of Africa</i> , <b>2012</b> , 23, 435-41	0.7	6

25	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	6
24	Managing complications of hypertension in aortic valve stenosis patients. <i>Expert Review of Cardiovascular Therapy</i> , <b>2018</b> , 16, 897-907	2.5	6
23	Global Coronary Artery Plaque Area is Associated with Myocardial Hypoperfusion in Women with Non-ST Elevation Myocardial Infarction. <i>Journal of Womens Health</i> , <b>2015</b> , 24, 367-73	3	5
22	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. <i>Blood Pressure</i> , <b>2020</b> , 29, 267-275	1.7	5
21	Relationship of left ventricular systolic function to persistence or development of electrocardiographic left ventricular hypertrophy in hypertensive patients: implications for the development of new heart failure. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 2472-8; discussion 2478	1.9	5
20	Determinants of systolic blood pressure response during exercise in overweight subjects. <i>Blood Pressure</i> , <b>2014</b> , 23, 200-5	1.7	5
19	Association of increased arterial stiffness with diastolic dysfunction in ischemic stroke patients: the Norwegian Stroke in the Young Study. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 467-473	1.9	5
18	Left ventricular myocardial dysfunction in young and middle-aged ischemic stroke patients: the Norwegian stroke in the young study. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 538-545	1.9	5
17	Higher left ventricular mass-wall stress-heart rate product and outcome in aortic valve stenosis. Heart, <b>2019</b> , 105, 1629-1633	5.1	4
16	Covariables and types of abnormal left ventricular geometry in nonelderly ischemic stroke survivors: the Norwegian Stroke in the Young Study. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 1858-1864	1.9	4
15	Myocardial function in aortic stenosisinsights from radial multilayer Doppler strain. <i>Cardiovascular Ultrasound</i> , <b>2015</b> , 13, 8	2.4	3
14	Regression of hypertensive left ventricular hypertrophy by angiotensin receptor blockade versus beta-blockade: the LIFE trial. <i>American Journal of Hypertension</i> , <b>2002</b> , 15, A15	2.3	3
13	Preclinical cardiac disease in women and men with primary aldosteronism. <i>Blood Pressure</i> , <b>2021</b> , 30, 230	)-2 <del>.3</del> 6	3
12	Impact of estimated left atrial volume on prognosis in patients with asymptomatic mild to moderate aortic valve stenosis. <i>International Journal of Cardiology</i> , <b>2019</b> , 297, 121-125	3.2	2
11	Quantitative contrast stress echocardiography in assessment of restenosis after percutaneous coronary intervention in stable coronary artery disease. <i>European Journal of Echocardiography</i> , <b>2009</b> , 10, 858-64		2
10	Sex-Specific Associations between Blood Pressure and Risk of Atrial Fibrillation Subtypes in the Tromsl Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	2
9	Hypertension in Women: Should There be a Sex-specific Threshold?. <i>European Cardiology Review</i> , <b>2021</b> , 16, e38	3.9	1
8	Concomitant hypertension is associated with abnormal left ventricular geometry and lower systolic myocardial function in overweight participants: the FAT associated CardiOvasculaR dysfunction study. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1158-1164	1.9	1

#### LIST OF PUBLICATIONS

7	Sex disparities in blood pressure development: time for action. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,	3.9	1
6	Left ventricular myocardial oxygen demand and subclinical dysfunction in patients with severe obesity referred for bariatric surgery. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 666-6	5 <del>7</del> 4 <sup>5</sup>	1
5	Preclinical cardiac organ damage during statin treatment in patients with inflammatory joint diseases: the RORA-AS statin intervention study. <i>Rheumatology</i> , <b>2020</b> , 59, 3700-3708	3.9	0
4	Covariables of Myocardial Function in Women and Men with Increased Body Mass Index. <i>High Blood Pressure and Cardiovascular Prevention</i> , <b>2020</b> , 27, 579-586	2.9	O
3	Total coronary atherosclerotic plaque burden is associated with myocardial ischemia in non-obstructive coronary artery disease. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 35, 100831	2.4	0
2	Time-varying serum uric acid predicts new-onset atrial fibrillation in treated hypertensive patients. The LIFE Study. <i>Exploration of Medicine</i> ,128-138	1.1	O
1	Development of systolic dysfunction unrelated to myocardial infarction in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. <i>Exploration of Medicine</i> ,160-172	1.1	О