

Gianmaria D'Addazio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9149076/publications.pdf>

Version: 2024-02-01

24
papers

401
citations

687220

13
h-index

794469

19
g-index

24
all docs

24
docs citations

24
times ranked

603
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiple Free Flap Reconstruction of a Complex Intraoral Defect after Squamous Cell Carcinoma Excision: A Case Report. <i>Medicina (Lithuania)</i> , 2022, 58, 54.	0.8	3
2	Accuracy of DICOM vs. DICOM STL Protocols in Computer-Guided Surgery: A Human Clinical Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2336.	1.0	4
3	What Happens at a Dental Surgery When the Patient is a Child with Autism Spectrum Disorder? An Italian Study. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 1939-1952.	1.7	10
4	Access to Dental Care – A Survey from Dentists, People with Disabilities and Caregivers. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1556.	1.2	22
5	Mechanical Pull-Out Test of a New Hybrid Fixture-Abutment Connection: An In Vitro Study. <i>Materials</i> , 2021, 14, 1555.	1.3	2
6	Effects of Natural Ventilation and Saliva Standard Ejectors during the COVID-19 Pandemic: A Quantitative Analysis of Aerosol Produced during Dental Procedures. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7472.	1.2	19
7	Prevalence of Obstructive Sleep Apnea Syndrome: A Single-Center Retrospective Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10277.	1.2	24
8	Traditional Removable Partial Dentures versus Implant-Supported Removable Partial Dentures: A Retrospective, Observational Oral Health-Related Quality-of-Life Study. <i>Prosthesis</i> , 2021, 3, 361-369.	1.1	12
9	SARS-CoV-2 and Oral Manifestation: An Observational, Human Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3218.	1.0	56
10	Artificial Saliva in Diabetic Xerostomia (ASDIX): Double Blind Trial of Aldiamed® Versus Placebo. <i>Journal of Clinical Medicine</i> , 2020, 9, 2196.	1.0	15
11	Influence of Dentine Pre-Treatment by Sandblasting with Aluminum Oxide in Adhesive Restorations. An In Vitro Study. <i>Materials</i> , 2020, 13, 3026.	1.3	15
12	Gingival Response to Dental Implant: Comparison Study on the Effects of New Nanopored Laser-Treated vs. Traditional Healing Abutments. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6056.	1.8	10
13	The Impact of COVID-19 Related Lockdown on Dental Practice in Central Italy – Outcomes of A Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5780.	1.2	52
14	A 4 Year Human, Randomized, Radiographic Study of Scalloped versus Non-Scalloped Cemented Implants. <i>Materials</i> , 2020, 13, 2190.	1.3	6
15	Penetration of Different Impression Materials into Exposed Dentinal Tubules during the Impression Procedure. <i>Materials</i> , 2020, 13, 1321.	1.3	6
16	Porphyromonas Gingivalis Load is Balanced by 0.20% Chlorhexidine Gel. A Randomized, Double-Blind, Controlled, Microbiological and Immunohistochemical Human Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 284.	1.0	26
17	Fracture Resistance of Zirconia-Reinforced Lithium Silicate Ceramic Crowns Cemented with Conventional or Adhesive Systems: An In Vitro Study. <i>Materials</i> , 2020, 13, 2012.	1.3	15
18	Immunohistochemical Results of Soft Tissues around a New Implant Healing-Abutment Surface: A Human Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1009.	1.0	13

#	ARTICLE	IF	CITATIONS
19	SEM Analysis of Enamel Abrasion after Air Polishing Treatment with Erythritol, Glycine and Sodium Bicarbonate. <i>Coatings</i> , 2019, 9, 549.	1.2	14
20	Avoidance of Interaction between Impression Materials and Tooth Surface Treated for Immediate Dentin Sealing: An In Vitro Study. <i>Materials</i> , 2019, 12, 3454.	1.3	11
21	The usefulness of CBCT in early diagnosis of primary extra-nodal non-Hodgkin's lymphoma in the mandible. A case report. <i>Otorhinolaryngology-head and Neck Surgery</i> , 2019, 4, .	0.1	0
22	Peri-Implant Bone Resorption during Healing Abutment Placement: The Effect of a 0.20% Chlorhexidine Gel vs. Placebo. A Randomized Double Blind Controlled Human Study. <i>BioMed Research International</i> , 2018, 2018, 1-13.	0.9	27
23	Comparison of a Novel Ultrasonic Scaler Tip vs. Conventional Design on a Titanium Surface. <i>Materials</i> , 2018, 11, 2345.	1.3	14
24	Immunohistochemical Evaluation of Peri-Implant Soft Tissues around Machined and Direct Metal Laser Sintered (DMLS) Healing Abutments in Humans. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1611.	1.2	25