

Samer Ezziddin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9149201/publications.pdf>

Version: 2024-02-01

128
papers

5,218
citations

94415

37
h-index

95259

68
g-index

134
all docs

134
docs citations

134
times ranked

4793
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival after yttrium-90 resin microsphere radioembolization of hepatocellular carcinoma across Barcelona clinic liver cancer stages: A European evaluation. <i>Hepatology</i> , 2011, 54, 868-878.	7.3	550
2	EANM procedure guidelines for radionuclide therapy with ¹⁷⁷ Lu-labelled PSMA-ligands (¹⁷⁷ Lu-PSMA-RLT). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2536-2544.	6.4	265
3	Research Reporting Standards for Radioembolization of Hepatic Malignancies. <i>Journal of Vascular and Interventional Radiology</i> , 2011, 22, 265-278.	0.5	185
4	Whole-body SPECT/CT for bone scintigraphy: diagnostic value and effect on patient management in oncological patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 59-67.	6.4	166
5	Outcome of peptide receptor radionuclide therapy with ¹⁷⁷ Lu-octreotate in advanced grade 1/2 pancreatic neuroendocrine tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 925-933.	6.4	165
6	Radioembolization of Liver Tumors With Yttrium-90 Microspheres. <i>Seminars in Nuclear Medicine</i> , 2010, 40, 105-121.	4.6	160
7	Predictors of Long-Term Outcome in Patients with Well-Differentiated Gastroenteropancreatic Neuroendocrine Tumors After Peptide Receptor Radionuclide Therapy with ¹⁷⁷ Lu-Octreotate. <i>Journal of Nuclear Medicine</i> , 2014, 55, 183-190.	5.0	158
8	Repeated Bone-Targeted Therapy for Hormone-Refractory Prostate Carcinoma: Randomized Phase II Trial With the New, High-Energy Radiopharmaceutical Rhenium-188 Hydroxyethylidenediphosphonate. <i>Journal of Clinical Oncology</i> , 2003, 21, 2869-2875.	1.6	157
9	Long-Term Hematotoxicity After Peptide Receptor Radionuclide Therapy with ¹⁷⁷ Lu-Octreotate. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1857-1861.	5.0	128
10	²²⁵ Ac-PSMA-617/ ¹⁷⁷ Lu-PSMA-617 tandem therapy of metastatic castration-resistant prostate cancer: pilot experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 721-728.	6.4	126
11	The Significance of ^{99m} Tc-MAA SPECT/CT Liver Perfusion Imaging in Treatment Planning for ⁹⁰ Y-Microsphere Selective Internal Radiation Treatment. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1206-1212.	5.0	114
12	Osteoporosis in haemophilia ? an underestimated comorbidity?. <i>Haemophilia</i> , 2007, 13, 79-84.	2.1	106
13	Specific efficacy of peptide receptor radionuclide therapy with ¹⁷⁷ Lu-octreotate in advanced neuroendocrine tumours of the small intestine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1238-1246.	6.4	91
14	Outcome and toxicity of salvage therapy with ¹⁷⁷ Lu-octreotate in patients with metastatic gastroenteropancreatic neuroendocrine tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 205-210.	6.4	87
15	Impact of the Ki-67 proliferation index on response to peptide receptor radionuclide therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 459-466.	6.4	84
16	Comparison of the survival and tolerability of radioembolization in elderly vs. younger patients with unresectable hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2013, 59, 753-761.	3.7	82
17	Radioiodine therapy in Graves' disease based on tissue-absorbed dose calculations: effect of pre-treatment thyroid volume on clinical outcome. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 1118-1124.	6.4	80
18	¹³¹ I-Metaiodobenzylguanidine Therapy of Neuroblastoma and Other Neuroendocrine Tumors. <i>Seminars in Nuclear Medicine</i> , 2010, 40, 153-163.	4.6	80

#	ARTICLE	IF	CITATIONS
19	Effectiveness and side-effects of peptide receptor radionuclide therapy for neuroendocrine neoplasms in Germany: A multi-institutional registry study with prospective follow-up. <i>European Journal of Cancer</i> , 2016, 58, 41-51.	2.8	80
20	Accurate assessment of long-term nephrotoxicity after peptide receptor radionuclide therapy with ¹⁷⁷ Lu-octreotate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 505-510.	6.4	76
21	Prognostic Stratification of Metastatic Gastroenteropancreatic Neuroendocrine Neoplasms by ¹⁸ F-FDG PET: Feasibility of a Metabolic Grading System. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1260-1266.	5.0	76
22	Palliation and Survival After Repeated ¹⁸⁸ Re-HEDP Therapy of Hormone-Refractory Bone Metastases of Prostate Cancer: A Retrospective Analysis. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1721-1726.	5.0	63
23	Does the Pretherapeutic Tumor SUV in ⁶⁸ Ga DOTATOC PET Predict the Absorbed Dose of ¹⁷⁷ Lu Octreotate?. <i>Clinical Nuclear Medicine</i> , 2012, 37, e141-e147.	1.3	62
24	⁹⁰ Y Radioembolization After Radiation Exposure from Peptide Receptor Radionuclide Therapy. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1663-1669.	5.0	62
25	Response and Long-Term Control of Bone Metastases After Peptide Receptor Radionuclide Therapy with ¹⁷⁷ Lu-Octreotate. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1197-1203.	5.0	59
26	Preoperative ¹⁸ F-FDG-PET/CT imaging and sentinel node biopsy in the detection of regional lymph node metastases in malignant melanoma. <i>Melanoma Research</i> , 2008, 18, 346-352.	1.2	58
27	Factors predicting tracer uptake in somatostatin receptor and MIBG scintigraphy of metastatic gastroenteropancreatic neuroendocrine tumors. <i>Journal of Nuclear Medicine</i> , 2006, 47, 223-33.	5.0	57
28	Effects of catheter-based renal denervation on cardiac sympathetic activity and innervation in patients with resistant hypertension. <i>Clinical Research in Cardiology</i> , 2016, 105, 364-371.	3.3	54
29	The significance of bremsstrahlung SPECT/CT after yttrium-90 radioembolization treatment in the prediction of extrahepatic side effects. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 309-315.	6.4	52
30	Early post-treatment FDG PET predicts survival after ⁹⁰ Y microsphere radioembolization in liver-dominant metastatic colorectal cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 370-376.	6.4	52
31	Imaging of prostate cancer metastases with ¹⁸ F-fluoroacetate using PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 797-797.	6.4	51
32	False positive ¹⁸ F-FDG-PET/CT in a patient after talc pleurodesis. <i>Lung Cancer</i> , 2007, 58, 418-421.	2.0	51
33	EANM guidelines for radionuclide therapy of bone metastases with beta-emitting radionuclides. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 846-859.	6.4	51
34	Clinical Application of Trans-Arterial Radioembolization in Hepatic Malignancies in Europe: First Results from the Prospective Multicentre Observational Study CIRSE Registry for SIR-Spheres Therapy (CIRT). <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 21-35.	2.0	49
35	Hepatic volume changes induced by radioembolization with ⁹⁰ Y resin microspheres. A single-centre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 80-90.	6.4	44
36	Hepatobiliary magnetic resonance imaging in patients with liver disease: correlation of liver enhancement with biochemical liver function tests. <i>European Radiology</i> , 2014, 24, 2482-2490.	4.5	43

#	ARTICLE	IF	CITATIONS
37	Positive FAPI-PET/CT in a metastatic castration-resistant prostate cancer patient with PSMA-negative/FDG-positive disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2040-2041.	6.4	42
38	Radium-223 in Prostate Cancer. <i>New England Journal of Medicine</i> , 2013, 369, 1659-1660.	27.0	40
39	New insights in the paradigm of upregulation of tumoral PSMA expression by androgen receptor blockade: Enzalutamide induces PSMA upregulation in castration-resistant prostate cancer even in patients having previously progressed on enzalutamide. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 687-694.	6.4	38
40	Molecular imaging and biochemical response assessment after a single cycle of [²²⁵ Ac]Ac-PSMA-617/[¹⁷⁷ Lu]Lu-PSMA-617 tandem therapy in mCRPC patients who have progressed on [¹⁷⁷ Lu]Lu-PSMA-617 monotherapy. <i>Theranostics</i> , 2021, 11, 4050-4060.	10.0	38
41	¹⁷⁷ Lu-PSMA-617 radioligand therapy of metastatic castration-resistant prostate cancer: Initial 254-patient results from a prospective registry (REALITY Study). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1075-1085.	6.4	37
42	Myeloid neoplasms after chemotherapy and PRRT: myth and reality. <i>Endocrine-Related Cancer</i> , 2016, 23, C1-C7.	3.1	36
43	Advances in Peptide Receptor Radionuclide Therapy. <i>Seminars in Nuclear Medicine</i> , 2016, 46, 40-46.	4.6	34
44	The role of combined imaging in metastatic medullary thyroid carcinoma: ¹¹¹ In-DTPA-octreotide and ¹³¹ I/123I-MIBG as predictors for radionuclide therapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 649-656.	2.5	31
45	Is prophylactic embolization of the hepatic falciform artery needed before radioembolization in patients with ^{99m} Tc-MAA accumulation in the anterior abdominal wall?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1477-1484.	6.4	31
46	Can peptide receptor radionuclide therapy be safely applied in florid bone metastases?. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 54-59.	0.7	31
47	Impact of Dual-Time-Point F-18 FDG PET/CT in the Assessment of Pleural Effusion in Patients With Non-Small-Cell Lung Cancer. <i>Clinical Nuclear Medicine</i> , 2011, 36, 423-428.	1.3	30
48	The Value of F-18 FDG PET in Patients With Primary Sclerosing Cholangitis and Cholangiocarcinoma Using Visual and Semiquantitative Analysis. <i>Clinical Nuclear Medicine</i> , 2011, 36, 879-883.	1.3	30
49	Neoadjuvant Downsizing by Internal Radiation. <i>Clinical Nuclear Medicine</i> , 2012, 37, 102-104.	1.3	30
50	Significance of Oral Administration of Sodium Perchlorate in Planning Liver-Directed Radioembolization. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1063-1067.	5.0	29
51	Survival in patients with hepatocellular carcinoma treated with ⁹⁰ Y-microsphere radioembolization. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 39-45.	0.7	28
52	Successful radiopeptide targeting of metastatic anaplastic meningioma: Case report. <i>Radiation Oncology</i> , 2011, 6, 94.	2.7	27
53	Robotic salvage lymph node dissection for nodal-only recurrences after radical prostatectomy: Perioperative and early oncological outcomes. <i>Surgical Oncology</i> , 2018, 27, 138-145.	1.6	27
54	Response and outcome of liver metastases in patients with metastatic castration-resistant prostate cancer (mCRPC) undergoing ¹⁷⁷ Lu-PSMA-617 radioligand therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 103-112.	6.4	27

#	ARTICLE	IF	CITATIONS
55	Renal Safety of [177Lu]Lu-PSMA-617 Radioligand Therapy in Patients with Compromised Baseline Kidney Function. <i>Cancers</i> , 2021, 13, 3095.	3.7	27
56	Does PRRT with standard activities of 177Lu-octreotate really achieve relevant somatostatin receptor saturation in target tumor lesions?: insights from intra-therapeutic receptor imaging in patients with metastatic gastroenteropancreatic neuroendocrine tumors. <i>EJNMMI Research</i> , 2013, 3, 82.	2.5	26
57	Diffusion-weighted imaging with acquisition of three b-values for response evaluation of neuroendocrine liver metastases undergoing selective internal radiotherapy. <i>European Radiology</i> , 2014, 24, 267-276.	4.5	26
58	⁶⁸ Ga-DOTATOC PET/CT in Patients with Iodine- and ¹⁸ F-FDG-“Negative Differentiated Thyroid Carcinoma and Elevated Serum Thyroglobulin. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1512-1517.	5.0	26
59	Long-Term Outcome and Toxicity After Dose-Intensified Treatment with ¹³¹ I-MIBG for Advanced Metastatic Carcinoid Tumors. <i>Journal of Nuclear Medicine</i> , 2013, 54, 2032-2038.	5.0	25
60	Diffusion-weighted magnetic resonance imaging predicts survival in patients with liver-predominant metastatic colorectal cancer shortly after selective internal radiation therapy. <i>European Radiology</i> , 2017, 27, 966-975.	4.5	25
61	Efficacy and Safety of [225Ac]Ac-PSMA-617 Augmented [177Lu]Lu-PSMA-617 Radioligand Therapy in Patients with Highly Advanced mCRPC with Poor Prognosis. <i>Pharmaceutics</i> , 2021, 13, 722.	4.5	25
62	Peptide Receptor Radionuclide Therapy for Neuroendocrine Tumors in Germany: First Results of a Multi-institutional Cancer Registry. <i>Recent Results in Cancer Research</i> , 2013, 194, 457-465.	1.8	24
63	Early molecular imaging response assessment based on determination of total viable tumor burden in [68Ga]Ga-PSMA-11 PET/CT independently predicts overall survival in [177Lu]Lu-PSMA-617 radioligand therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1584-1594.	6.4	24
64	Efficacy of peptide receptor radionuclide therapy with Lu-octreotate in metastatic pulmonary neuroendocrine tumors: a dual-centre analysis. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 7, 74-83.	1.0	23
65	Feasibility of temporary protective embolization of normal liver tissue using degradable starch microspheres during radioembolization of liver tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 231-237.	6.4	22
66	Nomogram including pretherapeutic parameters for prediction of survival after SIRT of hepatic metastases from colorectal cancer. <i>European Radiology</i> , 2015, 25, 2693-2700.	4.5	22
67	⁸⁹ Zr-labeled PSMA ligands for pharmacokinetic PET imaging and dosimetry of PSMA-617 and PSMA-I&T: a preclinical evaluation and first in man. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 2064-2076.	6.4	22
68	Dose selection for radioiodine therapy of borderline hyperthyroid patients according to thyroid uptake of ^{99m} Tc-pertechnetate: applicability to unifocal thyroid autonomy?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 608-612.	6.4	20
69	^{99m} Tc-MAA/ ⁹⁰ Y-Bremstrahlung SPECT/CT after simultaneous Tc-MAA/ ⁹⁰ Y-microsphere injection for immediate treatment monitoring and further therapy planning for radioembolization. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1281-1288.	6.4	20
70	Prognostic value of pretreatment diffusion-weighted magnetic resonance imaging for outcome prediction of colorectal cancer liver metastases undergoing ⁹⁰ Y-microsphere radioembolization. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1531-1541.	2.5	20
71	¹⁷⁷ Lu-Prostate-Specific Membrane Antigen Ligand After ²²³ Ra Treatment in Men with Bone-Metastatic Castration-Resistant Prostate Cancer: Real-World Clinical Experience. <i>Journal of Nuclear Medicine</i> , 2022, 63, 410-414.	5.0	19
72	Impact of DNA damage repair defects on response to PSMA radioligand therapy in metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 71-78.	3.9	19

#	ARTICLE	IF	CITATIONS
73	Radioembolisation in patients with hepatocellular carcinoma that have previously received liver-directed therapies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1721-1730.	6.4	18
74	Bone metastases in GEP-NET: response and long-term outcome after PRRT from a follow-up analysis. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 3, 437-45.	1.0	18
75	Current status and future perspectives of PSMA-targeted therapy in Europe: opportunity knocks. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1971-1975.	6.4	17
76	Pretreatment Dosimetry in HCC Radioembolization with 90Y Glass Microspheres Cannot Be Invalidated with a Bare Visual Evaluation of 99mTc-MAA Uptake of Colorectal Metastases Treated with Resin Microspheres. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1215-1216.	5.0	16
77	Identification, Characterization, and Suppression of Side Products Formed during the Synthesis of [¹⁷⁷ Lu]Lu-PSMA-617. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 4960-4971.	6.4	16
78	Neuron-specific enolase has potential value as a biomarker for [18F]FDG/[68Ga]Ga-PSMA-11 PET mismatch findings in advanced mCRPC patients. <i>EJNMMI Research</i> , 2020, 10, 52.	2.5	16
79	¹¹¹ In-Pentetreotide scintigraphy in medulloblastoma: A comparison with magnetic resonance imaging. <i>Acta Oncologica</i> , 2007, 46, 111-117.	1.8	15
80	Early prediction of tumour response to PRRT. <i>Nuklearmedizin - NuclearMedicine</i> , 2013, 52, 170-177.	0.7	15
81	Value of Combined PET Imaging with [18F]FDG and [68Ga]Ga-PSMA-11 in mCRPC Patients with Worsening Disease during [177Lu]Lu-PSMA-617 RLT. <i>Cancers</i> , 2021, 13, 4134.	3.7	15
82	Distinguishing synchronous from metachronous manifestation of distant metastases: a prognostic feature in differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 190-195.	6.4	14
83	Response Assessment and Prediction of Progression-Free Survival by 68Ga-PSMA-11 PET/CT Based on Tumor-to-Liver Ratio (TLR) in Patients with mCRPC Undergoing 177Lu-PSMA-617 Radioligand Therapy. <i>Biomolecules</i> , 2021, 11, 1099.	4.0	14
84	The Importance of Tc-MAA SPECT/CT for Therapy Planning of Radioembolization in a Patient Treated With Bevacizumab. <i>Clinical Nuclear Medicine</i> , 2012, 37, 1129-1130.	1.3	13
85	The Impact of Diffusion-Weighted MRI on the Definition of Gross Tumor Volume in Radiotherapy of Non-Small-Cell Lung Cancer. <i>PLoS ONE</i> , 2016, 11, e0162816.	2.5	13
86	Optimized synthesis and indium complex formation with the bifunctional chelator NODIA-Me. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 7503-7512.	2.8	12
87	Radiosynoviorthesis in hemophilic arthropathy: pathologic blood pool imaging on pre-therapeutic bone scintigraphy is not a predictor of treatment success. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 461-467.	6.4	11
88	Upregulation of PSMA Expression by Enzalutamide in Patients with Advanced mCRPC. <i>Cancers</i> , 2022, 14, 1696.	3.7	10
89	Reduced MIBG accumulation of the parotid and submandibular glands in idiopathic Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2017, 34, 26-30.	2.2	9
90	Dual-Time F-18 FDG-PET/CT Imaging for Diagnosis of Occult Non-Hodgkin Lymphoma in a Patient With Esophageal Cancer. <i>Clinical Nuclear Medicine</i> , 2009, 34, 168-170.	1.3	8

#	ARTICLE	IF	CITATIONS
91	Splenic Infarction Mimicking a Necrotizing Metastasis of Malignant Melanoma on F-18 FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2008, 33, 571-572.	1.3	7
92	Survival after 131I-labeled lipiodol therapy for hepatocellular carcinoma. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 46-53.	0.7	7
93	Residual activity after radioembolization of liver tumours with 90Y resin microspheres. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 95-98.	0.7	7
94	Determination of split renal function by PSMA imaging: comparison of Ga-PSMA-11 PET with Tc-MAG3 scintigraphy. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 10, 249-256.	1.0	7
95	Survival After Accidental Extrahepatic Distribution of Y90 Microspheres to the Mesentery During a Radioembolization Procedure. <i>CardioVascular and Interventional Radiology</i> , 2012, 35, 954-957.	2.0	6
96	Robotic Salvage Lymph Node Dissection in Recurrent Prostate Cancer: Lessons Learned from 68 Cases and Implications for Future Clinical Management. <i>Journal of Urology</i> , 2021, 206, 88-96.	0.4	6
97	Osseous metastases of gastro- entero - pancreatic neuroendocrine tumours. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 95-100.	0.7	5
98	Repeated Radionuclide therapy in metastatic paraganglioma leading to the highest reported cumulative activity of 131I-MIBG. <i>Radiation Oncology</i> , 2012, 7, 8.	2.7	5
99	Prognostic impact of incomplete surgical clearance of radioiodine sensitive local lymph node metastases diagnosed by post-operative 124I-NaI-PET/CT in patients with papillary thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1988-1994.	6.4	5
100	Impact of prompt gamma emission of 44Sc on quantification in preclinical and clinical PET systems. <i>Applied Radiation and Isotopes</i> , 2021, 170, 109599.	1.5	5
101	Subclinical hyperthyroidism seems not to have a significant impact on systemic anticoagulation in patients with coumarin therapy. <i>Thrombosis and Haemostasis</i> , 2008, 100, 803-809.	3.4	5
102	Addition of Standard Enzalutamide Medication Shows Synergistic Effects on Response to [177Lu]Lu-PSMA-617 Radioligand Therapy in mCRPC Patients with Imminent Treatment Failure—Preliminary Evidence of Pilot Experience. <i>Cancers</i> , 2022, 14, 2691.	3.7	5
103	Unusual case of well-differentiated papillary thyroid carcinoma lacking thyroglobulin expression while still concentrating radioiodine. <i>British Journal of Radiology</i> , 2006, 79, e84-e87.	2.2	4
104	Treatment options for haemophilic arthropathy of the elbow after failed conservative therapy. <i>Hamostaseologie</i> , 2014, 34, S17-S22.	1.9	4
105	MIBG scintigraphy of the major salivary glands in progressive supranuclear palsy and corticobasal degeneration. <i>Parkinsonism and Related Disorders</i> , 2019, 66, 247-248.	2.2	4
106	Large Paraesophageal Schwannoma With Intense Prostate-Specific Membrane Antigen Expression on 68Ga-PSMA-PET/CT Mimicking Lymph Node Metastasis in a Patient With Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2019, 44, 153-154.	1.3	4
107	Proof-of-Concept Study of the NOTI Chelating Platform: Preclinical Evaluation of 64Cu-Labeled Mono- and Trimeric c(RGDfK) Conjugates. <i>Molecular Imaging and Biology</i> , 2021, 23, 95-108.	2.6	4
108	May bone-targeted radionuclide therapy overcome PRRT-refractory osseous disease in NET? A pilot report on (188)Re-HEDP treatment in progressive bone metastases after (177)Lu-octreotate. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 4, 80-8.	1.0	4

#	ARTICLE	IF	CITATIONS
109	MIBG scintigraphy of the major salivary glands in multiple system atrophy. Parkinsonism and Related Disorders, 2018, 53, 112-114.	2.2	3
110	Striatal dopamine transporters and cognitive function in Parkinson's disease. Acta Neurologica Scandinavica, 2020, 142, 385-391.	2.1	3
111	Introduction of a metabolic joint asymmetry score derived from conventional bone scintigraphy. Nuklearmedizin - NuclearMedicine, 2015, 54, 183-189.	0.7	3
112	Impact of Thyroid Metabolism on the Course of INR Levels in a Patient with Systemic Anticoagulation Suffering from Amiodarone-Induced Thyrotoxicosis. Experimental and Clinical Endocrinology and Diabetes, 2007, 115, 606-609.	1.2	2
113	Single- vs. dual-head SPECT for detection of myocardial ischemia and viability in a large study population. Clinical Imaging, 2007, 31, 228-233.	1.5	2
114	Somatostatin receptor scintigraphy in the follow-up of myasthenia gravis. Neurological Sciences, 2007, 28, 175-180.	1.9	2
115	Disease characteristics and outcome of patients (pts) with metastatic castration-resistant prostate cancer (mCRPC) who received a beta emitter (177Lu-PSMA) after an alpha emitter (radium-223).. Journal of Clinical Oncology, 2020, 38, e17592-e17592.	1.6	2
116	Therapy of hepatocellular carcinoma with 131I-lipiodol: patient dosimetry. Nuklearmedizin - NuclearMedicine, 2007, 46, 192-197.	0.7	1
117	Hypertrophy of the contralateral hepatic lobe after selective internal radiation therapy. European Journal of Cancer, Supplement, 2012, 10, 44-45.	2.2	1
118	Comment on Campana et al.: Radiolabelled somatostatin analogue treatment in gastroenteropancreatic neuroendocrine tumours: factors associated with response and suggestions for therapeutic sequence. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 174-175.	6.4	1
119	Liver and lymph node metastases of prostate cancer visualized on post-therapy imaging after treatment with 188Re-HEDP. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2014, 33, 58-59.	0.0	1
120	Prophylactic Peripheral Blood Stem Cell Collection in Patients with Extensive Bone-Marrow Infiltration of Neuroendocrine Tumours Prior to Peptide Receptor Radionuclide Therapy with 177Lu-DOTATATE. Pharmaceuticals, 2021, 14, 1022.	3.8	1
121	Incremental diagnostic value of SPET/CT in precise localization of extraskeletal uptake of bone-seeking agents in multiple myeloma. Hellenic Journal of Nuclear Medicine, 2010, 13, 285-6.	0.3	1
122	Radioembolization With 90Y Resin Microspheres for HCC Patients With Extensive Tumor Thrombosis Into the Extrahepatic Vessels. Clinical Nuclear Medicine, 2014, 39, 305-307.	1.3	0
123	Recovery of Renal Function Under PSMA Mediated Radioligand Therapy of Advanced Metastasized Castration Resistant Prostate Cancer. Clinical Nuclear Medicine, 2019, 44, 730-731.	1.3	0
124	Treatment Option not Mentioned. Deutsches Ärztblatt International, 2013, 110, 612.	0.9	0
125	Diagnosis of extraadrenal pheochromocytoma after nephrectomy. Central European Journal of Urology, 2014, 67, 162-6.	0.3	0
126	Radioembolization as a Treatment Option. Deutsches Ärztblatt International, 2015, 112, 372-3.	0.9	0

#	ARTICLE	IF	CITATIONS
127	Systemic Mastocytosis Treatment with Midostaurin: [18F]FDG PET/CT as a Potential Monitoring Tool for Therapy Outcome. <i>Diagnostics</i> , 2022, 12, 680.	2.6	0
128	PSMA-Positive Follicular Thyroid Carcinoma Incidentally Detected by [68Ga]Ga-PSMA-11 PET/CT: Correlation with Immunohistology Confirms Neovascular PSMA-Expression. <i>Diagnostics</i> , 2022, 12, 1211.	2.6	0