Ganjam V Kalpana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9149529/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inhibition of nuclear export restores nuclear localization and residual tumor suppressor function of truncated SMARCB1/INI1 protein in a molecular subset of atypical teratoid/rhabdoid tumors. Acta Neuropathologica, 2021, 142, 361-374.	3.9	6
2	INI1/SMARCB1 Rpt1 domain mimics TAR RNA in binding to integrase to facilitate HIV-1 replication. Nature Communications, 2021, 12, 2743.	5.8	9
3	CCL2 mobilizes ALIX to facilitate Gag-p6 mediated HIV-1 virion release. ELife, 2019, 8, .	2.8	22
4	FISHing Out the Hidden Enemy: Advances in Detecting and Measuring Latent HIV-Infected Cells. MBio, 2017, 8, .	1.8	4
5	Computational modeling of Repeat1 region of INI1/hSNF5: An evolutionary link with ubiquitin. Protein Science, 2016, 25, 1593-1604.	3.1	1
6	An Essential Role of INI1/hSNF5 Chromatin Remodeling Protein in HIV-1 Posttranscriptional Events and Gag/Gag-Pol Stability. Journal of Virology, 2016, 90, 9889-9904.	1.5	6
7	Quantification of HIV-1 Gag Localization Within Virus Producer Cells. Methods in Molecular Biology, 2016, 1354, 165-174.	0.4	2
8	Dopamine Receptor Activation Increases HIV Entry into Primary Human Macrophages. PLoS ONE, 2014, 9, e108232.	1.1	63
9	INI1/hSNF5-interaction defective HIV-1 IN mutants exhibit impaired particle morphology, reverse transcription and integration in vivo. Retrovirology, 2013, 10, 66.	0.9	13
10	Novel Yeast-based Strategy Unveils Antagonist Binding Regions on the Nuclear Xenobiotic Receptor PXR. Journal of Biological Chemistry, 2013, 288, 13655-13668.	1.6	28
11	In vitro activities of novel 4-HPR derivatives on a panel of rhabdoid and other tumor cell lines. Cancer Cell International, 2011, 11, 34.	1.8	9
12	<i>Aurora A</i> Is a Repressed Effector Target of the Chromatin Remodeling Protein INI1/hSNF5 Required for Rhabdoid Tumor Cell Survival. Cancer Research, 2011, 71, 3225-3235.	0.4	90
13	Inhibition of Early Stages of HIV-1 Assembly by INI1/hSNF5 Transdominant Negative Mutant S6. Journal of Virology, 2011, 85, 2254-2265.	1.5	19
14	Therapeutically targeting cyclin D1 in primary tumors arising from loss of <i>Ini1</i> . Proceedings of the United States of America, 2011, 108, 319-324.	3.3	40
15	Potent inhibition of rhabdoid tumor cells by combination of flavopiridol and 4OH-tamoxifen. BMC Cancer, 2010, 10, 634.	1.1	16
16	Development of Targeted Therapies for Rhabdoid Tumors Based on the Functions of INI1/hSNF5 Tumor Suppressor. , 2010, , 305-330.		2
17	Multimerization and DNA Binding Properties of INI1/hSNF5 and Its Functional Significance. Journal of Biological Chemistry, 2009, 284, 19903-19914.	1.6	29
18	Recruitment of a SAP18-HDAC1 Complex into HIV-1 Virions and Its Requirement for Viral Replication. PLoS Pathogens, 2009, 5, e1000463.	2.1	53

Ganjam V Kalpana

#	Article	IF	CITATIONS
19	Consensus Recommendations to Accelerate Clinical Trials for Neurofibromatosis Type 2. Clinical Cancer Research, 2009, 15, 5032-5039.	3.2	74
20	Reverse Two-Hybrid Screening to Analyze Protein–Protein Interaction of HIV-1 Viral and Cellular Proteins. Methods in Molecular Biology, 2009, 485, 271-293.	0.4	12
21	Design, synthesis of novel peptidomimetic derivatives of 4-HPR for rhabdoid tumors. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 4177-4180.	1.0	14
22	Design and synthesis of 4-HPR derivatives for rhabdoid tumors. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 3805-3808.	1.0	19
23	Contribution of the C-terminal region within the catalytic core domain of HIV-1 integrase to yeast lethality, chromatin binding and viral replication. Retrovirology, 2008, 5, 102.	0.9	6
24	Rhabdoid Tumor Growth is Inhibited by Flavopiridol. Clinical Cancer Research, 2008, 14, 523-532.	3.2	41
25	The Phytoestrogen Coumestrol Is a Naturally Occurring Antagonist of the Human Pregnane X Receptor. Molecular Endocrinology, 2008, 22, 838-857.	3.7	107
26	INI1 Induces Interferon Signaling and Spindle Checkpoint in Rhabdoid Tumors. Clinical Cancer Research, 2007, 13, 4721-4730.	3.2	43
27	Activated Pregnenolone X-Receptor Is a Target for Ketoconazole and Its Analogs. Clinical Cancer Research, 2007, 13, 2488-2495.	3.2	100
28	HIV-1 replication in cell lines harboring INI1/hSNF5 mutations. Retrovirology, 2006, 3, 56.	0.9	29
29	Dynamics of Virus-Host Interplay in HIV-1 Replication. Current HIV Research, 2006, 4, 117-130.	0.2	30
30	Genetic ablation of Cyclin D1 abrogates genesis of rhabdoid tumors resulting from Ini1 loss. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 12129-12134.	3.3	109
31	Activation of the Steroid and Xenobiotic Receptor (Human Pregnane X Receptor) by Nontaxane Microtubule-Stabilizing Agents. Clinical Cancer Research, 2005, 11, 6359-6369.	3.2	65
32	Specificity of Interaction of INI1/hSNF5 with Retroviral Integrases and Its Functional Significance. Journal of Virology, 2004, 78, 2222-2231.	1.5	66
33	Interaction between Human Immunodeficiency Virus Type 1 Reverse Transcriptase and Integrase Proteins. Journal of Virology, 2004, 78, 5056-5067.	1.5	103
34	Cell Cycle Arrest and Repression of Cyclin D1 Transcription by INI1/hSNF5. Molecular and Cellular Biology, 2002, 22, 5975-5988.	1.1	223
35	A masked NES in INI1/hSNF5 mediates hCRM1-dependent nuclear export: implications for tumorigenesis. EMBO Journal, 2002, 21, 31-42.	3.5	87
36	Cytoplasmic Recruitment of INI1 and PML on Incoming HIV Preintegration Complexes. Molecular Cell, 2001, 7, 1245-1254.	4.5	216

GANJAM V KALPANA

#	Article	IF	CITATIONS
37	Inhibition of HIV-1 virion production by a transdominant mutant of integrase interactor 1. Nature Medicine, 2001, 7, 920-926.	15.2	124
38	Homodimerization of Human Bilirubin-Uridine-diphosphoglucuronate Glucuronosyltransferase-1 (UGT1A1) and Its Functional Implications. Journal of Biological Chemistry, 2001, 276, 42108-42115.	1.6	83
39	Retroviral Vectors for Liver-directed Gene Therapy. Seminars in Liver Disease, 1999, 19, 27-37.	1.8	28
40	Interaction of E1 and hSNF5 proteins stimulates replication of human papillomavirus DNA. Nature, 1999, 399, 487-491.	13.7	109
41	c-MYC interacts with INI1/hSNF5 and requires the SWI/SNF complex for transactivation function. Nature Genetics, 1999, 22, 102-105.	9.4	348
42	Isolation and Characterization of an Oligomerization-Negative Mutant of HIV-1 Integrase. Virology, 1999, 259, 274-285.	1.1	29
43	Human Immunodeficiency Virus Type 1 Integrase Protein Promotes Reverse Transcription through Specific Interactions with the Nucleoprotein Reverse Transcription Complex. Journal of Virology, 1999, 73, 2126-2135.	1.5	181
44	Auxotrophic vaccines for tuberculosis. Nature Medicine, 1996, 2, 334-337.	15.2	166
45	Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B. Cell, 1993, 73, 1067-1078.	13.5	817
46	[25] Genetic systems for mycobacteria. Methods in Enzymology, 1991, 204, 537-555.	0.4	426