

# German Cano-Sancho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9149701/publications.pdf>

Version: 2024-02-01

36  
papers

2,612  
citations

279487

23  
h-index

344852

36  
g-index

36  
all docs

36  
docs citations

36  
times ranked

3897  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations between persistent organic pollutants and endometriosis: A multiblock approach integrating metabolic and cytokine profiling. <i>Environment International</i> , 2022, 158, 106926.	4.8	27
2	Interactions between environmental pollutants and dietary nutrients: current evidence and implications in epidemiological research. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, jech-2020-213789.	2.0	7
3	An overview of mycotoxin biomarker application in exposome-health studies. <i>Current Opinion in Food Science</i> , 2021, 39, 31-35.	4.1	2
4	Sustained bloodstream release of persistent organic pollutants induced by extensive weight loss after bariatric surgery: Implications for women of childbearing age. <i>Environment International</i> , 2021, 151, 106400.	4.8	12
5	Associations between Exposure to Organochlorine Chemicals and Endometriosis: A Systematic Review of Experimental Studies and Integration of Epidemiological Evidence. <i>Environmental Health Perspectives</i> , 2021, 129, 76003.	2.8	11
6	Detection of Persistent Organic Pollutants in Omental Adipose Tissue from Patients with Diffuse-Gastric Cancer: A Pilot Study. <i>Cancers</i> , 2021, 13, 4874.	1.7	3
7	Associations between human internal chemical exposure to Persistent Organic Pollutants (POPs) and In Vitro Fertilization (IVF) outcomes: Systematic review and evidence map of human epidemiological evidence. <i>Reproductive Toxicology</i> , 2021, 105, 184-197.	1.3	15
8	Perfluorinated alkylated substances serum concentration and breast cancer risk: Evidence from a nested case-control study in the French E3N cohort. <i>International Journal of Cancer</i> , 2020, 146, 917-928.	2.3	60
9	The challenging use and interpretation of blood biomarkers of exposure related to lipophilic endocrine disrupting chemicals in environmental health studies. <i>Molecular and Cellular Endocrinology</i> , 2020, 499, 110606.	1.6	6
10	Simultaneous exploration of nutrients and pollutants in human milk and their impact on preterm infant growth: An integrative cross-platform approach. <i>Environmental Research</i> , 2020, 182, 109018.	3.7	15
11	Associations between persistent organic pollutants and endometriosis: A multipollutant assessment using machine learning algorithms. <i>Environmental Pollution</i> , 2020, 260, 114066.	3.7	16
12	Plasma concentration of brominated flame retardants and postmenopausal breast cancer risk: a nested case-control study in the French E3N cohort. <i>Environmental Health</i> , 2020, 19, 54.	1.7	14
13	Associations between persistent organic pollutants and risk of breast cancer metastasis. <i>Environment International</i> , 2019, 132, 105028.	4.8	58
14	Associations between exposure to organochlorine chemicals and endometriosis in experimental studies: A systematic review protocol. <i>Environment International</i> , 2019, 124, 400-407.	4.8	17
15	Human epidemiological evidence about the associations between exposure to organochlorine chemicals and endometriosis: Systematic review and meta-analysis. <i>Environment International</i> , 2019, 123, 209-223.	4.8	58
16	The challenging use and interpretation of circulating biomarkers of exposure to persistent organic pollutants in environmental health: Comparison of lipid adjustment approaches in a case study related to endometriosis. <i>Chemosphere</i> , 2018, 200, 388-396.	4.2	12
17	The role of mycotoxins in the human exposome: Application of mycotoxin biomarkers in exposome-health studies. <i>Food and Chemical Toxicology</i> , 2018, 121, 504-518.	1.8	42
18	Triphenyl phosphate enhances adipogenic differentiation, glucose uptake and lipolysis via endocrine and noradrenergic mechanisms. <i>Toxicology in Vitro</i> , 2017, 40, 280-288.	1.1	47

#	ARTICLE	IF	CITATIONS
19	Associations between internal exposure levels of persistent organic pollutants in adipose tissue and deep infiltrating endometriosis with or without concurrent ovarian endometrioma. <i>Environment International</i> , 2017, 108, 195-203.	4.8	41
20	Association between Exposure to $\text{p,p}'\text{-DDT}$ and Its Metabolite $\text{p,p}'\text{-DDE}$ with Obesity: Integrated Systematic Review and Meta-Analysis. <i>Environmental Health Perspectives</i> , 2017, 125, 096002.	2.8	94
21	Exposure of the population of Catalonia (Spain) to musk fragrances through seafood consumption: Risk assessment. <i>Environmental Research</i> , 2015, 143, 116-122.	3.7	36
22	Cytotoxicity of the mycotoxins deoxynivalenol and ochratoxin A on Caco-2 cell line in presence of resveratrol. <i>Toxicology in Vitro</i> , 2015, 29, 1639-1646.	1.1	48
23	Environmental contaminants of emerging concern in seafood "European database on contaminant levels. <i>Environmental Research</i> , 2015, 143, 29-45.	3.7	173
24	Integrated risk index for seafood contaminants (IRISC): Pilot study in five European countries. <i>Environmental Research</i> , 2015, 143, 109-115.	3.7	14
25	Oral bioaccessibility of arsenic, mercury and methylmercury in marine species commercialized in Catalonia (Spain) and health risks for the consumers. <i>Food and Chemical Toxicology</i> , 2015, 86, 34-40.	1.8	43
26	Consumers' health risk/benefit perception of seafood and attitude toward the marine environment: Insights from five European countries. <i>Environmental Research</i> , 2015, 143, 11-19.	3.7	55
27	Co-occurrence of musk fragrances and UV-filters in seafood and macroalgae collected in European hotspots. <i>Environmental Research</i> , 2015, 143, 65-71.	3.7	69
28	Mycotoxins: Occurrence, toxicology, and exposure assessment. <i>Food and Chemical Toxicology</i> , 2013, 60, 218-237.	1.8	1,142
29	Occurrence and exposure assessment of aflatoxins in Catalonia (Spain). <i>Food and Chemical Toxicology</i> , 2013, 51, 188-193.	1.8	63
30	Determination of aflatoxins, deoxynivalenol, ochratoxin A and zearalenone in wheat and oat based bran supplements sold in the Spanish market. <i>Food and Chemical Toxicology</i> , 2013, 53, 133-138.	1.8	96
31	Effect of food processing on exposure assessment studies with mycotoxins. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 867-875.	1.1	39
32	Occurrence of zearalenone, an oestrogenic mycotoxin, in Catalonia (Spain) and exposure assessment. <i>Food and Chemical Toxicology</i> , 2012, 50, 835-839.	1.8	35
33	Presence and co-occurrence of aflatoxins, deoxynivalenol, fumonisins and zearalenone in gluten-free and ethnic foods. <i>Food Control</i> , 2012, 26, 282-286.	2.8	33
34	Presence of trichothecenes and co-occurrence in cereal-based food from Catalonia (Spain). <i>Food Control</i> , 2011, 22, 490-495.	2.8	63
35	Ochratoxin A and its metabolite ochratoxin alpha in urine and assessment of the exposure of inhabitants of Lleida, Spain. <i>Food and Chemical Toxicology</i> , 2011, 49, 1436-1442.	1.8	47
36	Occurrence of aflatoxin M1 and exposure assessment in Catalonia (Spain). <i>Revista Iberoamericana De Micologia</i> , 2010, 27, 130-135.	0.4	99