

# Hsin-Chih Yeh

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9150774/hsin-chih-yeh-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96  
papers

829  
citations

16  
h-index

22  
g-index

120  
ext. papers

1,084  
ext. citations

3  
avg, IF

3.64  
L-index

#	Paper	IF	Citations
96	The prevalence of and risk factors for androgen deficiency in aging Taiwanese men. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 936-946	1.1	52
95	Bavachin attenuates LPS-induced inflammatory response and inhibits the activation of NLRP3 inflammasome in macrophages. <i>Phytomedicine</i> , <b>2019</b> , 59, 152785	6.5	37
94	The Prognostic Significance of Inflammation-Associated Blood Cell Markers in Patients with Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 343-51	3.1	34
93	The potential impact of metabolic syndrome on erectile dysfunction in aging Taiwanese males. <i>Journal of Sexual Medicine</i> , <b>2010</b> , 7, 3127-34	1.1	29
92	INHBA overexpression indicates poor prognosis in urothelial carcinoma of urinary bladder and upper tract. <i>Journal of Surgical Oncology</i> , <b>2015</b> , 111, 414-22	2.8	28
91	The comparison of the aging male symptoms (AMS) scale and androgen deficiency in the aging male (ADAM) questionnaire to detect androgen deficiency in middle-aged men. <i>Journal of Andrology</i> , <b>2012</b> , 33, 817-23		27
90	The associations among eNOS G894T gene polymorphism, erectile dysfunction, and benign prostate hyperplasia-related lower urinary tract symptoms. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 3158-65	1.1	27
89	MCM10 overexpression implicates adverse prognosis in urothelial carcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 77777-77792	5.3	25
88	The association of eNOS G894T polymorphism with metabolic syndrome and erectile dysfunction. <i>Journal of Sexual Medicine</i> , <b>2012</b> , 9, 837-43	1.1	23
87	Nuclear factor- $\kappa$ B activation predicts an unfavourable outcome in human upper urinary tract urothelial carcinoma. <i>BJU International</i> , <b>2010</b> , 106, 1223-9	5.6	22
86	AICAR Induces Apoptosis and Inhibits Migration and Invasion in Prostate Cancer Cells Through an AMPK/mTOR-Dependent Pathway. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	21
85	Prognostic significance of lymphovascular invasion in upper urinary tract urothelial carcinoma is influenced by tumor location. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 1392-400	3.1	21
84	FGF7 Over Expression is an Independent Prognosticator in Patients with Urothelial Carcinoma of the Upper Urinary Tract and Bladder. <i>Journal of Urology</i> , <b>2015</b> , 194, 223-9	2.5	19
83	The impact of androgen receptor CAG repeat polymorphism on andropausal symptoms in different serum testosterone levels. <i>Journal of Sexual Medicine</i> , <b>2012</b> , 9, 2429-37	1.1	19
82	MiR-193b Mediates CEBPD-Induced Cisplatin Sensitization Through Targeting ETS1 and Cyclin D1 in Human Urothelial Carcinoma Cells. <i>Journal of Cellular Biochemistry</i> , <b>2017</b> , 118, 1563-1573	4.7	18
81	DPP4/CD26 overexpression in urothelial carcinoma confers an independent prognostic impact and correlates with intrinsic biological aggressiveness. <i>Oncotarget</i> , <b>2017</b> , 8, 2995-3008	3.3	18
80	The diagnostic ureteroscopy before radical nephroureterectomy in upper urinary tract urothelial carcinoma is not associated with higher intravesical recurrence. <i>World Journal of Surgical Oncology</i> , <b>2018</b> , 16, 135	3.4	15

79	Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139624	3.7	15
78	Associations of the lower urinary tract symptoms with the lifestyle, prostate volume, and metabolic syndrome in the elderly males. <i>Aging Male</i> , <b>2012</b> , 15, 166-72	2.1	15
77	Association among metabolic syndrome, testosterone level and severity of erectile dysfunction. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2008</b> , 24, 240-7	2.4	15
76	Matrix metalloproteinase-11 as a marker of metastasis and predictor of poor survival in urothelial carcinomas. <i>Journal of Surgical Oncology</i> , <b>2016</b> , 113, 700-7	2.8	15
75	Renal cell carcinoma presenting with skull metastasis: a case report and literature review. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2007</b> , 23, 475-9	2.4	14
74	Cyclooxygenase-2 (COX-2) up-regulation is a prognostic marker for poor clinical outcome of upper tract urothelial cancer. <i>Anticancer Research</i> , <b>2012</b> , 32, 4111-6	2.3	14
73	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , <b>2015</b> , 68, 1026-32	3.9	13
72	Hypoxia-regulated MicroRNA-210 Overexpression is Associated with Tumor Development and Progression in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , <b>2017</b> , 14, 578-584	3.7	13
71	New-onset diabetes after androgen-deprivation therapy for prostate cancer: A nationwide propensity score-matched four-year longitudinal cohort study. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 688-692	3.2	12
70	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , <b>2015</b> , 3, 902-8	4.2	12
69	Adrenal schwannoma treated with laparoscopic adrenalectomy: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2008</b> , 24, 553-7	2.4	12
68	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. <i>Oncotarget</i> , <b>2017</b> , 8, 47216-47229	3.3	12
67	Lower SHBG level is associated with higher leptin and lower adiponectin levels as well as metabolic syndrome, independent of testosterone. <i>Scientific Reports</i> , <b>2017</b> , 7, 2727	4.9	11
66	Prognostic Value of Leptin Receptor Overexpression in Upper Tract Urothelial Carcinomas in Taiwan. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e653-e659	3.3	10
65	DDR2 overexpression in urothelial carcinoma indicates an unfavorable prognosis: a large cohort study. <i>Oncotarget</i> , <b>2016</b> , 7, 78918-78931	3.3	10
64	High TNFAIP6 level is associated with poor prognosis of urothelial carcinomas. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2019</b> , 37, 293.e11-293.e24	2.8	10
63	Role of the NLRP3 Inflammasome: Insights Into Cancer Hallmarks. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 610492	8.4	10
62	Is preoperative anemia a risk factor for upper tract urothelial carcinoma following radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 337.e1-9	2.8	9

61	Laparoscopic partial nephrectomy without intracorporeal suturing. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2016</b> , 30, 1585-91	5.2	8
60	The effect of tumor location on prognosis in patients with primary ureteral urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 1670-5	2.8	8
59	The impact of physical health and socioeconomic factors on sexual activity in middle-aged and elderly Taiwanese men. <i>Aging Male</i> , <b>2010</b> , 13, 148-53	2.1	8
58	Urinary Incontinence in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , <b>2017</b> , 32, 51-55	2.5	7
57	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2013</b> , 29, 37-42	2.4	7
56	The impact of metabolic syndrome on the responsiveness to $\alpha$ -blocker in men with BPH/LUTS. <i>International Journal of Clinical Practice</i> , <b>2013</b> , 67, 356-62	2.9	7
55	PTP4A3 Independently Predicts Metastasis and Survival in Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , <b>2015</b> , 194, 1449-55	2.5	6
54	A huge renal cell carcinoma: Case report and literature review. <i>Urological Science</i> , <b>2013</b> , 24, 58-60	0.3	6
53	Over-expression of Activated Signal Transducer and Activator of Transcription 3 Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , <b>2017</b> , 14, 1360-1367	3.7	6
52	Prognostic Significance of Primary Tumor Location in Upper Tract Urothelial Carcinoma Treated with Nephroureterectomy: A Retrospective, Multi-Center Cohort Study in Taiwan. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	6
51	Protective Effect of Piplartine against LPS-Induced Sepsis through Attenuating the MAPKs/NF- $\kappa$ B Signaling Pathway and NLRP3 Inflammasome Activation. <i>Pharmaceuticals</i> , <b>2021</b> , 14,	5.2	6
50	Laparoendoscopic single-site retroperitoneoscopic adrenalectomy versus conventional retroperitoneoscopic adrenalectomy: initial experience by the same laparoscopic surgeon. <i>Urologia Internationalis</i> , <b>2013</b> , 91, 297-303	1.9	5
49	Intra- and extra-abdominal actinomycosis mimicking urachal tumor in an intrauterine device carrier: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2008</b> , 24, 35-40	2.4	5
48	Spontaneous perirenal hematoma: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2005</b> , 21, 578-81	2.4	5
47	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , <b>2019</b> , 16, 93-105	3.7	4
46	Pathologic stage as a surrogate for oncologic outcomes after receipt of neoadjuvant chemotherapy for high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 933.e7-933.e12	2.8	4
45	Robot-Assisted Extraperitoneal Radical Prostatectomy, Single Site Plus Two Model. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , <b>2018</b> , 28, 140-144	2.1	4
44	Overexpression of PTP4A3 is associated with metastasis and unfavorable prognosis in bladder cancer. <i>World Journal of Urology</i> , <b>2016</b> , 34, 835-46	4	4

43	Single-Site Sutureless Partial Nephrectomy for Small Exophytic Renal Tumors. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	4
42	The impact of urine microbiota in patients with lower urinary tract symptoms. <i>Annals of Clinical Microbiology and Antimicrobials</i> , <b>2021</b> , 20, 23	6.2	4
41	Postoperative disseminated intravascular coagulation in a patient with ureteral metastasis from gastric cancer. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2008</b> , 24, 319-23	2.4	3
40	Giant spermatocele mimicking hydrocele: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2007</b> , 23, 366-9	2.4	3
39	Leiomyoma of the epididymis: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2006</b> , 22, 519-23	2.4	3
38	Prognostic Factors for Contralateral Recurrence of Upper Tract Urothelial Carcinoma after Nephroureterectomy: A Large Multiregional Study. <i>Cancers</i> , <b>2021</b> , 13,	6.6	3
37	Comparing Oncological Outcomes and Surgical Complications of Hand-Assisted, Laparoscopic and Robotic Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 731460	5.3	3
36	Risk of developing hypertension after hormone therapy for prostate cancer: a nationwide propensity score-matched longitudinal cohort study. <i>International Journal of Clinical Pharmacy</i> , <b>2020</b> , 42, 1433-1439	2.3	3
35	Zerumbone Suppresses the LPS-Induced Inflammatory Response and Represses Activation of the NLRP3 Inflammasome in Macrophages. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 652860	5.6	3
34	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	2
33	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2019</b> , 35, 559-565	2.4	2
32	Comparison one-step procedure with two-step procedure in percutaneous nephrolithotomy. <i>Urolithiasis</i> , <b>2014</b> , 42, 121-6	3.2	2
31	Neoadjuvant chemotherapy improves survival rate in advanced urothelial carcinoma. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2013</b> , 29, 200-5	2.4	2
30	Complications of laparoscopic radical prostatectomy--a single institute experience. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2012</b> , 28, 550-4	2.4	2
29	Endoscopic management of a ureteral obstruction caused by endometriosis: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2009</b> , 25, 217-21	2.4	2
28	Renal collecting duct carcinoma and concomitant bladder urothelial carcinoma: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2008</b> , 24, 157-62	2.4	2
27	The role of HIF-1 $\alpha$ in regulating NLRP3 inflammasome activation in bladder cancer.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, e17028-e17028	2.2	2
26	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 496-505	2.8	2

25	High Transaldolase 1 expression predicts poor survival of patients with upper tract urothelial carcinoma. <i>Pathology International</i> , <b>2021</b> , 71, 463-470	1.8	2
24	Low Hemoglobin-to-Red Cell Distribution Width Ratio Is Associated with Disease Progression and Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	2
23	Mycotoxin Zearalenone Attenuates Innate Immune Responses and Suppresses NLRP3 Inflammasome Activation in LPS-Activated Macrophages. <i>Toxins</i> , <b>2021</b> , 13,	4.9	2
22	Tumor distribution affects bladder recurrence but not survival outcome of multifocal upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Scientific Reports</i> , <b>2021</b> , 11, 19059	4.9	2
21	Villous adenoma of the renal pelvis: A case report and literature review. <i>Urological Science</i> , <b>2014</b> , 25, 101-103	0.3	1
20	Influence of late-stage chronic kidney disease on overall survival in patients with upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urological Science</i> , <b>2015</b> , 26, 120-124	0.3	1
19	The Significant Prognosticators of Upper Tract Urothelial Carcinoma. <i>Urological Science</i> , <b>2015</b> , 26, 230-234	3.4	1
18	Laparoendoscopic single-site retroperitoneoscopic adrenalectomy compared with conventional laparoscopy and open surgery. <i>Urological Science</i> , <b>2017</b> , 28, 36-41	0.3	1
17	Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma Following Radical Nephroureterectomy.. <i>Annals of Surgical Oncology</i> , <b>2022</b> , 29, 3306	3.1	1
16	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. <i>PeerJ</i> , <b>2021</b> , 9, e11343	3.1	1
15	Patients' Renal Function Is Important When Evaluating Preoperative Anemia in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, e241-3	3.3	1
14	Comparison between single-incision and multiple-incision laparoscopic surgery for totally extraperitoneal inguinal hernia repair. <i>Minimally Invasive Therapy and Allied Technologies</i> , <b>2020</b> , 29, 293-298	2.1	1
13	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. <i>World Journal of Urology</i> , <b>2021</b> , 39, 491-500	4	1
12	How to manage patients with suspected upper tract urothelial carcinoma in the pandemic of COVID-19?. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 733.e11-733.e16	2.8	1
11	Endoscopic management versus radical nephroureterectomy for localized upper tract urothelial carcinoma in a high endemic region. <i>Scientific Reports</i> , <b>2021</b> , 11, 4040	4.9	0
10	Is Lymph Node Dissection Necessary During Radical Nephroureterectomy for Clinically Node-Negative Upper Tract Urothelial Carcinoma? A Multi-Institutional Study.. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 791620	5.3	0
9	Antegrade cystoscopic light source guided laser urethrotomy for the treatment of completely obliterated urethra. <i>Urological Science</i> , <b>2017</b> , 28, 32-35	0.3	
8	Comment on: Does Red Blood Cell Distribution Width Really Have a Prognostic Role in Upper Tract Urothelial Carcinoma?. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 681	3.1	

- 7 Mixed-type paratesticular rhabdomyosarcoma--a case report. *Kaohsiung Journal of Medical Sciences*, **2011**, 27, 239-41 2.4
- 6 ASO Author Reflections: Prognostic Significance of Perineural Invasion in Upper Tract Urothelial Carcinoma.. *Annals of Surgical Oncology*, **2022**, 29, 3318 3.1
- 5 ASO Visual Abstract: Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy.. *Annals of Surgical Oncology*, **2022**, 1 3.1
- 4 A single-institution experience with laparoendoscopic single-site retroperitoneal adrenalectomy. *Urological Science*, **2018**, 29, 293 0.3
- 3 Coexistent renal milk of calcium and amyloidosis. *Iranian Journal of Kidney Diseases*, **2014**, 8, 104 0.9
- 2 High Ubiquitin-Specific Protease 2a Expression Level Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma.. *Applied Immunohistochemistry and Molecular Morphology*, **2022**, 30, 304-310 1.9
- 1 Novel insights into the anti-cancer effects of 3-bromopyruvic acid against castration-resistant prostate cancer.. *European Journal of Pharmacology*, **2022**, 923, 174929 5.3