Hsin-Chih Yeh

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9150774/hsin-chih-yeh-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96 829 16 22 g-index

120 1,084 3 3.64 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
96	Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma Following Radical Nephroureterectomy <i>Annals of Surgical Oncology</i> , 2022 , 29, 3306	3.1	1
95	ASO Author Reflections: Prognostic Significance of Perineural Invasion in Upper Tract Urothelial Carcinoma <i>Annals of Surgical Oncology</i> , 2022 , 29, 3318	3.1	
94	ASO Visual Abstract: Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy <i>Annals of Surgical Oncology</i> , 2022 , 1	3.1	
93	High Ubiquitin-Specific Protease 2a Expression Level Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2022 , 30, 304-310	1.9	
92	Novel insights into the anti-cancer effects of 3-bromopyruvic acid against castration-resistant prostate cancer <i>European Journal of Pharmacology</i> , 2022 , 923, 174929	5.3	
91	Is Lymph Node Dissection Necessary During Radical Nephroureterectomy for Clinically Node-Negative Upper Tract Urothelial Carcinoma? A Multi-Institutional Study <i>Frontiers in Oncology</i> , 2022 , 12, 791620	5.3	0
90	Prognostic Factors for Contralateral Recurrence of Upper Tract Urothelial Carcinoma after Nephroureterectomy: A Large Multiregional Study. <i>Cancers</i> , 2021 , 13,	6.6	3
89	Comparing Oncological Outcomes and Surgical Complications of Hand-Assisted, Laparoscopic and Robotic Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 731	<i>4</i> 60	3
88	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. <i>PeerJ</i> , 2021 , 9, e11343	3.1	1
87	The impact of urine microbiota in patients with lower urinary tract symptoms. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2021 , 20, 23	6.2	4
86	High Transaldolase 1 expression predicts poor survival of patients with upper tract urothelial carcinoma. <i>Pathology International</i> , 2021 , 71, 463-470	1.8	2
85	Zerumbone Suppresses the LPS-Induced Inflammatory Response and Represses Activation of the NLRP3 Inflammasome in Macrophages. <i>Frontiers in Pharmacology</i> , 2021 , 12, 652860	5.6	3
84	Protective Effect of Piplartine against LPS-Induced Sepsis through Attenuating the MAPKs/NF- B Signaling Pathway and NLRP3 Inflammasome Activation. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	6
83	Low Hemoglobin-to-Red Cell Distribution Width Ratio Is Associated with Disease Progression and Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Biomedicines</i> , 2021 , 9,	4.8	2
82	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. <i>World Journal of Urology</i> , 2021 , 39, 491-500	4	1
81	Endoscopic management versus radical nephroureterectomy for localized upper tract urothelial carcinoma in a high endemic region. <i>Scientific Reports</i> , 2021 , 11, 4040	4.9	O
80	Mycotoxin Zearalenone Attenuates Innate Immune Responses and Suppresses NLRP3 Inflammasome Activation in LPS-Activated Macrophages. <i>Toxins</i> , 2021 , 13,	4.9	2

79	Tumor distribution affects bladder recurrence but not survival outcome of multifocal upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Scientific Reports</i> , 2021 , 11, 19059	4.9	2
78	How to manage patients with suspected upper tract urothelial carcinoma in the pandemic of COVID-19?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 733.e11-733.e16	2.8	1
77	Pathologic stage as a surrogate for oncologic outcomes after receipt of neoadjuvant chemotherapy for high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 933.e7-933.e12	2.8	4
76	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
75	The role of HIF-1In regulating NLRP3 inflammasome activation in bladder cancer <i>Journal of Clinical Oncology</i> , 2020 , 38, e17028-e17028	2.2	2
74	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 496-505	2.8	2
73	Single-Site Sutureless Partial Nephrectomy for Small Exophytic Renal Tumors. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
72	Prognostic Significance of Primary Tumor Location in Upper Tract Urothelial Carcinoma Treated with Nephroureterectomy: A Retrospective, Multi-Center Cohort Study in Taiwan. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
71	Risk of developing hypertension after hormone therapy for prostate cancer: a nationwide propensity score-matched longitudinal cohort study. <i>International Journal of Clinical Pharmacy</i> , 2020 , 42, 1433-1439	2.3	3
70	Comparison between single-incision and multiple-incision laparoscopic surgery for totally extraperitoneal inguinal hernia repair. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2020 , 29, 293	-298	1
69	Role of the NLRP3 Inflammasome: Insights Into Cancer Hallmarks. <i>Frontiers in Immunology</i> , 2020 , 11, 610492	8.4	10
68	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019 , 16, 93-105	3.7	4
67	AICAR Induces Apoptosis and Inhibits Migration and Invasion in Prostate Cancer Cells Through an AMPK/mTOR-Dependent Pathway. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	21
66	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. <i>Kaohsiung Journal of Medical Sciences</i> , 2019 , 35, 559-565	2.4	2
65	Bavachin attenuates LPS-induced inflammatory response and inhibits the activation of NLRP3 inflammasome in macrophages. <i>Phytomedicine</i> , 2019 , 59, 152785	6.5	37
64	High TNFAIP6 level is associated with poor prognosis of urothelial carcinomas. <i>Urologic Oncology:</i> Seminars and Original Investigations, 2019 , 37, 293.e11-293.e24	2.8	10
63	Robot-Assisted Extraperitoneal Radical Prostatectomy, Single Site Plus Two Model. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018 , 28, 140-144	2.1	4
62	The diagnostic ureteroscopy before radical nephroureterectomy in upper urinary tract urothelial carcinoma is not associated with higher intravesical recurrence. World Journal of Surgical Oncology, 2018, 16, 135	3.4	15

61	New-onset diabetes after androgen-deprivation therapy for prostate cancer: A nationwide propensity score-matched four-year longitudinal cohort study. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 688-692	3.2	12
60	A single-institution experience with laparoendoscopic single-site retroperitoneal adrenalectomy. <i>Urological Science</i> , 2018 , 29, 293	0.3	
59	Antegrade cystoscopic light source guided laser urethrotomy for the treatment of completely obliterated urethra. <i>Urological Science</i> , 2017 , 28, 32-35	0.3	
58	Prognostic Value of Leptin Receptor Overexpression in Upper Tract Urothelial Carcinomas in Taiwan. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e653-e659	3.3	10
57	Urinary Incontinence in Alzheimer Disease. American Journal of Alzheimer Disease and Other Dementias, 2017 , 32, 51-55	2.5	7
56	Lower SHBG level is associated with higher leptin and lower adiponectin levels as well as metabolic syndrome, independent of testosterone. <i>Scientific Reports</i> , 2017 , 7, 2727	4.9	11
55	MiR-193b Mediates CEBPD-Induced Cisplatin Sensitization Through Targeting ETS1 and Cyclin D1 in Human Urothelial Carcinoma Cells. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 1563-1573	4.7	18
54	Hypoxia-regulated MicroRNA-210 Overexpression is Associated with Tumor Development and Progression in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017 , 14, 578	3 ³ 5784	13
53	Laparoendoscopic single-site retroperitoneoscopic adrenalectomy compared with conventional laparoscopy and open surgery. <i>Urological Science</i> , 2017 , 28, 36-41	0.3	1
52	Comment on: Does Red Blood Cell Distribution Width Really Have a Prognostic Role in Upper Tract Urothelial Carcinoma?. <i>Annals of Surgical Oncology</i> , 2017 , 24, 681	3.1	
51	Over-expression of Activated Signal Transducer and Activator of Transcription 3 Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017 , 14, 1360	-∮3⁄67	6
50	DPP4/CD26 overexpression in urothelial carcinoma confers an independent prognostic impact and correlates with intrinsic biological aggressiveness. <i>Oncotarget</i> , 2017 , 8, 2995-3008	3.3	18
49	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. <i>Oncotarget</i> , 2017 , 8, 47216-47229	3.3	12
48	The Prognostic Significance of Inflammation-Associated Blood Cell Markers in Patients with Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2016 , 23, 343-51	3.1	34
47	Laparoscopic partial nephrectomy without intracorporeal suturing. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 1585-91	5.2	8
46	Overexpression of PTP4A3 is associated with metastasis and unfavorable prognosis in bladder cancer. <i>World Journal of Urology</i> , 2016 , 34, 835-46	4	4
45	MCM10 overexpression implicates adverse prognosis in urothelial carcinoma. <i>Oncotarget</i> , 2016 , 7, 7777	<i>7</i> 5.3779	2 5
44	DDR2 overexpression in urothelial carcinoma indicates an unfavorable prognosis: a large cohort study. <i>Oncotarget</i> , 2016 , 7, 78918-78931	3.3	10

(2013-2016)

43	Matrix metalloproteinase-11 as a marker of metastasis and predictor of poor survival in urothelial carcinomas. <i>Journal of Surgical Oncology</i> , 2016 , 113, 700-7	2.8	15
42	PatientsuRenal Function Is Important When Evaluating Preoperative Anemia in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e241-3	3.3	1
41	Is preoperative anemia a risk factor for upper tract urothelial carcinoma following radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 337.e1-9	2.8	9
40	Prognostic significance of lymphovascular invasion in upper urinary tract urothelial carcinoma is influenced by tumor location. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1392-400	3.1	21
39	FGF7 Over Expression is an Independent Prognosticator in Patients with Urothelial Carcinoma of the Upper Urinary Tract and Bladder. <i>Journal of Urology</i> , 2015 , 194, 223-9	2.5	19
38	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2015 , 68, 1026-32	3.9	13
37	PTP4A3 Independently Predicts Metastasis and Survival in Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2015 , 194, 1449-55	2.5	6
36	INHBA overexpression indicates poor prognosis in urothelial carcinoma of urinary bladder and upper tract. <i>Journal of Surgical Oncology</i> , 2015 , 111, 414-22	2.8	28
35	Influence of late-stage chronic kidney disease on overall survival in patients with upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urological Science</i> , 2015 , 26, 120-124	0.3	1
34	The Significant Prognosticators of Upper Tract Urothelial Carcinoma. <i>Urological Science</i> , 2015 , 26, 230-	-2 3:4 3	1
34	The Significant Prognosticators of Upper Tract Urothelial Carcinoma. <i>Urological Science</i> , 2015 , 26, 230. The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8	4.2	1 12
	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on		
33	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8 Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse	4.2	12
33	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8 Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0139624 Comparison one-step procedure with two-step procedure in percutaneous nephrolithotomy.	4·2 3·7	12
33 32 31	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8 Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0139624 Comparison one-step procedure with two-step procedure in percutaneous nephrolithotomy. <i>Urolithiasis</i> , 2014 , 42, 121-6 Villous adenoma of the renal pelvis: A case report and literature review. <i>Urological Science</i> , 2014 ,	4.2 3.7 3.2	12 15 2
33 32 31 30	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8 Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0139624 Comparison one-step procedure with two-step procedure in percutaneous nephrolithotomy. <i>Urolithiasis</i> , 2014 , 42, 121-6 Villous adenoma of the renal pelvis: A case report and literature review. <i>Urological Science</i> , 2014 , 25, 101-103	3.7 3.2	12 15 2
33 32 31 30 29	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015 , 3, 902-8 Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0139624 Comparison one-step procedure with two-step procedure in percutaneous nephrolithotomy. <i>Urolithiasis</i> , 2014 , 42, 121-6 Villous adenoma of the renal pelvis: A case report and literature review. <i>Urological Science</i> , 2014 , 25, 101-103 Coexistent renal milk of calcium and amyloidosis. <i>Iranian Journal of Kidney Diseases</i> , 2014 , 8, 104 Neoadjuvant chemotherapy improves survival rate in advanced urothelial carcinoma. <i>Kaohsiung</i>	3.7 3.2 0.3	12 15 2

25	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2013 , 29, 37-42	2.4	7
24	Laparoendoscopic single-site retroperitoneoscopic adrenalectomy versus conventional retroperitoneoscopic adrenalectomy: initial experience by the same laparoscopic surgeon. <i>Urologia Internationalis</i> , 2013 , 91, 297-303	1.9	5
23	The impact of metabolic syndrome on the responsiveness to 🛭 -blocker in men with BPH/LUTS. <i>International Journal of Clinical Practice</i> , 2013 , 67, 356-62	2.9	7
22	The association of eNOS G894T polymorphism with metabolic syndrome and erectile dysfunction. Journal of Sexual Medicine, 2012 , 9, 837-43	1.1	23
21	The impact of androgen receptor CAG repeat polymorphism on andropausal symptoms in different serum testosterone levels. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2429-37	1.1	19
20	The comparison of the aging male symptoms (AMS) scale and androgen deficiency in the aging male (ADAM) questionnaire to detect androgen deficiency in middle-aged men. <i>Journal of Andrology</i> , 2012 , 33, 817-23		27
19	Complications of laparoscopic radical prostatectomya single institute experience. <i>Kaohsiung Journal of Medical Sciences</i> , 2012 , 28, 550-4	2.4	2
18	Associations of the lower urinary tract symptoms with the lifestyle, prostate volume, and metabolic syndrome in the elderly males. <i>Aging Male</i> , 2012 , 15, 166-72	2.1	15
17	Cyclooxygenase-2 (COX-2) up-regulation is a prognostic marker for poor clinical outcome of upper tract urothelial cancer. <i>Anticancer Research</i> , 2012 , 32, 4111-6	2.3	14
16	Mixed-type paratesticular rhabdomyosarcomaa case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2011 , 27, 239-41	2.4	
15	Nuclear factor- B activation predicts an unfavourable outcome in human upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2010 , 106, 1223-9	5.6	22
14	The impact of physical health and socioeconomic factors on sexual activity in middle-aged and elderly Taiwanese men. <i>Aging Male</i> , 2010 , 13, 148-53	2.1	8
13	The potential impact of metabolic syndrome on erectile dysfunction in aging Taiwanese males. Journal of Sexual Medicine, 2010 , 7, 3127-34	1.1	29
12	The prevalence of and risk factors for androgen deficiency in aging Taiwanese men. <i>Journal of Sexual Medicine</i> , 2009 , 6, 936-946	1.1	52
11	The associations among eNOS G894T gene polymorphism, erectile dysfunction, and benign prostate hyperplasia-related lower urinary tract symptoms. <i>Journal of Sexual Medicine</i> , 2009 , 6, 3158-65	1.1	27
10	Endoscopic management of a ureteral obstruction caused by endometriosis: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2009 , 25, 217-21	2.4	2
9	Intra- and extra-abdominal actinomycosis mimicking urachal tumor in an intrauterine device carrier: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2008 , 24, 35-40	2.4	5
8	Renal collecting duct carcinoma and concomitant bladder urothelial carcinoma: a case report. Kaohsiung Journal of Medical Sciences, 2008 , 24, 157-62	2.4	2

LIST OF PUBLICATIONS

7	Association among metabolic syndrome, testosterone level and severity of erectile dysfunction. Kaohsiung Journal of Medical Sciences, 2008 , 24, 240-7	2.4	15	
6	Postoperative disseminated intravascular coagulation in a patient with ureteral metastasis from gastric cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2008 , 24, 319-23	2.4	3	
5	Adrenal schwannoma treated with laparoscopic adrenalectomy: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2008 , 24, 553-7	2.4	12	
4	Renal cell carcinoma presenting with skull metastasis: a case report and literature review. <i>Kaohsiung Journal of Medical Sciences</i> , 2007 , 23, 475-9	2.4	14	
3	Giant spermatocele mimicking hydrocele: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2007 , 23, 366-9	2.4	3	
2	Leiomyoma of the epididymis: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2006 , 22, 519-23	2.4	3	
1	Spontaneous perirenal hematoma: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2005 , 21, 578-	812.4	5	