

# Arkusz Liszka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/915158/publications.pdf>

Version: 2024-02-01

27  
papers

380  
citations

840585

11  
h-index

752573

20  
g-index

28  
all docs

28  
docs citations

28  
times ranked

622  
citing authors

#	ARTICLE	IF	CITATIONS
1	Coexistence of gastrointestinal stromal tumors with other neoplasms. <i>Journal of Gastroenterology</i> , 2007, 42, 641-649.	2.3	89
2	Histopathological diagnosis of microscopic colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 792-797.	1.4	35
3	Intraductal oncocytic papillary neoplasms of the pancreas and bile ducts: a description of five new cases and review based on a systematic survey of the literature. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010, 17, 246-261.	1.4	34
4	Colloid carcinoma of the pancreas: review of selected pathological and clinical aspects. <i>Pathology</i> , 2008, 40, 655-663.	0.3	30
5	Discrepancies between two alternative staging systems (European Neuroendocrine Tumor Society) Tj ETQq1 1 0.784314 rgBT /Overlooked neuroendocrine neoplasms of the pancreas. A study of 50 cases. <i>Pathology Research and Practice</i> , 2011, 207, 220-224.	1.0	28
6	Angiogenesis in chronic hepatitis C is associated with inflammatory activity grade and fibrosis stage. <i>Pathology Research and Practice</i> , 2009, 205, 758-764.	1.0	24
7	Hepatic angiogenesis and fibrosis are common features in morbidly obese patients. <i>Hepatology International</i> , 2013, 7, 233-240.	1.9	23
8	Intensity of angiogenesis and mast cell infiltration in cervical intraepithelial and invasive lesions "Are they correlated?". <i>Pathology Research and Practice</i> , 2010, 206, 217-222.	1.0	17
9	Hepatic chemerin mRNA in morbidly obese patients with nonalcoholic fatty liver disease. <i>Polish Journal of Pathology</i> , 2017, 2, 117-127.	0.1	16
10	Different approaches to assessment of lymph nodes and surgical margin status in patients with ductal adenocarcinoma of the pancreas treated with pancreaticoduodenectomy. <i>Pathology</i> , 2010, 42, 138-146.	0.3	15
11	Precursor lesions of early onset pancreatic cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 439-451.	1.4	12
12	Limited usefulness of histopathological features in identification of a clinically aggressive solid-pseudopapillary neoplasm of the pancreas. <i>Polish Journal of Pathology</i> , 2014, 3, 182-193.	0.1	10
13	Prognostic Factors for Survival post Surgery for Patients with Gastrointestinal Stromal Tumors. <i>European Surgical Research</i> , 2012, 48, 3-9.	0.6	8
14	Serous neoplasms of the pancreas share many, but not all aspects of their microvascular and angiogenic profile with low-grade clear cell renal cell carcinomas. <i>Pathology Research and Practice</i> , 2014, 210, 901-908.	1.0	7
15	The Role of Pathological Method and Clearance Definition for the Evaluation of Margin Status after Pancreatoduodenectomy for Periapillary Cancer. Results of a Multicenter Prospective Randomized Trial. <i>Cancers</i> , 2021, 13, 2097.	1.7	6
16	Serous neoplasms of the pancreas constitute a continuous spectrum of morphological patterns rather than distinct clinico-pathological variants. A study of 40 cases. <i>Polish Journal of Pathology</i> , 2011, 62, 206-17.	0.1	6
17	MUC1 Immunoexpression is a Virtually Constant Feature of Clear Cell Renal Cell Carcinoma Metastatic to the Pancreas. <i>Advances in Anatomic Pathology</i> , 2012, 19, 125-127.	2.4	3
18	Ductal adenocarcinoma of the pancreas usually retained SMAD4 and p53 protein status as well as expression of epithelial-to-mesenchymal transition markers and cell cycle regulators at the stage of liver metastasis. <i>Polish Journal of Pathology</i> , 2014, 2, 100-112.	0.1	3

#	ARTICLE	IF	CITATIONS
19	Age distribution patterns of patients with conventional ductal adenocarcinoma of the pancreas. A single-institution study of 580 cases re-evaluated using current histopathological diagnostic criteria. Polish Journal of Pathology, 2010, 61, 65-77.	0.1	3
20	Pan-p63 but not p40 expression in undifferentiated carcinoma of the pancreas. Polish Journal of Pathology, 2020, 71, 155-172.	0.1	2
21	Histopathological Examination may be Useful for Assessment of Fibrosis and Lipomatosis of Pancreas Allograft Prior to Solid Organ Transplantation. Annals of Transplantation, 2015, 20, 655-660.	0.5	2
22	Standardized grossing protocol is useful for the pathology reporting of malignant neoplasms other than adenocarcinomas treated with pancreaticoduodenectomy. Histology and Histopathology, 2017, 32, 177-192.	0.5	2
23	A giant biliary cyst of Todani IA in a young woman. Medicine (United States), 2021, 100, e24022.	0.4	1
24	L1 cell adhesion molecule (L1CAM) and nerve growth factor receptor (NGFR, p75) expression patterns in solid pseudopapillary neoplasm of the pancreas. Polish Journal of Pathology, 2021, 72, 211-221.	0.1	1
25	Mesenchymal hamartoma of the liver imitating gastrointestinal stromal tumor. Przegląd Gastroenterologiczny, 2012, 5, 306-311.	0.3	0
26	Alpha-methylacyl-CoA racemase is expressed in a majority of pancreatic neoplasms of neuroendocrine, acinar, and solid pseudopapillary differentiation. Pathology, 2015, 47, 466-468.	0.3	0
27	Incipient serous cystic neoplasia of the pancreas is a very rare phenomenon: a systematic prospective observation in pancreatectomy specimens. Human Pathology, 2017, 70, 139-141.	1.1	0