

Arkusz Liszka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/915158/publications.pdf>

Version: 2024-02-01

27
papers

380
citations

840585

11
h-index

752573

20
g-index

28
all docs

28
docs citations

28
times ranked

622
citing authors

#	ARTICLE	IF	CITATIONS
1	A giant biliary cyst of Todani IA in a young woman. <i>Medicine (United States)</i> , 2021, 100, e24022.	0.4	1
2	The Role of Pathological Method and Clearance Definition for the Evaluation of Margin Status after Pancreatoduodenectomy for Periapillary Cancer. Results of a Multicenter Prospective Randomized Trial. <i>Cancers</i> , 2021, 13, 2097.	1.7	6
3	L1 cell adhesion molecule (L1CAM) and nerve growth factor receptor (NGFR, p75) expression patterns in solid pseudopapillary neoplasm of the pancreas. <i>Polish Journal of Pathology</i> , 2021, 72, 211-221.	0.1	1
4	Pan-p63 but not p40 expression in undifferentiated carcinoma of the pancreas. <i>Polish Journal of Pathology</i> , 2020, 71, 155-172.	0.1	2
5	Incipient serous cystic neoplasia of the pancreas is a very rare phenomenon: a systematic prospective observation in pancreatectomy specimens. <i>Human Pathology</i> , 2017, 70, 139-141.	1.1	0
6	Hepatic chemerin mRNA in morbidly obese patients with nonalcoholic fatty liver disease. <i>Polish Journal of Pathology</i> , 2017, 2, 117-127.	0.1	16
7	Standardized grossing protocol is useful for the pathology reporting of malignant neoplasms other than adenocarcinomas treated with pancreaticoduodenectomy. <i>Histology and Histopathology</i> , 2017, 32, 177-192.	0.5	2
8	Alpha-methylacyl-CoA racemase is expressed in a majority of pancreatic neoplasms of neuroendocrine, acinar, and solid pseudopapillary differentiation. <i>Pathology</i> , 2015, 47, 466-468.	0.3	0
9	Histopathological Examination may be Useful for Assessment of Fibrosis and Lipomatosis of Pancreas Allograft Prior to Solid Organ Transplantation. <i>Annals of Transplantation</i> , 2015, 20, 655-660.	0.5	2
10	Ductal adenocarcinoma of the pancreas usually retained SMAD4 and p53 protein status as well as expression of epithelial-to-mesenchymal transition markers and cell cycle regulators at the stage of liver metastasis. <i>Polish Journal of Pathology</i> , 2014, 2, 100-112.	0.1	3
11	Limited usefulness of histopathological features in identification of a clinically aggressive solid-pseudopapillary neoplasm of the pancreas. <i>Polish Journal of Pathology</i> , 2014, 3, 182-193.	0.1	10
12	Serous neoplasms of the pancreas share many, but not all aspects of their microvascular and angiogenic profile with low-grade clear cell renal cell carcinomas. <i>Pathology Research and Practice</i> , 2014, 210, 901-908.	1.0	7
13	Hepatic angiogenesis and fibrosis are common features in morbidly obese patients. <i>Hepatology International</i> , 2013, 7, 233-240.	1.9	23
14	MUC1 Immunoexpression is a Virtually Constant Feature of Clear Cell Renal Cell Carcinoma Metastatic to the Pancreas. <i>Advances in Anatomic Pathology</i> , 2012, 19, 125-127.	2.4	3
15	Prognostic Factors for Survival post Surgery for Patients with Gastrointestinal Stromal Tumors. <i>European Surgical Research</i> , 2012, 48, 3-9.	0.6	8
16	Mesenchymal hamartoma of the liver imitating gastrointestinal stromal tumor. <i>Przegląd Gastroenterologiczny</i> , 2012, 5, 306-311.	0.3	0
17	Precursor lesions of early onset pancreatic cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 439-451.	1.4	12
18	Discrepancies between two alternative staging systems (European Neuroendocrine Tumor Society) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 neuroendocrine neoplasms of the pancreas. A study of 50 cases. <i>Pathology Research and Practice</i> , 2011, 207, 220-224.	1.0	28

#	ARTICLE	IF	CITATIONS
19	Serous neoplasms of the pancreas constitute a continuous spectrum of morphological patterns rather than distinct clinico-pathological variants. A study of 40 cases. Polish Journal of Pathology, 2011, 62, 206-17.	0.1	6
20	Intraductal oncocytic papillary neoplasms of the pancreas and bile ducts: a description of five new cases and review based on a systematic survey of the literature. Journal of Hepato-Biliary-Pancreatic Sciences, 2010, 17, 246-261.	1.4	34
21	Intensity of angiogenesis and mast cell infiltration in cervical intraepithelial and invasive lesions – Are they correlated?. Pathology Research and Practice, 2010, 206, 217-222.	1.0	17
22	Different approaches to assessment of lymph nodes and surgical margin status in patients with ductal adenocarcinoma of the pancreas treated with pancreaticoduodenectomy. Pathology, 2010, 42, 138-146.	0.3	15
23	Age distribution patterns of patients with conventional ductal adenocarcinoma of the pancreas. A single-institution study of 580 cases re-evaluated using current histopathological diagnostic criteria. Polish Journal of Pathology, 2010, 61, 65-77.	0.1	3
24	Angiogenesis in chronic hepatitis C is associated with inflammatory activity grade and fibrosis stage. Pathology Research and Practice, 2009, 205, 758-764.	1.0	24
25	Colloid carcinoma of the pancreas: review of selected pathological and clinical aspects. Pathology, 2008, 40, 655-663.	0.3	30
26	Coexistence of gastrointestinal stromal tumors with other neoplasms. Journal of Gastroenterology, 2007, 42, 641-649.	2.3	89
27	Histopathological diagnosis of microscopic colitis. Journal of Gastroenterology and Hepatology (Australia), 2006, 21, 792-797.	1.4	35