

# Sunyoung Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9151650/publications.pdf>

Version: 2024-02-01

77  
papers

3,970  
citations

471061

17  
h-index

133063

59  
g-index

79  
all docs

79  
docs citations

79  
times ranked

3723  
citing authors

#	ARTICLE	IF	CITATIONS
1	Moderate-intensity statin use for primary prevention for more than 5 years is associated with decreased all-cause mortality in 75 years and older. Archives of Gerontology and Geriatrics, 2022, 100, 104644.	1.4	3
2	Machine learning-based diagnosis and risk factor analysis of cardiocerebrovascular disease based on KNHANES. Scientific Reports, 2022, 12, 2250.	1.6	11
3	Sex-different changes of body composition in aging: a systemic review. Archives of Gerontology and Geriatrics, 2022, 102, 104711.	1.4	18
4	A Machine-Learning-Based Risk Factor Analysis for Hypertension: Korea National Health and Nutrition Examination Survey 2016â€“2019. Korean Journal of Family Practice, 2022, 12, 173-178.	0.1	0
5	Usefulness of Orientation to the Year as an Aid to Case Finding of Mild Cognitive Impairment or Depression in Community-Dwelling Older Adults. International Journal of Environmental Research and Public Health, 2021, 18, 8096.	1.2	0
6	The relationship between smoking cigarettes and metabolic syndrome: A cross-sectional study with non-single residents of Seoul under 40 years old. PLoS ONE, 2021, 16, e0256257.	1.1	15
7	Clinical Practice Guideline for Frailty Applicable in Primary Care Setting. Korean Journal of Family Practice, 2021, 11, 223-235.	0.1	3
8	Perceived Recovery Time from Common Cold as a Possible Indicator of Physical Resilience. Annals of Geriatric Medicine and Research, 2021, 25, 204-209.	0.7	0
9	Clinical Practice Guidelines for Managing Frailty in Community-Dwelling Korean Elderly Adults in Primary Care Settings. Korean Journal of Family Medicine, 2021, 42, 413-424.	0.4	6
10	The Association of Gait Speed and Frontal Lobe among Various Cognitive Domains: The Korean Frailty and Aging Cohort Study (KFACS). Journal of Nutrition, Health and Aging, 2020, 24, 91-97.	1.5	7
11	Characteristics of sarcopenia by European consensus and a phenotype score. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 497-504.	2.9	34
12	Development of a Frailty Phenotype Questionnaire for Use in Screening Community-Dwelling Older Adults. Journal of the American Medical Directors Association, 2020, 21, 660-664.	1.2	19
13	Estimating quality of life with biomarkers among older Korean adults: A machine-learning approach. Archives of Gerontology and Geriatrics, 2020, 87, 103966.	1.4	12
14	A later menopausal age is associated with a lower prevalence of physical frailty in community-dwelling older adults: The Korean Frailty and Aging Cohort Study (KFACS). Archives of Gerontology and Geriatrics, 2020, 91, 104243.	1.4	8
15	Korean frailty and aging cohort study (KFACS): cohort profile. BMJ Open, 2020, 10, e035573.	0.8	87
16	Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. Journal of the American Medical Directors Association, 2020, 21, 300-307.e2.	1.2	2,796
17	What are the illnesses associated with frailty in community-dwelling older adults: the Korean Frailty and Aging Cohort Study. Korean Journal of Internal Medicine, 2020, 35, 1004-1013.	0.7	10
18	The Relationship between Psychological Factors and Weight Gain. Korean Journal of Family Medicine, 2020, 41, 381-368.	0.4	10

#	ARTICLE	IF	CITATIONS
19	Effects of Statin Use for Primary Prevention among Adults Aged 75 Years and Older in the National Health Insurance Service Senior Cohort (2002-2015). <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 91-98.	0.7	5
20	Older Men Living with Spouse and Older Women Living with Spouse and Children Have Lower Frailty Prevalence: The Korean Frailty and Aging Cohort Study (KFACS). <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 204-210.	0.7	8
21	Screening Value of Timed Up and Go Test for Frailty and Low Physical Performance in Korean Older Population: The Korean Frailty and Aging Cohort Study (KFACS). <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 259-266.	0.7	21
22	Physical Activity Patterns and Their Associated Factors Measured by Global Physical Activity Questionnaire Survey among Korean. <i>The Korean Journal of Sports Medicine</i> , 2020, 38, 1.	0.3	7
23	How Can We Evaluate Disability without Bias?. <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 152-153.	0.7	2
24	Association of Subclinical Hypothyroidism and Depression with Patient Health Questionnaire-9 in Korean Adults: Results from the Korea National Health and Nutrition Examination Survey, 2014. <i>Korean Journal of Family Practice</i> , 2020, 10, 176-181.	0.1	0
25	An Optimal Questionnaire Representing Slow Gait Speed (<math>< 1\text{m/s}</math>) in Community-dwelling Older Adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 648-653.	1.5	2
26	How Much Intake of Sodium Is Good for Frailty? : The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 503-508.	1.5	7
27	Association between Plasma Levels of Growth Differentiation Factor-15 and Renal Function in the Elderly: Korean Frailty and Aging Cohort Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 405-414.	0.9	19
28	Frailty index associated with all-cause mortality, long-term institutionalization, and hip fracture. <i>European Geriatric Medicine</i> , 2019, 10, 403-411.	1.2	9
29	Moderate hearing loss is related with social frailty in a community-dwelling older adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 126-130.	1.4	35
30	Length of hospital stay after hip fracture surgery and 1-year mortality. <i>Osteoporosis International</i> , 2019, 30, 145-153.	1.3	39
31	Sleep Latency in Men and Sleep Duration in Women Can Be Frailty Markers in Community-Dwelling Older Adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 63-67.	1.5	31
32	Cross-Comparisons of Gait Speeds by Automatic Sensors and a Stopwatch to Provide Converting Formula Between Measuring Modalities. <i>Annals of Geriatric Medicine and Research</i> , 2019, 23, 71-76.	0.7	19
33	Introduction of Fall Risk Assessment (FRA) System and Cross-Sectional Validation Among Community-Dwelling Older Adults. <i>Annals of Rehabilitation Medicine</i> , 2019, 43, 87-95.	0.6	9
34	Urine Cotinine for Assessing the Association between Secondhand Smoke Exposure and Depression in Adult Non-Smokers in Korea: Analysis of the Korea National Health and Nutrition Examination Survey 2016. <i>Korean Journal of Health Promotion</i> , 2019, 19, 138.	0.1	0
35	Validation of the Korean Version of the SARC-F Questionnaire to Assess Sarcopenia: Korean Frailty and Aging Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 40-45.e1.	1.2	123
36	Why Geriatric Medicine Is Important for Korea: Lessons Learned in the United States. <i>Journal of Korean Medical Science</i> , 2018, 33, e175.	1.1	10

#	ARTICLE	IF	CITATIONS
37	EuroQol Visual Analogue Scale (EQ-VAS) as a Predicting Tool for Frailty in Older Korean Adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 1275-1280.	1.5	17
38	Calf Circumference as a Simple Screening Marker for Diagnosing Sarcopenia in Older Korean Adults: the Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Korean Medical Science</i> , 2018, 33, e151.	1.1	80
39	Combined effects of four major geriatric syndromes on adverse outcomes based on Korean National Health Insurance claims data. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1463-1468.	0.7	6
40	Need for Systematic Efforts to Modify Health-Related Behaviors After Acute Myocardial Infarction in Korea. <i>Circulation Journal</i> , 2018, 82, 2523-2529.	0.7	14
41	The Relationship Between Physical Activity and Risk of Cardiovascular Disease Among Hypertensive Persons: A Community-Based Prospective Study. <i>Korean Journal of Family Practice</i> , 2018, 8, 676-683.	0.1	1
42	Modified Criteria for Diagnosing "Cognitive Frailty". <i>Psychiatry Investigation</i> , 2018, 15, 839-842.	0.7	24
43	Test-retest Reliability and Sensitivity to Change of a New Fall Risk Assessment System: A Pilot Study. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 80-87.	0.7	7
44	The Effect of Sleep Duration and Regularity on Cardio-Cerebrovascular Disease: Community-Based Prospective Study. <i>Korean Journal of Family Practice</i> , 2018, 8, 729-734.	0.1	2
45	The Association Between the Number of Natural Remaining Teeth and Appendicular Skeletal Muscle Mass in Korean Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 194-199.	0.7	4
46	Trends of thromboprophylaxis and complications after major lower limb orthopaedic surgeries in Korea: National Health Insurance Claim Data. <i>Thrombosis Research</i> , 2017, 155, 48-52.	0.8	19
47	Pre-discharge rehabilitation after hip surgery reduces 30-day readmissions in older adults: National Health Insurance Service "Senior Cohort (2007"2012). <i>European Geriatric Medicine</i> , 2017, 8, 430-434.	1.2	3
48	Number of daily antihypertensive drugs and the risk of osteoporotic fractures in older hypertensive adults: National health insurance service "Senior cohort. <i>Journal of Cardiology</i> , 2017, 70, 80-85.	0.8	6
49	SELF-REPORTED HEALTH AS A PREDICTOR OF FUNCTIONAL DECLINE IN A COMMUNITY-DWELLING ELDERLY POPULATION. <i>Innovation in Aging</i> , 2017, 1, 357-358.	0.0	0
50	Health Behavior and Factors Associated with Depression in North Korean Adolescent Defectors in South Korea: The Korea Youth Risk Behavior Web-Based Survey, 2011"2014. <i>Korean Journal of Family Medicine</i> , 2017, 38, 256.	0.4	6
51	Association Between Computerized Reaction Time, Short Physical Performance Battery and Berg Balance Scale in the Community-Dwelling Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2017, 21, 108-114.	0.7	3
52	Risk Factors of Geriatric Syndromes in Korean Population. <i>Annals of Geriatric Medicine and Research</i> , 2017, 21, 123-130.	0.7	9
53	Discrepancy Between Quarterly Recall and Annual Recall of Falls: A Survey of Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2017, 21, 174-181.	0.7	4
54	Effects of Physical Activity on Fractures in Adults: A Community-Based Korean Cohort Study. <i>The Korean Journal of Sports Medicine</i> , 2017, 35, 97.	0.3	8

#	ARTICLE	IF	CITATIONS
55	The Association between Recognition of Weight and Health Behavior of Korean Adolescents: The Korea Youth Risk Behavior Web-Based Survey, 2014. Korean Journal of Family Practice, 2017, 7, 322-329.	0.1	1
56	Relationship between Adolescents Health Behavior, Stress and Birth Order: The Korea Youth Risk Behavior Web-Based Survey 2014. Seuteureseu Yeon-gu, 2017, 25, 138-144.	0.1	2
57	Author reply to Comment on: Frequent CTLA4-CD28 gene fusion in diverse types of T-cell lymphoma, by Yoo et al.. Haematologica, 2016, 101, e271-e271.	1.7	6
58	Use of Frailty in Deciding Clinical Treatment Goals for Chronic Disease in Elderly Patients in the Community. Journal of the American Medical Directors Association, 2016, 17, 967-969.	1.2	6
59	Slower gait speed predicts decline in Instrumental Activities of Daily Living in community-dwelling elderly: 3-year prospective finding from Living Profiles of Older People Survey in Korea. Journal of Clinical Gerontology and Geriatrics, 2016, 7, 141-145.	0.7	14
60	Calcium-Channel Blockers and Dementia Risk in Older Adultsâ€”National Health Insurance Service â€”Senior Cohort (2002â€”2013) â€”. Circulation Journal, 2016, 80, 2336-2342.	0.7	33
61	Five items differentiate mild to severe dementia from normal to minimal cognitive impairmentâ€”Using the Global Deterioration Scale. Journal of Clinical Gerontology and Geriatrics, 2016, 7, 1-5.	0.7	11
62	Gait Speed Cut-Off Point as a Predictor of Fall in Community-Dwelling Older Adults: Three-Year Prospective Finding from Living Profiles of Elderly People Surveys in Korea. Korean Journal of Family Practice, 2016, 6, 105-110.	0.1	6
63	The Cut-Off Point of Gait Speed as Predictor of 3 Year Mortality in Korean Community-Dwelling Elderly. Korean Journal of Family Practice, 2016, 6, 166-171.	0.1	4
64	Body Mass Index and Mortality according to Gender in a Community-Dwelling Elderly Population: The 3-Year Follow-up Findings from the Living Profiles of Older People Surveys in Korea. Korean Journal of Family Medicine, 2016, 37, 317.	0.4	7
65	The Association between Independence of Elders and Their Abuse Experiences. Korean Journal of Family Practice, 2016, 6, 577-585.	0.1	0
66	Nursing Homes and Their Contracted Doctors: Korean Experience. Journal of the American Medical Directors Association, 2015, 16, 533-534.	1.2	5
67	Global Prevalence of Physical Frailty by Fried's Criteria in Community-Dwelling Elderly With National Population-Based Surveys. Journal of the American Medical Directors Association, 2015, 16, 548-550.	1.2	115
68	Physical frailty predicts medical expenses in community-dwelling, elderly patients: Three-year prospective findings from living profiles of older people surveys in Korea. European Geriatric Medicine, 2015, 6, 412-416.	1.2	36
69	Comparison of â€”Serial 7â€”s Subtractionâ€” and â€”Sam-Chun-Ri-Gang-Sanâ€”Backward for Evaluation of in Primary Medicine. Journal of the Korean Geriatrics Society, 2015, 19, 25-33.	0.3	0
70	The Association between the Low Muscle Mass and Osteoporosis in Elderly Korean People. Journal of Korean Medical Science, 2014, 29, 995.	1.1	67
71	Association between Bone Mineral Density and Sleep Duration in the Korean Elderly Population. Korean Journal of Family Medicine, 2014, 35, 90.	0.4	27
72	Comprehensive Geriatric Assessment for Elderly Orthopedic Inpatients Consulted by Geriatric Medicine in a Hospital. Journal of the Korean Geriatrics Society, 2014, 18, 213-220.	0.3	1

#	ARTICLE	IF	CITATIONS
73	The improvement of quality of life in patients treated with bariatric surgery in Korea. [Chapchi] Journal Taehan Oekwa Hakhoe, 2013, 84, 131.	1.1	12
74	Rectal perforation due to benign stricture caused by rectal burns associated with hot coffee enemas. Endoscopy, 2012, 44, E32-E33.	1.0	9
75	A Novel PRKAR1A Mutation in Korean Carney Complex Family. Experimental and Clinical Endocrinology and Diabetes, 2012, 120, 7-13.	0.6	2
76	SU-E-T-235: Evaluation of Dosimetric Properties of Plastic Detectors in Proton Beam Therapy. Medical Physics, 2011, 38, 3540-3541.	1.6	0
77	Hand Grip Strength and Likelihood of Moderate-to-Severe Airflow Limitation in the General Population. International Journal of COPD, 0, Volume 17, 1237-1245.	0.9	7