
## Taweewat Wiangkham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9151771/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
2	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
3	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
4	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
5	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
6	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i46-i56.	2.4	86
7	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	13.7	72
8	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	27.8	71
9	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
10	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
11	The Effectiveness of Conservative Management for Acute Whiplash Associated Disorder (WAD) II: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. PLoS ONE, 2015, 10, e0133415.	2.5	37
12	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
13	Development of an active behavioural physiotherapy intervention (ABPI) for acute whiplash-associated disorder (WAD) II management: a modified Delphi study. BMJ Open, 2016, 6, e011764.	1.9	22
14	A cluster randomised, double-blind pilot and feasibility trial of an active behavioural physiotherapy intervention for acute whiplash-associated disorder (WAD)II. PLoS ONE, 2019, 14, e0215803.	2.5	12
15	Acute Whiplash Injury Study (AWIS): a protocol for a cluster randomised pilot and feasibility trial of an Active Behavioural Physiotherapy Intervention in an insurance private setting. BMJ Open, 2016, 6, e011336.	1.9	7
16	Translation, cross-cultural adaptation and psychometric evaluation of the Thai version of the fear-avoidance beliefs questionnaire in patients with non-specific neck pain. Scandinavian Journal of Pain, 2021, 21, 247-255.	1.3	7
17	Pragmatic cluster randomised double-blind pilot and feasibility trial of an active behavioural physiotherapy intervention for acute non-specific neck pain: a mixed-methods protocol. BMJ Open, 2019, 9, e029795.	1.9	5
18	Translation, cross-cultural adaptation and psychometric validation of the Thai version of the STarT Back Screening Tool in patients with non-specific low back pain. BMC Musculoskeletal Disorders, 2021, 22, 454.	1.9	4

#	Article	IF	CITATIONS
19	Adaptation and psychometric evaluation of the Thai version of the modified STarT Back Screening Tool in individuals with neck pain. Physiotherapy Theory and Practice, 2023, 39, 2144-2153.	1.3	2
20	Effectiveness of interventions for middle-aged and ageing population with neck pain: a systematic review and network meta-analysis protocol. BMJ Open, 2022, 12, e060373.	1.9	0