
Taweewat Wiangkham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9151771/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adaptation and psychometric evaluation of the Thai version of the modified STarT Back Screening Tool in individuals with neck pain. Physiotherapy Theory and Practice, 2023, 39, 2144-2153.	1.3	2
2	Effectiveness of interventions for middle-aged and ageing population with neck pain: a systematic review and network meta-analysis protocol. BMJ Open, 2022, 12, e060373.	1.9	0
3	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	27.8	71
4	Translation, cross-cultural adaptation and psychometric validation of the Thai version of the STarT Back Screening Tool in patients with non-specific low back pain. BMC Musculoskeletal Disorders, 2021, 22, 454.	1.9	4
5	Translation, cross-cultural adaptation and psychometric evaluation of the Thai version of the fear-avoidance beliefs questionnaire in patients with non-specific neck pain. Scandinavian Journal of Pain, 2021, 21, 247-255.	1.3	7
6	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
7	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
8	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
9	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
10	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
11	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
12	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
13	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	13.7	72
14	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
15	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i46-i56.	2.4	86
16	A cluster randomised, double-blind pilot and feasibility trial of an active behavioural physiotherapy intervention for acute whiplash-associated disorder (WAD)II. PLoS ONE, 2019, 14, e0215803.	2.5	12
17	Pragmatic cluster randomised double-blind pilot and feasibility trial of an active behavioural physiotherapy intervention for acute non-specific neck pain: a mixed-methods protocol. BMJ Open, 2019, 9, e029795.	1.9	5
18	Acute Whiplash Injury Study (AWIS): a protocol for a cluster randomised pilot and feasibility trial of an Active Behavioural Physiotherapy Intervention in an insurance private setting. BMJ Open, 2016, 6, e011336.	1.9	7

#	Article	IF	CITATIONS
19	Development of an active behavioural physiotherapy intervention (ABPI) for acute whiplash-associated disorder (WAD) II management: a modified Delphi study. BMJ Open, 2016, 6, e011764.	1.9	22
20	The Effectiveness of Conservative Management for Acute Whiplash Associated Disorder (WAD) II: A	2.5	37

Systematic Review and Meta-Analysis of Randomised Controlled Trials. PLoS ONE, 2015, 10, e0133415. 20