

Valentin N Popov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9151921/valentin-n-popov-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

5,572
citations

33
h-index

74
g-index

108
ext. papers

5,980
ext. citations

3.8
avg, IF

6.05
L-index

#	Paper	IF	Citations
104	Surface chemistry of reduced graphene oxide: H-atom transfer reactions. <i>Applied Surface Science</i> , 2021 , 567, 150815	6.7	2
103	Theoretical evidence of a significant modification of the electronic structure of double-walled carbon nanotubes due to the interlayer interaction. <i>Carbon</i> , 2020 , 170, 30-36	10.4	4
102	Interaction of Graphene with Out-of-Plane Aromatic Hydrocarbons. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 21448-21456	3.8	5
101	Computational study of the shift of the G band of double-walled carbon nanotubes due to interlayer interactions. <i>Physical Review B</i> , 2018 , 97,	3.3	7
100	Two-phonon Raman bands of single-walled carbon nanotubes: A case study. <i>Physical Review B</i> , 2018 , 98,	3.3	3
99	Double-resonant Raman scattering with optical and acoustic phonons in carbon nanotubes. <i>Physical Review B</i> , 2018 , 97,	3.3	1
98	Raman bands of twisted bilayer graphene. <i>Journal of Raman Spectroscopy</i> , 2018 , 49, 31-35	2.3	9
97	Deposition of defected graphene on (001) Si substrates by thermal decomposition of acetone. <i>Superlattices and Microstructures</i> , 2017 , 111, 45-56	2.8	2
96	Raman Spectroscopic Study of As-Deposited and Exfoliated Defected Graphene Grown on (001) Si Substrates by CVD. <i>Journal of Spectroscopy</i> , 2017 , 2017, 1-8	1.5	4
95	Interlayer Interaction Effects on the G Modes in Double-Walled Carbon Nanotubes With Different Electronic Configurations. <i>Physica Status Solidi (B): Basic Research</i> , 2017 , 254, 1700251	1.3	7
94	Photoluminescence from an individual double-walled carbon nanotube. <i>Physical Review B</i> , 2017 , 96,	3.3	16
93	Excitonic optical transitions characterized by Raman excitation profiles in single-walled carbon nanotubes. <i>Physical Review B</i> , 2016 , 94,	3.3	13
92	2D Raman band of single-layer and bilayer graphene. <i>Journal of Physics: Conference Series</i> , 2016 , 682, 012013	0.3	9
91	Two-phonon Raman scattering in graphene for laser excitation beyond the E _{pl} plasmon energy. <i>Journal of Physics: Conference Series</i> , 2016 , 764, 012008	0.3	
90	Comparative study of the two-phonon Raman bands of silicene and graphene. <i>2D Materials</i> , 2016 , 3, 025014	5.9	5
89	Two-phonon Raman bands of bilayer graphene: Revisited. <i>Carbon</i> , 2015 , 91, 436-444	10.4	13
88	Low-frequency phonons of few-layer graphene within a tight-binding model. <i>Physical Review B</i> , 2014 , 90,	3.3	15

87	Theoretical Raman intensity of the G and 2D bands of strained graphene. <i>Carbon</i> , 2013 , 54, 86-93	10.4	27
86	Theoretical 2D Raman band of strained graphene. <i>Physical Review B</i> , 2013 , 87,	3.3	18
85	Theoretical Raman fingerprints of $\sqrt{3} \times \sqrt{3}$ and $\sqrt{3} \times \sqrt{3}$ graphene. <i>Physical Review B</i> , 2013 , 88,	3.3	55
84	Theoretical study of the doping effect on the phonon dispersion of metallic carbon nanotubes. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2012 , 44, 1032-1035	3	2
83	Theoretical polarization dependence of the two-phonon double-resonant Raman spectra of graphene. <i>European Physical Journal B</i> , 2012 , 85, 1	1.2	14
82	Experimental evidence of a mechanical coupling between layers in an individual double-walled carbon nanotube. <i>Nano Letters</i> , 2011 , 11, 4800-4	11.5	60
81	Dynamic and charge doping effects on the phonon dispersion of graphene. <i>Physical Review B</i> , 2010 , 82,	3.3	11
80	Non-adiabatic phonon dispersion of metallic single-walled carbon nanotubes. <i>Nano Research</i> , 2010 , 3, 822-829	10	6
79	Intermediate frequency Raman spectra of defective single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 892-895	1.3	1
78	Theoretical phonon dispersion of armchair and metallic zigzag carbon nanotubes beyond the adiabatic approximation. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 2784-2788	1.3	5
77	Theoretical resonant Raman spectra of nanotube (7,0) with point defects. <i>Physica Status Solidi (B): Basic Research</i> , 2009 , 246, 2602-2605	1.3	10
76	Resonant Raman spectra of graphene with point defects. <i>Carbon</i> , 2009 , 47, 2448-2455	10.4	30
75	Raman study of twin-free ortho-II YBa ₂ Cu ₃ O _{6.5} single crystals. <i>Physical Review B</i> , 2008 , 77,	3.3	15
74	Electronic and mechanical coupling of carbon nanotubes: a tunable resonant Raman study of systems with known structures. <i>Physical Review Letters</i> , 2008 , 101, 197403	7.4	24
73	Symmetry-adapted tight-binding calculations of the totally symmetric A ₁ phonons of single-walled carbon nanotubes and their resonant Raman intensity. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2007 , 37, 97-104	3	6
72	Theoretical Raman intensity of the radial breathing mode of single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2007 , 244, 4269-4274	1.3	3
71	Raman spectroscopy of (n,m)-identified individual single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2007 , 244, 3986-3991	1.3	11
70	Multiple-order Raman scattering from rare-earth manganites: Oxygen isotope and rare-earth substitution effects. <i>Physical Review B</i> , 2007 , 75,	3.3	15

69	Raman intensity mapping of single-walled carbon nanotubes. <i>Physical Review B</i> , 2007 , 75,	3.3	23
68	E33 and E44 optical transitions in semiconducting single-walled carbon nanotubes: Electron diffraction and Raman experiments. <i>Physical Review B</i> , 2007 , 75,	3.3	41
67	Intraband electron-phonon scattering in single-walled carbon nanotubes. <i>Physical Review B</i> , 2006 , 74,	3.3	41
66	Detailed analysis of the Raman response of n-doped double-wall carbon nanotubes. <i>Physical Review B</i> , 2006 , 74,	3.3	31
65	Resonant Raman intensity of the totally symmetric phonons of single-walled carbon nanotubes. <i>Physical Review B</i> , 2006 , 73,	3.3	39
64	Raman active phonons of identified semiconducting single-walled carbon nanotubes. <i>Physical Review Letters</i> , 2006 , 96, 257401	7.4	70
63	Symmetry-adapted tight-binding calculations of the phonon dispersion and the resonant Raman intensity of the totally symmetric phonons of single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2006 , 243, 3480-3484	1.3	1
62	Tube-tube interaction in double-wall carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2006 , 243, 3268-3272	1.3	25
61	Radius and chirality dependence of the radial breathing mode and the G-band phonon modes of single-walled carbon nanotubes. <i>Physical Review B</i> , 2006 , 73,	3.3	117
60	VIBRATIONAL AND RELATED PROPERTIES OF CARBON NANOTUBES 2006 , 69-88		1
59	Electron-phonon and electron-photon interactions and resonant Raman scattering from the radial-breathing mode of single-walled carbon nanotubes. <i>Physical Review B</i> , 2005 , 72,	3.3	80
58	Optical Properties of Single-Walled Carbon Nanotubes Within a Nonorthogonal Tight-Binding Model. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2005 , 13, 45-52	1.8	
57	Comparative Raman studies of Sr ₂ RuO ₄ , Sr ₃ Ru ₂ O ₇ and Sr ₄ Ru ₃ O ₁₀ . <i>Physica B: Condensed Matter</i> , 2005 , 358, 138-152	2.8	19
56	Fine structure of the radial breathing mode of double-wall carbon nanotubes. <i>Physical Review B</i> , 2005 , 72,	3.3	107
55	Resonant Raman Intensity Of The Radial-Breathing Mode Of Single-Walled Carbon Nanotubes. <i>AIP Conference Proceedings</i> , 2005 ,	0	1
54	Optical phonons in the NaTiSi ₂ O ₆ oxide with S=12 spin chains. <i>Physical Review B</i> , 2005 , 71,	3.3	8
53	Raman spectroscopy of Ca ₃ Ru ₂ O ₇ : Phonon line assignment and electron scattering. <i>Physical Review B</i> , 2005 , 71,	3.3	9
52	LATTICE DYNAMICS OF CARBON NANOTUBES 2005 , 113-150		

51	Multipole induced splitting of metal-cage vibrations in crystalline endohedral D2d-M2@C84 dimetallofullerenes. <i>Journal of Chemical Physics</i> , 2004 , 120, 1873-80	3.9	5
50	Phonons and magnetic excitations in the Mott insulator LaTiO3. <i>Physical Review B</i> , 2004 , 69,	3.3	19
49	Valence electronic charge density of distorted C60- monomers in polymerized KC60 and RbC60. <i>Journal of Chemical Physics</i> , 2004 , 121, 321-7	3.9	5
48	Interaction between concentric tubes in DWCNTs. <i>European Physical Journal B</i> , 2004 , 42, 345-350	1.2	47
47	Theoretical evidence for T1/2 specific heat behavior in carbon nanotube systems. <i>Carbon</i> , 2004 , 42, 991-995	2.9	26
46	Carbon nanotubes: properties and application. <i>Materials Science and Engineering Reports</i> , 2004 , 43, 61-102	3.9	1347
45	A symmetry-adapted force-constant lattice-dynamical model for single-walled carbon nanotubes. <i>Solid State Communications</i> , 2004 , 130, 657-661	1.6	20
44	Resonant Raman Intensity of the Radial Breathing Mode of Single-Walled Carbon Nanotubes within a Nonorthogonal Tight-Binding Model. <i>Nano Letters</i> , 2004 , 4, 1795-1799	11.5	61
43	Curvature effects on the structural, electronic and optical properties of isolated single-walled carbon nanotubes within a symmetry-adapted non-orthogonal tight-binding model. <i>New Journal of Physics</i> , 2004 , 6, 17-17	2.9	180
42	Raman and infrared-active phonons in hexagonal HoMnO3 single crystals: magnetic ordering effects. <i>Journal of Physics Condensed Matter</i> , 2004 , 16, 809-819	1.8	78
41	Comparative study of the optical properties of single-walled carbon nanotubes within orthogonal and nonorthogonal tight-binding models. <i>Physical Review B</i> , 2004 , 70,	3.3	148
40	Optical Properties of Small-Radius SWNTs within a Tight-Binding Model 2004 , 1-10		
39	Estimation of the cleavage force of crystalline semiconductors with diamond and zinc-blende structure. <i>Journal of Physics and Chemistry of Solids</i> , 2003 , 64, 159-160	3.9	
38	Temperature-dependent polarized Raman spectra of CaFe2O4. <i>Solid State Communications</i> , 2003 , 128, 153-155	1.6	26
37	Optical properties of high-dielectric-constant CaCu3Ti4O12 films. <i>Physica Status Solidi A</i> , 2003 , 195, 453-458		37
36	Lattice dynamics of single-walled boron nitride nanotubes. <i>Physical Review B</i> , 2003 , 67,	3.3	47
35	Role of Jahn-Teller disorder in Raman scattering of mixed-valence manganites. <i>Physical Review B</i> , 2003 , 67,	3.3	99
34	Breathinglike phonon modes of multiwalled carbon nanotubes. <i>Physical Review B</i> , 2002 , 65,	3.3	97

33	Low-temperature specific heat of nanotube systems. <i>Physical Review B</i> , 2002 , 66,	3-3	75
32	Raman spectroscopy of CaRuO ₃ . <i>Physical Review B</i> , 2002 , 66,	3-3	17
31	Phonon dynamics in AV ₂ O ₅ (A=Na,Ca,Mg,Cs) oxides. <i>Physical Review B</i> , 2002 , 65,	3-3	25
30	Raman spectroscopy of CaCu ₃ Ti ₄ O ₁₂ . <i>Physical Review B</i> , 2002 , 66,	3-3	124
29	Raman spectroscopy of CaMnO ₃ : Mode assignment and relationship between Raman line intensities and structural distortions. <i>Physical Review B</i> , 2002 , 65,	3-3	104
28	Carrier dynamics and infrared-active phonons in c-axis oriented RuSr ₂ GdCu ₂ O ₈ film. <i>Physica C: Superconductivity and Its Applications</i> , 2001 , 361, 234-238	1-3	1
27	Evidence for the existence of two breathinglike phonon modes in infinite bundles of single-walled carbon nanotubes. <i>Physical Review B</i> , 2001 , 63,	3-3	15
26	Influence of packing on the vibrational properties of infinite and finite bundles of carbon nanotubes. <i>Physical Review B</i> , 2001 , 64,	3-3	30
25	Elastic properties of crystals of single-walled carbon nanotubes. <i>Solid State Communications</i> , 2000 , 114, 395-399	1.6	146
24	Raman phonons in RuSr ₂ GdCu ₂ O ₈ . <i>Physica C: Superconductivity and Its Applications</i> , 2000 , 341-348, 2209-2212	1-3	6
23	Optical conductivity and infrared-active phonons in RuSr ₂ GdCu ₂ O ₈ . <i>Physical Review B</i> , 2000 , 62, 9709-9713	3-3	9
22	Elastic properties of single-walled carbon nanotubes. <i>Physical Review B</i> , 2000 , 61, 3078-3084	3-3	369
21	Crystal structure, electric and magnetic properties, and Raman spectroscopy of Gd ₃ RuO ₇ . <i>Physical Review B</i> , 2000 , 62, 12235-12240	3-3	34
20	Lattice dynamics of single-walled carbon nanotubes. <i>Physical Review B</i> , 1999 , 59, 8355-8358	3-3	87
19	Raman spectroscopy of SrRuO ₃ near the paramagnetic-to-ferromagnetic phase transition. <i>Physical Review B</i> , 1999 , 59, 364-368	3-3	68
18	Lattice vibrations in spin-Peierls compound NaV ₂ O ₅ . <i>Solid State Communications</i> , 1999 , 110, 381-386	1.6	26
17	Comparative study of optical phonons in the rhombohedrally distorted perovskites LaAlO ₃ and LaMnO ₃ . <i>Physical Review B</i> , 1999 , 59, 4146-4153	3-3	250
16	Raman spectroscopy of orthorhombic perovskitelike YMnO ₃ and LaMnO ₃ . <i>Physical Review B</i> , 1998 , 57, 2872-2877	3-3	514

15	Raman-active phonons in the quasi-one-dimensional conductor ($x=1.6, 2.0$): polarized Raman spectroscopy and lattice dynamical calculations. <i>Journal of Physics Condensed Matter</i> , 1998 , 10, 1643-1654	1.8	1
14	Optical phonons in spin - Peierls compound. <i>Journal of Physics Condensed Matter</i> , 1998 , 10, L513-L519	1.8	8
13	Fröhlich-interaction-induced multiphonon Raman scattering in SrCuO ₂ and Sr _{0.5} Ca _{0.5} CuO ₂ . <i>Physical Review B</i> , 1997 , 55, R8638-R8641	3.3	25
12	Optical phonons in the orthorhombic double-chain Sr _{1-x} CaxCuO ₂ ($x=0, 0.5$). <i>Physical Review B</i> , 1997 , 55, 9136-9141	3.3	10
11	Raman- and infrared-active phonons in hexagonal YMnO ₃ : Experiment and lattice-dynamical calculations. <i>Physical Review B</i> , 1997 , 56, 2488-2494	3.3	166
10	Optical phonons probe of the SrLaAlO ₄ crystal structure. <i>Journal of Alloys and Compounds</i> , 1997 , 251, 7-10	5.7	25
9	Raman spectroscopy and lattice-dynamics calculations of mixed layered copper-titanium oxides. <i>Physica C: Superconductivity and Its Applications</i> , 1997 , 274, 141-148	1.3	2
8	Temperature dependence of Raman active modes in CuGeO ₃ . <i>Solid State Communications</i> , 1997 , 102, 599-604	1.6	1
7	Phonons in CuGeO ₃ studied using polarized far-infrared and Raman-scattering spectroscopies. <i>Physical Review B</i> , 1995 , 52, 4185-4190	3.3	43
6	Raman-active phonons in La ₄ BaCu ₅ O ₁₃ : polarized Raman spectroscopy and lattice dynamical calculations. <i>Journal of Physics Condensed Matter</i> , 1995 , 7, 4967-4973	1.8	1
5	Shell model parameters for layered copper oxides. <i>Journal of Physics Condensed Matter</i> , 1995 , 7, 1625-1638	3.3	36
4	Raman- and infrared-active phonons in YBaCuFeO ₅ : Experiment and lattice dynamics. <i>Physical Review B</i> , 1993 , 47, 15201-15207	3.3	48
3	Phonons in Ca _{2-x} SrxCuO ₃ ($x=0, 0.2$ and 0.4): Raman and infrared spectroscopy, and lattice dynamics calculation. <i>Journal of Physics Condensed Matter</i> , 1992 , 4, 8543-8550	1.8	12
2	Phonon spectra of the Nd _{1.85} Ce _{0.15} CuO ₄ superconductor. <i>Physica C: Superconductivity and Its Applications</i> , 1990 , 172, 260-264	1.3	6
1	Investigations of the new high temperature superconductor BiSrCaCu ₂ O _x . <i>Physica C: Superconductivity and Its Applications</i> , 1988 , 153-155, 627-628	1.3	4