

# Hamid Dehghani

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9152407/hamid-dehghani-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199  
papers

6,909  
citations

45  
h-index

79  
g-index

284  
ext. papers

8,195  
ext. citations

4  
avg, IF

5.6  
L-index

#	Paper	IF	Citations
199	Deep-learning based image reconstruction for MRI-guided near-infrared spectral tomography.. <i>Optica</i> , <b>2022</b> , 9, 264-267	8.6	3
198	Model-Based Optimization of Laser Excitation and Detection Improves Spectral Contrast in Non-Invasive Diffuse Raman Spectroscopy.. <i>Applied Spectroscopy</i> , <b>2022</b> , 37028211072900	3.1	0
197	Quantitative Bioluminescence Tomography for In Vivo Volumetric-Guided Radiotherapy. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2393, 701-731	1.4	1
196	Imaging Cerebral Blood Flow for Brain Health Measurement <b>2022</b> , 126-135		0
195	Numerical investigation of the influence of the source and detector position for optical measurement of lung volume and oxygen content in preterm infants.. <i>Journal of Biophotonics</i> , <b>2022</b> , e202200041	3.1	0
194	Investigation of effect of modulation frequency on high-density diffuse optical tomography image quality. <i>Neurophotonics</i> , <b>2021</b> , 8, 045002	3.9	1
193	Signal regression in frequency-domain diffuse optical tomography to remove superficial signal contamination. <i>Neurophotonics</i> , <b>2021</b> , 8, 015013	3.9	2
192	The LUCA device: a multi-modal platform combining diffuse optics and ultrasound imaging for thyroid cancer screening. <i>Biomedical Optics Express</i> , <b>2021</b> , 12, 3392-3409	3.5	1
191	Quantitative evaluation of frequency domain measurements in high density diffuse optical tomography. <i>Journal of Biomedical Optics</i> , <b>2021</b> , 26,	3.5	4
190	Recipes for diffuse correlation spectroscopy instrument design using commonly utilized hardware based on targets for signal-to-noise ratio and precision. <i>Biomedical Optics Express</i> , <b>2021</b> , 12, 3265-3281	3.5	5
189	A Pixel-Dependent Finite Element Model for Spatial Frequency Domain Imaging Using NIRFAST. <i>Photonics</i> , <b>2021</b> , 8, 310	2.2	
188	Quantitative Bioluminescence Tomography-Guided Conformal Irradiation for Preclinical Radiation Research. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2021</b> , 111, 1310-1321	4	1
187	Applications of compressive sensing in spatial frequency domain imaging. <i>Journal of Biomedical Optics</i> , <b>2020</b> , 25,	3.5	1
186	The Valsalva maneuver: an indispensable physiological tool to differentiate intra versus extracranial near-infrared signal. <i>Biomedical Optics Express</i> , <b>2020</b> , 11, 1712-1724	3.5	2
185	Simultaneous diffuse optical and bioluminescence tomography to account for signal attenuation to improve source localization. <i>Biomedical Optics Express</i> , <b>2020</b> , 11, 6428-6444	3.5	1
184	Compressive Sensing Based Spatial Frequency Domain Imaging Reconstruction <b>2020</b> ,		1
183	Machine learning utilising spectral derivative data improves cellular health classification through hyperspectral infra-red spectroscopy. <i>PLoS ONE</i> , <b>2020</b> , 15, e0238647	3.7	4

182	Functional near infrared spectroscopy using spatially resolved data to account for tissue scattering: A numerical study and arm-cuff experiment. <i>Journal of Biophotonics</i> , <b>2019</b> , 12, e201900064	3.1	4
181	Cerebral Oxygenation in Traumatic Brain Injury: Can a Non-Invasive Frequency Domain Near-Infrared Spectroscopy Device Detect Changes in Brain Tissue Oxygen Tension as Well as the Established Invasive Monitor?. <i>Journal of Neurotrauma</i> , <b>2019</b> , 36, 1175-1183	5.4	16
180	Hyper-spectral Recovery of Cerebral and Extra-Cerebral Tissue Properties Using Continuous Wave Near-Infrared Spectroscopic Data. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 2836	2.6	3
179	Detecting inflammation in rheumatoid arthritis using Fourier transform analysis of dorsal optical transmission images from a pilot study. <i>Journal of Biomedical Optics</i> , <b>2019</b> , 24, 1-12	3.5	4
178	High-density functional diffuse optical tomography based on frequency-domain measurements improves image quality and spatial resolution. <i>Neurophotonics</i> , <b>2019</b> , 6, 035007	3.9	28
177	Deep neural networks improve diagnostic accuracy of rheumatoid arthritis using diffuse optical tomography <b>2019</b> ,		2
176	A broadband multi-distance approach to measure tissue oxygen saturation with continuous wave near-infrared spectroscopy <b>2019</b> ,		1
175	Self-calibrating time-resolved near infrared spectroscopy. <i>Biomedical Optics Express</i> , <b>2019</b> , 10, 2657-2669.5	3.5	6
174	Single pixel hyperspectral bioluminescence tomography based on compressive sensing. <i>Biomedical Optics Express</i> , <b>2019</b> , 10, 5549-5564	3.5	7
173	Information rich phase content of frequency domain functional Near Infrared Spectroscopy <b>2019</b> ,		1
172	Auto-Regressive Discrete Acquisition Points Transformation for Diffusion Weighted MRI Data. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2019</b> , 66, 2617-2628	5	3
171	Maps of in vivo oxygen pressure with submillimetre resolution and nanomolar sensitivity enabled by Cherenkov-excited luminescence scanned imaging. <i>Nature Biomedical Engineering</i> , <b>2018</b> , 2, 254-264	19	38
170	Rapid measurement of intravoxel incoherent motion (IVIM) derived perfusion fraction for clinical magnetic resonance imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2018</b> , 31, 269-283	2.8	18
169	Time-resolved near infrared light propagation using frequency domain superposition. <i>Biomedical Optics Express</i> , <b>2018</b> , 9, 41-54	3.5	8
168	Incorporation of an ultrasound and model guided permissible region improves quantitative source recovery in bioluminescence tomography. <i>Biomedical Optics Express</i> , <b>2018</b> , 9, 1360-1374	3.5	3
167	Multispectral, non-contact diffuse optical tomography of healthy human finger joints. <i>Biomedical Optics Express</i> , <b>2018</b> , 9, 1445-1460	3.5	11
166	Ultrasound-mediation of self-illuminating reporters improves imaging resolution in optically scattering media. <i>Biomedical Optics Express</i> , <b>2018</b> , 9, 1664-1679	3.5	3
165	Shining a Light on Awareness: A Review of Functional Near-Infrared Spectroscopy for Prolonged Disorders of Consciousness. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 350	4.1	23

164	Broadband (550-1350 nm) diffuse optical characterization of thyroid chromophores. <i>Scientific Reports</i> , <b>2018</b> , 8, 10015	4.9	12
163	Iridium Nanoparticles for Multichannel Luminescence Lifetime Imaging, Mapping Localization in Live Cancer Cells. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 10242-10249	16.4	29
162	Quantitative bioluminescence tomography using spectral derivative data. <i>Biomedical Optics Express</i> , <b>2018</b> , 9, 4163-4174	3.5	11
161	Lightweight sCMOS-based high-density diffuse optical tomography. <i>Neurophotonics</i> , <b>2018</b> , 5, 035006	3.9	7
160	Diffusion-weighted MRI and intravoxel incoherent motion model for diagnosis of pediatric solid abdominal tumors. <i>Journal of Magnetic Resonance Imaging</i> , <b>2018</b> , 47, 1475-1486	5.6	14
159	Ultrasound modulation of bioluminescence generated inside a turbid medium <b>2017</b> ,		1
158	Towards real-time functional human brain imaging with diffuse optical tomography <b>2017</b> ,		1
157	Imaging and analysis of individual cavitation microbubbles around dental ultrasonic scalers. <i>Ultrasonics</i> , <b>2017</b> , 81, 66-72	3.5	16
156	Frequency-domain vs continuous-wave near-infrared spectroscopy devices: a comparison of clinically viable monitors in controlled hypoxia. <i>Journal of Clinical Monitoring and Computing</i> , <b>2017</b> , 31, 967-974	2	18
155	Influence of macromolecule baseline on H MR spectroscopic imaging reproducibility. <i>Magnetic Resonance in Medicine</i> , <b>2017</b> , 77, 34-43	4.4	14
154	Evaluation of intravoxel incoherent motion fitting methods in low-perfused tissue. <i>Journal of Magnetic Resonance Imaging</i> , <b>2017</b> , 45, 1325-1334	5.6	41
153	Toward real-time diffuse optical tomography: accelerating light propagation modeling employing parallel computing on GPU and CPU. <i>Journal of Biomedical Optics</i> , <b>2017</b> , 22, 1-11	3.5	13
152	Multispectral diffuse optical tomography of finger joints <b>2017</b> ,		1
151	High Speed Imaging of Cavitation around Dental Ultrasonic Scaler Tips. <i>PLoS ONE</i> , <b>2016</b> , 11, e0149804	3.7	22
150	Introduction to the BIOMED 2016 feature issue. <i>Biomedical Optics Express</i> , <b>2016</b> , 7, 4415	3.5	
149	Development of a multi-wavelength diffuse optical tomography system for early diagnosis of rheumatoid arthritis: simulation, phantoms and healthy human studies. <i>Biomedical Optics Express</i> , <b>2016</b> , 7, 4769-4786	3.5	14
148	Improving the quantitative accuracy of cerebral oxygen saturation in monitoring the injured brain using atlas based Near Infrared Spectroscopy models. <i>Journal of Biophotonics</i> , <b>2016</b> , 9, 812-26	3.1	3
147	Time resolved diffuse optical spectroscopy with geometrically accurate models for bulk parameter recovery. <i>Biomedical Optics Express</i> , <b>2016</b> , 7, 3784-3794	3.5	11

146	Image-based Registration for a Neurosurgical Robot: Comparison Using Iterative Closest Point and Coherent Point Drift Algorithms. <i>Procedia Computer Science</i> , <b>2016</b> , 90, 28-34	1.6	3
145	Validation of a dose warping algorithm using clinically realistic scenarios. <i>British Journal of Radiology</i> , <b>2015</b> , 88, 20140691	3.4	8
144	Real-time Cherenkov emission portal imaging during CyberKnife® radiotherapy. <i>Physics in Medicine and Biology</i> , <b>2015</b> , 60, N419-25	3.8	11
143	Accounting for filter bandwidth improves the quantitative accuracy of bioluminescence tomography. <i>Journal of Biomedical Optics</i> , <b>2015</b> , 20, 096001	3.5	4
142	Evaluation of rigid registration methods for whole head imaging in diffuse optical tomography. <i>Neurophotonics</i> , <b>2015</b> , 2, 035002	3.9	7
141	Fast and efficient image reconstruction for high density diffuse optical imaging of the human brain. <i>Biomedical Optics Express</i> , <b>2015</b> , 6, 4567-84	3.5	19
140	Near-Infrared Spectroscopy in the Monitoring of Adult Traumatic Brain Injury: A Review. <i>Journal of Neurotrauma</i> , <b>2015</b> , 32, 933-41	5.4	90
139	Monitoring the Injured Brain [Registered, patient specific atlas models to improve accuracy of recovered brain saturation values <b>2015</b> ,		1
138	Mapping distributed brain function and networks with diffuse optical tomography. <i>Nature Photonics</i> , <b>2014</b> , 8, 448-454	33.9	308
137	CT contrast predicts pancreatic cancer treatment response to verteporfin-based photodynamic therapy. <i>Physics in Medicine and Biology</i> , <b>2014</b> , 59, 1911-21	3.8	15
136	Model-resolution-based basis pursuit deconvolution improves diffuse optical tomographic imaging. <i>IEEE Transactions on Medical Imaging</i> , <b>2014</b> , 33, 891-901	11.7	26
135	An automated system using spatial oversampling for optical mapping in murine atria. Development and validation with monophasic and transmembrane action potentials. <i>Progress in Biophysics and Molecular Biology</i> , <b>2014</b> , 115, 340-8	4.7	17
134	Quantitative evaluation of atlas-based high-density diffuse optical tomography for imaging of the human visual cortex. <i>Biomedical Optics Express</i> , <b>2014</b> , 5, 3882-900	3.5	25
133	Quantitative surface radiance mapping using multiview images of light-emitting turbid media. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2013</b> , 30, 2572-84	1.8	11
132	Simultaneous multiple view high resolution surface geometry acquisition using structured light and mirrors. <i>Optics Express</i> , <b>2013</b> , 21, 7222-39	3.3	12
131	Fast segmentation and high-quality three-dimensional volume mesh creation from medical images for diffuse optical tomography. <i>Journal of Biomedical Optics</i> , <b>2013</b> , 18, 86007	3.5	111
130	Multi-modal molecular diffuse optical tomography system for small animal imaging. <i>Measurement Science and Technology</i> , <b>2013</b> , 24, 105405	2	19
129	Photodynamic therapy light dose analysis of a patient based upon arterial and venous contrast CT scan information <b>2013</b> ,		1

128	Bioluminescence tomography improves quantitative accuracy for pre-clinical imaging <b>2013,</b>		1
127	Compressive sensing based reconstruction in bioluminescence tomography improves image resolution and robustness to noise. <i>Biomedical Optics Express</i> , <b>2012</b> , 3, 2131-41	3.5	20
126	A quantitative spatial comparison of high-density diffuse optical tomography and fMRI cortical mapping. <i>NeuroImage</i> , <b>2012</b> , 61, 1120-8	7.9	140
125	Image quality analysis of high-density diffuse optical tomography incorporating a subject-specific head model. <i>Frontiers in Neuroenergetics</i> , <b>2012</b> , 4, 6		42
124	Multiple-gate time domain diffuse fluorescence tomography allows more sparse tissue sampling without compromising image quality. <i>Optics Letters</i> , <b>2012</b> , 37, 2559-61	3	13
123	Singular value decomposition based regularization prior to spectral mixing improves crosstalk in dynamic imaging using spectral diffuse optical tomography. <i>Biomedical Optics Express</i> , <b>2012</b> , 3, 2036-49	3.5	6
122	Computed tomography-guided time-domain diffuse fluorescence tomography in small animals for localization of cancer biomarkers. <i>Journal of Visualized Experiments</i> , <b>2012</b> , e4050	1.6	12
121	A User-Enabling Visual Workflow for Near-Infrared Light Transport Modeling in Tissue <b>2012,</b>		2
120	Multi-View, Multi-Spectral Bioluminescence Tomography <b>2012,</b>		1
119	Imaging workflow and calibration for CT-guided time-domain fluorescence tomography. <i>Biomedical Optics Express</i> , <b>2011</b> , 2, 3021-36	3.5	16
118	Development of a multi-view multi-spectral bioluminescence tomography small animal imaging system <b>2011,</b>		2
117	The utility of direct-current as compared to frequency domain measurements in spectrally-constrained diffuse optical tomography toward cancer imaging. <i>Technology in Cancer Research and Treatment</i> , <b>2011</b> , 10, 403-16	2.7	2
116	Implicit and explicit prior information in near-infrared spectral imaging: accuracy, quantification and diagnostic value. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , <b>2011</b> , 369, 4531-57	3	31
115	Development and evaluation of a time-resolved near-infrared fluorescence finite element model <b>2011,</b>		1
114	Application of spectral derivative data in spectral near infrared tomography <b>2011,</b>		1
113	Application of spectral derivative data in visible and near-infrared spectroscopy. <i>Physics in Medicine and Biology</i> , <b>2010</b> , 55, 3381-99	3.8	17
112	Direct-current-based image reconstruction versus direct-current included or excluded frequency-domain reconstruction in diffuse optical tomography. <i>Applied Optics</i> , <b>2010</b> , 49, 3059-70	0.2	8
111	In vivo bioluminescence tomography with a blocking-off finite-difference SP3 method and MRI/CT coregistration. <i>Medical Physics</i> , <b>2010</b> , 37, 329-38	4.4	60

110	Helmholtz-Type Regularization Method for Permittivity Reconstruction Using Experimental Phantom Data of Electrical Capacitance Tomography. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2010</b> , 59, 78-83	5.2	21
109	The pain and gain of DC-based diffuse optical tomography reconstruction New insights into an old-like problem <b>2010</b> ,		1
108	Application of Subject Specific Models for Mapping Brain Function with Diffuse Optical Tomography <b>2010</b> ,		2
107	Spectral distortion in diffuse molecular luminescence tomography in turbid media. <i>Journal of Applied Physics</i> , <b>2009</b> , 105, 102024	2.5	8
106	Numerical modelling and image reconstruction in diffuse optical tomography. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , <b>2009</b> , 367, 3073-93	3	118
105	Imaging of glioma tumor with endogenous fluorescence tomography. <i>Journal of Biomedical Optics</i> , <b>2009</b> , 14, 030501	3.5	28
104	Diffuse optical imaging. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , <b>2009</b> , 367, 3055-72	3	103
103	Modeling the steady-state deformation of the solid phase of articular cartilage. <i>Biomaterials</i> , <b>2009</b> , 30, 6394-401	15.6	9
102	Light transport in biological tissue using three-dimensional frequency-domain simplified spherical harmonics equations. <i>Physics in Medicine and Biology</i> , <b>2009</b> , 54, 2493-509	3.8	56
101	A microcomputed tomography guided fluorescence tomography system for small animal molecular imaging. <i>Review of Scientific Instruments</i> , <b>2009</b> , 80, 043701	1.7	67
100	Early-photon fluorescence tomography: spatial resolution improvements and noise stability considerations. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2009</b> , 26, 1444-57	1.8	46
99	Automatic exposure control and estimation of effective system noise in diffuse fluorescence tomography. <i>Optics Express</i> , <b>2009</b> , 17, 23272-83	3.3	5
98	Image reconstruction in diffuse optical tomography based on simplified spherical harmonics approximation. <i>Optics Express</i> , <b>2009</b> , 17, 24208-23	3.3	20
97	Depth sensitivity and image reconstruction analysis of dense imaging arrays for mapping brain function with diffuse optical tomography. <i>Applied Optics</i> , <b>2009</b> , 48, D137-43	0.2	95
96	Tissue drug concentration determines whether fluorescence or absorption measurements are more sensitive in diffuse optical tomography of exogenous contrast agents. <i>Applied Optics</i> , <b>2009</b> , 48, D262-72	0.2	8
95	Imaging protoporphyrin IX fluorescence with a time-domain FMT/microCT system <b>2009</b> ,		3
94	Near infrared optical tomography using NIRFAST: Algorithm for numerical model and image reconstruction. <i>Communications in Numerical Methods in Engineering</i> , <b>2008</b> , 25, 711-732		396
93	Fluorescence tomography characterization for sub-surface imaging with protoporphyrin IX. <i>Optics Express</i> , <b>2008</b> , 16, 8581-93	3.3	33

92	Trans-rectal ultrasound-coupled near-infrared optical tomography of the prostate, part I: simulation. <i>Optics Express</i> , <b>2008</b> , 16, 17484-504	3.3	33
91	Wavelength dependence of sensitivity in spectral diffuse optical imaging: effect of normalization on image reconstruction. <i>Optics Express</i> , <b>2008</b> , 16, 17780-91	3.3	9
90	Wavelength band optimization in spectral near-infrared optical tomography improves accuracy while reducing data acquisition and computational burden. <i>Journal of Biomedical Optics</i> , <b>2008</b> , 13, 054037-5	3.5	29
89	Spectrally resolved bioluminescence tomography using the reciprocity approach. <i>Medical Physics</i> , <b>2008</b> , 35, 4863-71	4.4	52
88	Magnetic resonance-coupled fluorescence tomography scanner for molecular imaging of tissue. <i>Review of Scientific Instruments</i> , <b>2008</b> , 79, 064302	1.7	116
87	MRI-coupled spectrally resolved fluorescence tomography for in vivo imaging <b>2008</b> ,		1
86	Implementation of a computationally efficient least-squares algorithm for highly under-determined three-dimensional diffuse optical tomography problems. <i>Medical Physics</i> , <b>2008</b> , 35, 1682-97	4.4	16
85	Phase-Encoded Retinotopic Mapping in Humans with DOT <b>2008</b> ,		1
84	3D MR guided NIRS: Optimization of Computation and Breast Interface for In vivo Imaging <b>2008</b> ,		2
83	Source and detector fiber optimization for depth sensitivity in endoscopic near infrared tomography <b>2008</b> ,		1
82	Numerical modelling errors in electrical impedance tomography. <i>Physiological Measurement</i> , <b>2007</b> , 28, S45-55	2.9	9
81	Retinotopic mapping of adult human visual cortex with high-density diffuse optical tomography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 12169-74	11.5	263
80	Receiver operating characteristic and location analysis of simulated near-infrared tomography images. <i>Journal of Biomedical Optics</i> , <b>2007</b> , 12, 054013	3.5	4
79	Interstitial fluid pressure due to externally applied force in breast tissue <b>2007</b> , 6431, 190		
78	Challenges in sub-surface fluorescence diffuse optical imaging <b>2007</b> ,		4
77	Three dimensional near infrared tomography of the breast <b>2007</b> ,		1
76	Modeling and image reconstruction in spectrally resolved bioluminescence tomography <b>2007</b> ,		1
75	Near-infrared optical tomography: endoscopic imaging approach <b>2007</b> ,		3



74	Computational aspects of endoscopic (trans-rectal) near-infrared optical tomography: initial investigations <b>2007</b> ,		3
73	Cramer-Rao estimation of error limits for diffuse optical tomography with spatial prior information <b>2007</b> ,		1
72	Comparing two regularization techniques for diffuse optical tomography <b>2007</b> ,		2
71	Image-guided optical spectroscopy provides molecular-specific information in vivo: MRI-guided spectroscopy of breast cancer hemoglobin, water, and scatterer size. <i>Optics Letters</i> , <b>2007</b> , 32, 933-5	3	112
70	Image-guided diffuse optical fluorescence tomography implemented with Laplacian-type regularization. <i>Optics Express</i> , <b>2007</b> , 15, 4066-82	3-3	165
69	Structural information within regularization matrices improves near infrared diffuse optical tomography. <i>Optics Express</i> , <b>2007</b> , 15, 8043-58	3-3	144
68	An efficient Jacobian reduction method for diffuse optical image reconstruction. <i>Optics Express</i> , <b>2007</b> , 15, 15908-19	3-3	15
67	Subsurface diffuse optical tomography can localize absorber and fluorescent objects but recovered image sensitivity is nonlinear with depth. <i>Applied Optics</i> , <b>2007</b> , 46, 1669-78	1-7	65
66	Weight-matrix structured regularization provides optimal generalized least-squares estimate in diffuse optical tomography. <i>Medical Physics</i> , <b>2007</b> , 34, 2085-98	4-4	110
65	Imaging breast adipose and fibroglandular tissue molecular signatures by using hybrid MRI-guided near-infrared spectral tomography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 8828-33	11-5	186
64	Image analysis methods for diffuse optical tomography. <i>Journal of Biomedical Optics</i> , <b>2006</b> , 11, 33001	3-5	68
63	Image reconstruction of effective Mie scattering parameters of breast tissue in vivo with near-infrared tomography. <i>Journal of Biomedical Optics</i> , <b>2006</b> , 11, 041106	3-5	28
62	Sub-surface fluorescence imaging of Protoporphyrin IX with B-Scan mode tomography <b>2006</b> ,		2
61	Diffuse Optical Tomography for Mapping Human Brain Function <b>2006</b> ,		3
60	Finite element implementation of Maxwell's equations for image reconstruction in electrical impedance tomography. <i>IEEE Transactions on Medical Imaging</i> , <b>2006</b> , 25, 55-61	11-7	31
59	In vivo hemoglobin and water concentrations, oxygen saturation, and scattering estimates from near-infrared breast tomography using spectral reconstruction. <i>Academic Radiology</i> , <b>2006</b> , 13, 195-202	4-3	54
58	Spectrally resolved bioluminescence optical tomography. <i>Optics Letters</i> , <b>2006</b> , 31, 365-7	3	139
57	Endoscopic, rapid near-infrared optical tomography. <i>Optics Letters</i> , <b>2006</b> , 31, 2876-8	3	42

56	Near-Infrared Optical Tomography in Endoscopy-Geometry. <i>Optics and Photonics News</i> , <b>2006</b> , 17, 31	1.9	
55	Data subset algorithm for computationally efficient reconstruction of 3-D spectral imaging in diffuse optical tomography. <i>Optics Express</i> , <b>2006</b> , 14, 5394-410	3.3	9
54	Critical computational aspects of near infrared circular tomographic imaging: Analysis of measurement number, mesh resolution and reconstruction basis. <i>Optics Express</i> , <b>2006</b> , 14, 6113-27	3.3	37
53	Incorporation of MR Structural Information in Diffuse Optical Tomography using Helmholtz Type Regularization <b>2006</b> ,		1
52	Electrical Impedance Spectroscopy: Theory <b>2005</b> , 85-105		2
51	Spectrally constrained chromophore and scattering near-infrared tomography provides quantitative and robust reconstruction. <i>Applied Optics</i> , <b>2005</b> , 44, 1858-69	1.7	79
50	Effects of refractive index on near-infrared tomography of the breast. <i>Applied Optics</i> , <b>2005</b> , 44, 1870-8	1.7	13
49	Magnetic-resonance-imaging-coupled broadband near-infrared tomography system for small animal brain studies. <i>Applied Optics</i> , <b>2005</b> , 44, 2177-88	1.7	34
48	Spectral priors improve near-infrared diffuse tomography more than spatial priors. <i>Optics Letters</i> , <b>2005</b> , 30, 1968-70	3	58
47	Video-rate near-infrared optical tomography using spectrally encoded parallel light delivery. <i>Optics Letters</i> , <b>2005</b> , 30, 2593-5	3	15
46	Spectral derivative based image reconstruction provides inherent insensitivity to coupling and geometric errors. <i>Optics Letters</i> , <b>2005</b> , 30, 2912-4	3	13
45	Combining near-infrared tomography and magnetic resonance imaging to study in vivo breast tissue: implementation of a Laplacian-type regularization to incorporate magnetic resonance structure. <i>Journal of Biomedical Optics</i> , <b>2005</b> , 10, 051504	3.5	111
44	Quantifying adipose and fibroglandular breast tissue properties using MRI-guided NIR tomography <b>2005</b> , 5693, 255		1
43	Near Infrared Spectroscopic Imaging: Translation to Clinic <b>2005</b> , 201-226		
42	Near-infrared characterization of breast tumors in vivo using spectrally-constrained reconstruction. <i>Technology in Cancer Research and Treatment</i> , <b>2005</b> , 4, 513-26	2.7	96
41	Near Infrared Spectroscopic Imaging: Theory <b>2005</b> , 183-199		0
40	Instrumentation for video-rate near-infrared diffuse optical tomography. <i>Review of Scientific Instruments</i> , <b>2005</b> , 76, 124301	1.7	11
39	Excitation patterns in three-dimensional electrical impedance tomography. <i>Physiological Measurement</i> , <b>2005</b> , 26, S185-97	2.9	23

38	Contrast-detail analysis characterizing diffuse optical fluorescence tomography image reconstruction. <i>Journal of Biomedical Optics</i> , <b>2005</b> , 10, 050501	3.5	34
37	Po-Poster - 33: A finite element model for bioluminescence imaging in small animals. <i>Medical Physics</i> , <b>2005</b> , 32, 2416-2416	4.4	
36	Optical tomography system based on second-differential spectroscopy for small animal brain study <b>2004</b> , WD6		
35	Breast Deformation in Near Infrared Optical Tomography <b>2004</b> , ThB4		
34	Magnetic resonance-guided near-infrared tomography of the breast. <i>Review of Scientific Instruments</i> , <b>2004</b> , 75, 5262-5270	1.7	72
33	Characterization of hemoglobin, water, and NIR scattering in breast tissue: analysis of intersubject variability and menstrual cycle changes. <i>Journal of Biomedical Optics</i> , <b>2004</b> , 9, 541-52	3.5	165
32	Improved quantification of small objects in near-infrared diffuse optical tomography. <i>Journal of Biomedical Optics</i> , <b>2004</b> , 9, 1161-71	3.5	32
31	Breast deformation modelling for image reconstruction in near infrared optical tomography. <i>Physics in Medicine and Biology</i> , <b>2004</b> , 49, 1131-45	3.8	27
30	Automated region detection based on the contrast-to-noise ratio in near-infrared tomography. <i>Applied Optics</i> , <b>2004</b> , 43, 1053-62	1.7	144
29	Absorption and scattering imaging of tissue with steady-state second-differential spectral-analysis tomography. <i>Optics Letters</i> , <b>2004</b> , 29, 2043-5	3	6
28	Near-infrared scattering spectrum differences between benign and malignant breast tumors measured in vivo with diffuse tomography <b>2004</b> ,		3
27	Interpreting hemoglobin and water concentration, oxygen saturation, and scattering measured in vivo by near-infrared breast tomography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 12349-54	11.5	215
26	The effects of internal refractive index variation in near-infrared optical tomography: a finite element modelling approach. <i>Physics in Medicine and Biology</i> , <b>2003</b> , 48, 2713-27	3.8	62
25	Optical images from pathophysiological signals within breast tissue using three-dimensional near-infrared light <b>2003</b> , 4955, 191		1
24	Feasibility of NIR tomographic reconstruction with multispectral continuous wave data by mapping into frequency domain data <b>2003</b> ,		2
23	Validation of hemoglobin and water molar absorption spectra in near-infrared diffuse optical tomography <b>2003</b> ,		5
22	Near-infrared (NIR) tomography breast image reconstruction with a priori structural information from MRI: algorithm development for reconstructing heterogeneities. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2003</b> , 9, 199-209	3.8	106
21	A novel data calibration scheme for electrical impedance tomography. <i>Physiological Measurement</i> , <b>2003</b> , 24, 421-35	2.9	24

20	Electrical impedance tomography of human brain function using reconstruction algorithms based on the finite element method. <i>NeuroImage</i> , <b>2003</b> , 20, 752-64	7.9	126
19	Multiwavelength three-dimensional near-infrared tomography of the breast: initial simulation, phantom, and clinical results. <i>Applied Optics</i> , <b>2003</b> , 42, 135-45	1.7	193
18	Optical tomography of a realistic neonatal head phantom. <i>Applied Optics</i> , <b>2003</b> , 42, 3109-16	1.7	36
17	Three-dimensional optical tomography: resolution in small-object imaging. <i>Applied Optics</i> , <b>2003</b> , 42, 3117-28	1.7	125
16	Near-infrared imaging in the small animal brain: optimization of fiber positions. <i>Journal of Biomedical Optics</i> , <b>2003</b> , 8, 102-10	3.5	69
15	Radiosity diffusion model in 3D <b>2001</b> ,		3
14	Differential imaging in heterogeneous media: limitations of linearization assumptions in optical tomography <b>2001</b> ,		4
13	Three-dimensional time-resolved optical tomography of a conical breast phantom. <i>Applied Optics</i> , <b>2001</b> , 40, 3278-87	1.7	102
12	Time resolved optical tomography of the human forearm. <i>Physics in Medicine and Biology</i> , <b>2001</b> , 46, 1117-30	3.30	117
11	A method for three-dimensional time-resolved optical tomography. <i>International Journal of Imaging Systems and Technology</i> , <b>2000</b> , 11, 2-11	2.5	67
10	Near-infrared spectroscopy of the adult head: effect of scattering and absorbing obstructions in the cerebrospinal fluid layer on light distribution in the tissue. <i>Applied Optics</i> , <b>2000</b> , 39, 4721-9	1.7	30
9	Calibration techniques and datatype extraction for time-resolved optical tomography. <i>Review of Scientific Instruments</i> , <b>2000</b> , 71, 3415-3427	1.7	61
8	Optical tomography in the presence of void regions. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2000</b> , 17, 1659-70	1.8	70
7	Boundary conditions for light propagation in diffusive media with nonscattering regions. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2000</b> , 17, 1671-81	1.8	44
6	3D optical tomography in the presence of void regions. <i>Optics Express</i> , <b>2000</b> , 7, 462-7	3.3	49
5	Multiple-slice imaging of a tissue-equivalent phantom by use of time-resolved optical tomography. <i>Applied Optics</i> , <b>2000</b> , 39, 3380-7	1.7	32
4	The finite element model for the propagation of light in scattering media: a direct method for domains with nonscattering regions. <i>Medical Physics</i> , <b>2000</b> , 27, 252-64	4.4	110
3	A method for three-dimensional time-resolved optical tomography <b>2000</b> , 11, 2		4

2	Incorporating a priori anatomical information into image reconstruction in electrical impedance tomography. <i>Physiological Measurement</i> , <b>1999</b> , 20, 87-102	2.9	24
1	COMPUTER MODELLING IN ELECTRICAL IMPEDANCE TOMOGRAPHY. <i>Nondestructive Testing and Evaluation</i> , <b>1998</b> , 14, 163-172	2	2