

Yoichi Hiasa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9152548/yoichi-hiasa-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

390
papers

9,098
citations

42
h-index

82
g-index

428
ext. papers

10,752
ext. citations

4.5
avg, IF

5.46
L-index

#	Paper	IF	Citations
390	Genome-wide association of IL28B with response to pegylated interferon-alpha and ribavirin therapy for chronic hepatitis C. <i>Nature Genetics</i> , 2009 , 41, 1105-9	36.3	1926
389	Dietary habits and nutrient intake in non-alcoholic steatohepatitis. <i>Nutrition</i> , 2007 , 23, 46-52	4.8	185
388	Viral RNA mutations are region specific and increased by ribavirin in a full-length hepatitis C virus replication system. <i>Journal of Virology</i> , 2002 , 76, 8505-17	6.6	168
387	Hepatitis C virus expression suppresses interferon signaling by degrading STAT1. <i>Gastroenterology</i> , 2005 , 128, 1034-41	13.3	129
386	Association between Wisteria floribunda agglutinin-positive Mac-2 binding protein and the fibrosis stage of non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2015 , 50, 776-84	6.9	117
385	Liver fibrosis in patients with chronic hepatitis C: noninvasive diagnosis by means of real-time tissue elastography--establishment of the method for measurement. <i>Radiology</i> , 2011 , 258, 610-7	20.5	117
384	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean. <i>PLoS ONE</i> , 2012 , 7, e39175	3.7	117
383	Etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , 2010 , 45, 86-94	6.9	113
382	FGF3/FGF4 amplification and multiple lung metastases in responders to sorafenib in hepatocellular carcinoma. <i>Hepatology</i> , 2013 , 57, 1407-15	11.2	106
381	Anti-HBs-positive liver failure due to hepatitis B virus reactivation induced by rituximab. <i>Internal Medicine</i> , 2006 , 45, 721-4	1.1	102
380	Prognostic factor of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions-Multicenter analysis. <i>Cancer Medicine</i> , 2019 , 8, 3719-3728	4.8	97
379	Distribution of hepatitis B virus genotypes among patients with chronic infection in Japan shifting toward an increase of genotype A. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 1476-83	9.7	97
378	Albumin-Bilirubin (ALBI) Grade as Part of the Evidence-Based Clinical Practice Guideline for HCC of the Japan Society of Hepatology: A Comparison with the Liver Damage and Child-Pugh Classifications. <i>Liver Cancer</i> , 2017 , 6, 204-215	9.1	96
377	Efficacy of branched-chain amino acid supplementation and walking exercise for preventing sarcopenia in patients with liver cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 1416-1423	2.2	88
376	Validation of Modified ALBI Grade for More Detailed Assessment of Hepatic Function in Hepatocellular Carcinoma Patients: A Multicenter Analysis. <i>Liver Cancer</i> , 2019 , 8, 121-129	9.1	88
375	Phase I/II study of immunotherapy using tumor antigen-pulsed dendritic cells in patients with hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2012 , 41, 1601-9	4.4	88
374	Clinical features of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions: Multicenter analysis. <i>Cancer Medicine</i> , 2019 , 8, 137-146	4.8	87

373	Real-time tissue elastography for evaluation of hepatic fibrosis and portal hypertension in nonalcoholic fatty liver diseases. <i>Hepatology</i> , 2012 , 56, 1271-8	11.2	83
372	Hepatic Function during Repeated TACE Procedures and Prognosis after Introducing Sorafenib in Patients with Unresectable Hepatocellular Carcinoma: Multicenter Analysis. <i>Digestive Diseases</i> , 2017 , 35, 602-610	3.2	81
371	Percutaneous ultrasound-guided radiofrequency ablation of hepatocellular carcinoma with artificially induced pleural effusion and ascites. <i>Journal of Gastroenterology</i> , 2007 , 42, 306-11	6.9	79
370	Genome-Wide Association Study Identifies TLL1 Variant Associated With Development of Hepatocellular Carcinoma After Eradication of Hepatitis C Virus Infection. <i>Gastroenterology</i> , 2017 , 152, 1383-1394	13.3	76
369	Genome-wide association study identified ITPA/DDRKG1 variants reflecting thrombocytopenia in pegylated interferon and ribavirin therapy for chronic hepatitis C. <i>Human Molecular Genetics</i> , 2011 , 20, 3507-16	5.6	75
368	Muscle atrophy as pre-sarcopenia in Japanese patients with chronic liver disease: computed tomography is useful for evaluation. <i>Journal of Gastroenterology</i> , 2015 , 50, 1206-13	6.9	74
367	Hepatitis C virus acts as a tumor accelerator by blocking apoptosis in a mouse model of hepatocarcinogenesis. <i>Hepatology</i> , 2005 , 41, 660-7	11.2	72
366	In vivo immunization by vaccine therapy following virus suppression by lamivudine: a novel approach for treating patients with chronic hepatitis B. <i>Journal of Clinical Virology</i> , 2005 , 32, 156-61	14.5	70
365	Detection of hepatitis C virus (HCV) in serum and peripheral-blood mononuclear cells from HCV-monoinfected and HIV/HCV-coinfected persons. <i>Journal of Infectious Diseases</i> , 2005 , 192, 258-65	7	70
364	Splenic elasticity measured with real-time tissue elastography is a marker of portal hypertension. <i>Radiology</i> , 2011 , 261, 960-8	20.5	69
363	Clinicopathologic features of the severe form of acute type 1 autoimmune hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 255-8	6.9	67
362	Therapeutic potential of lenvatinib for unresectable hepatocellular carcinoma in clinical practice: Multicenter analysis. <i>Hepatology Research</i> , 2019 , 49, 111-117	5.1	66
361	Persistent expression of the full genome of hepatitis C virus in B cells induces spontaneous development of B-cell lymphomas in vivo. <i>Blood</i> , 2010 , 116, 4926-33	2.2	58
360	Significance of laparoscopic splenectomy in patients with hypersplenism. <i>World Journal of Surgery</i> , 2007 , 31, 549-55	3.3	57
359	Muscle volume loss as a prognostic marker in hepatocellular carcinoma patients treated with sorafenib. <i>Hepatology Research</i> , 2017 , 47, 558-565	5.1	56
358	Early biochemical response to ursodeoxycholic acid predicts symptom development in patients with asymptomatic primary biliary cirrhosis. <i>Journal of Gastroenterology</i> , 2009 , 44, 630-4	6.9	52
357	Low stimulatory capacity of lymphoid dendritic cells expressing hepatitis C virus genes. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 249, 90-5	3.4	52
356	Body mass index is the most useful predictive factor for the onset of nonalcoholic fatty liver disease: a community-based retrospective longitudinal cohort study. <i>Journal of Gastroenterology</i> , 2013 , 48, 413-22	6.9	49

355	Important Clinical Factors in Sequential Therapy Including Lenvatinib against Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019 , 97, 277-285	3.6	44
354	Prevalence of hepatitis E virus among wild boar in the Ehime area of western Japan. <i>Hepatology Research</i> , 2007 , 37, 214-20	5.1	44
353	Treatment of chronic hepatitis B naïve patients with a therapeutic vaccine containing HBs and HBc antigens (a randomized, open and treatment controlled phase III clinical trial). <i>PLoS ONE</i> , 2018 , 13, e0201236	3.7	44
352	Association of IL28B variants with response to pegylated-interferon alpha plus ribavirin combination therapy reveals intersubgenotypic differences between genotypes 2a and 2b. <i>Journal of Medical Virology</i> , 2011 , 83, 871-8	19.7	43
351	Radiofrequency ablation therapy for hepatocellular carcinoma in elderly patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 403-7	4	43
350	Recent clinical features of Wilson's disease with hepatic presentation. <i>Journal of Gastroenterology</i> , 2004 , 39, 1165-9	6.9	43
349	Clinical characteristics of autoimmune hepatitis with histological features of acute hepatitis. <i>Hepatology Research</i> , 2001 , 21, 213-219	5.1	43
348	Wilms' tumour 1 gene expression is increased in hepatocellular carcinoma and associated with poor prognosis. <i>European Journal of Cancer</i> , 2008 , 44, 600-8	7.5	41
347	Strong and multi-antigen specific immunity by hepatitis B core antigen (HBcAg)-based vaccines in a murine model of chronic hepatitis B: HBcAg is a candidate for a therapeutic vaccine against hepatitis B virus. <i>Antiviral Research</i> , 2012 , 96, 59-64	10.8	40
346	Characteristic endoscopic features of portal hypertensive enteropathy. <i>Journal of Gastroenterology</i> , 2008 , 43, 327-31	6.9	40
345	Sarcopenia and two types of presarcopenia in Japanese patients with chronic liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 940-7	2.2	40
344	Metabolic markers and ALT cutoff level for diagnosing nonalcoholic fatty liver disease: a community-based cross-sectional study. <i>Journal of Gastroenterology</i> , 2012 , 47, 696-703	6.9	39
343	Compartmentalization of hepatitis C virus (HCV) during HCV/HIV coinfection. <i>Journal of Infectious Diseases</i> , 2007 , 195, 1765-73	7	39
342	Association between subclinical hypothyroidism and diabetic nephropathy in patients with type 2 diabetes mellitus. <i>Endocrine Journal</i> , 2014 , 61, 1011-8	2.9	38
341	Novel quantitative assessment system of liver steatosis using a newly developed attenuation measurement method. <i>Hepatology Research</i> , 2018 , 48, 821-828	5.1	37
340	Biochemical response to ursodeoxycholic acid predicts long-term outcome in Japanese patients with primary biliary cirrhosis. <i>Hepatology Research</i> , 2011 , 41, 310-7	5.1	37
339	Lymphotoxin β receptor signaling promotes development of autoimmune pancreatitis. <i>Gastroenterology</i> , 2012 , 143, 1361-1374	13.3	36
338	B cell-activating factor controls the production of adipokines and induces insulin resistance. <i>Obesity</i> , 2011 , 19, 1915-22	8	36

337	Amino acid imbalance in patients with chronic liver diseases. <i>Hepatology Research</i> , 2010 , 40, 393-8	5.1	35
336	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations. <i>BMC Medical Genetics</i> , 2012 , 13, 47	2.1	34
335	Usefulness of contrast-enhanced ultrasonography with abdominal virtual ultrasonography in assessing therapeutic response in hepatocellular carcinoma treated with radiofrequency ablation. <i>Liver International</i> , 2006 , 26, 1241-7	7.9	34
334	Possible role of cytotoxic T cells in acute liver injury in hepatitis C virus cDNA transgenic mice mediated by Cre/loxP system. <i>Journal of Medical Virology</i> , 2000 , 62, 308-17	19.7	34
333	Colonic intussusception caused by anisakiasis: a case report and review of the literature. <i>Internal Medicine</i> , 2013 , 52, 223-6	1.1	33
332	Protein kinase R is increased and is functional in hepatitis C virus-related hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2528-34	0.7	33
331	Interleukin-34 as a fibroblast-derived marker of liver fibrosis in patients with non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2016 , 6, 28814	4.9	32
330	Impaired dendritic cell function resulting from chronic undernutrition disrupts the antigen-specific immune response in mice. <i>Journal of Nutrition</i> , 2007 , 137, 671-5	4.1	32
329	Diabetes mellitus reduces the therapeutic effectiveness of interferon-alpha2b plus ribavirin therapy in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2007 , 37, 331-6	5.1	32
328	Proposed New Sub-Grouping for Intermediate-Stage Hepatocellular Carcinoma Using Albumin-Bilirubin Grade. <i>Oncology</i> , 2016 , 91, 153-61	3.6	32
327	Predictors of hepatocellular carcinoma occurrence after direct-acting antiviral therapy in patients with hepatitis C virus infection. <i>Hepatology Research</i> , 2019 , 49, 136-146	5.1	32
326	Regulatory dendritic cells pulsed with carbonic anhydrase I protect mice from colitis induced by CD4+CD25- T cells. <i>Journal of Immunology</i> , 2012 , 188, 2164-72	5.3	31
325	Quantitative assessment of liver fibrosis reveals a nonlinear association with fibrosis stage in nonalcoholic fatty liver disease. <i>Hepatology Communications</i> , 2018 , 2, 58-68	6	30
324	Biliary atresia and survival into adulthood without transplantation: a collaborative multicentre clinic review. <i>Liver International</i> , 2012 , 32, 510-8	7.9	30
323	Diabetes pattern on the 75 g oral glucose tolerance test is a risk factor for hepatocellular carcinoma in patients with hepatitis C virus. <i>Liver International</i> , 2009 , 29, 1194-201	7.9	30
322	Impaired dendritic cell functions disrupt antigen-specific adaptive immune responses in mice with nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2010 , 45, 859-67	6.9	30
321	Understanding of HLA-conferred susceptibility to chronic hepatitis B infection requires HLA genotyping-based association analysis. <i>Scientific Reports</i> , 2016 , 6, 24767	4.9	29
320	Clinical translation in the treatment of hepatocellular carcinoma following the introduction of contrast-enhanced ultrasonography with Sonazoid. <i>Oncology Letters</i> , 2010 , 1, 57-61	2.6	29

319	Occupational liver injury due to N,N-dimethylformamide in the synthetics industry. <i>Internal Medicine</i> , 2009 , 48, 1647-50	1.1	29
318	Three cases of liver abscesses complicated with colon cancer without liver metastasis: importance of screening for digestive disease. <i>Internal Medicine</i> , 2007 , 46, 2013-7	1.1	29
317	Circulating AIM as an indicator of liver damage and hepatocellular carcinoma in humans. <i>PLoS ONE</i> , 2014 , 9, e109123	3.7	29
316	Transition in the etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , 2020 , 55, 353-362	6.9	29
315	Roles of protein kinase R in cancer: Potential as a therapeutic target. <i>Cancer Science</i> , 2018 , 109, 919-925	6.9	28
314	New susceptibility and resistance HLA-DP alleles to HBV-related diseases identified by a trans-ethnic association study in Asia. <i>PLoS ONE</i> , 2014 , 9, e86449	3.7	28
313	Protein kinase R modulates c-Fos and c-Jun signaling to promote proliferation of hepatocellular carcinoma with hepatitis C virus infection. <i>PLoS ONE</i> , 2013 , 8, e67750	3.7	28
312	Immune modulator and antiviral potential of dendritic cells pulsed with both hepatitis B surface antigen and core antigen for treating chronic HBV infection. <i>Antiviral Therapy</i> , 2010 , 15, 887-95	1.6	28
311	Tracing the history of hepatitis B virus genotype D in western Japan. <i>Journal of Medical Virology</i> , 2006 , 78, 44-52	19.7	28
310	B cell-activating factor is associated with the histological severity of nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2013 , 7, 539-47	8.8	27
309	Aerobic exercise improves insulin resistance and decreases body fat and serum levels of leptin in patients with hepatitis C virus. <i>Hepatology Research</i> , 2011 , 41, 928-35	5.1	27
308	Long-term branched-chain amino acid supplementation improves glucose tolerance in patients with nonalcoholic steatohepatitis-related cirrhosis. <i>Internal Medicine</i> , 2012 , 51, 2151-5	1.1	27
307	Budd-Chiari syndrome associated with hypereosinophilic syndrome; a case report. <i>Internal Medicine</i> , 2007 , 46, 1095-100	1.1	27
306	Post-Progression Treatment Eligibility of Unresectable Hepatocellular Carcinoma Patients Treated with Lenvatinib. <i>Liver Cancer</i> , 2020 , 9, 73-83	9.1	27
305	Analysis of 307 cases with drug-induced liver injury between 2010 and 2018 in Japan. <i>Hepatology Research</i> , 2019 , 49, 105-110	5.1	27
304	Impact of albumin-bilirubin grade on survival in patients with hepatocellular carcinoma who received sorafenib: An analysis using time-dependent receiver operating characteristic. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1066-1073	4	27
303	Evidence-based clinical practice guidelines for Liver Cirrhosis 2020. <i>Journal of Gastroenterology</i> , 2021 , 56, 593-619	6.9	27
302	Early Relative Change in Hepatic Function with Lenvatinib for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019 , 97, 334-340	3.6	26

301	Characteristics of small bowel tumors detected by double balloon endoscopy. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 2366-71	4	26
300	Hepatic elasticity in patients with ascites: evaluation with real-time tissue elastography. <i>American Journal of Roentgenology</i> , 2011 , 196, W766-71	5.4	26
299	Safety and efficacy of lenvatinib in elderly patients with unresectable hepatocellular carcinoma: A multicenter analysis with propensity score matching. <i>Hepatology Research</i> , 2020 , 50, 75-83	5.1	26
298	Role of hepatic resection in patients with intermediate-stage hepatocellular carcinoma: A multicenter study from Japan. <i>Cancer Science</i> , 2017 , 108, 1414-1420	6.9	25
297	Neutrophil-to-lymphocyte ratio is associated with survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2020 , 40, 968-976	7.9	25
296	Ipragliflozin Ameliorates Liver Damage in Non-alcoholic Fatty Liver Disease. <i>Open Medicine (Poland)</i> , 2018 , 13, 402-409	2.2	25
295	Diminished immune response to vaccinations in obesity: role of myeloid-derived suppressor and other myeloid cells. <i>Obesity Research and Clinical Practice</i> , 2015 , 9, 35-44	5.4	24
294	Efficacy of chemotherapy in elderly patients with unresectable pancreatic cancer: a multicenter review of 895 patients. <i>BMC Gastroenterology</i> , 2017 , 17, 66	3	24
293	Clinical significance of B cell-activating factor in autoimmune pancreatitis. <i>Pancreas</i> , 2011 , 40, 840-5	2.6	24
292	Short sleep duration reduces the risk of nonalcoholic fatty liver disease onset in men: a community-based longitudinal cohort study. <i>Journal of Gastroenterology</i> , 2015 , 50, 583-9	6.9	23
291	Transcatheter Arterial Chemoembolization With or Without Radiofrequency Ablation: Outcomes in Patients With Barcelona Clinic Liver Cancer Stage B Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2018 , 210, 891-898	5.4	23
290	Increased B cell-activating factor promotes tumor invasion and metastasis in human pancreatic cancer. <i>PLoS ONE</i> , 2013 , 8, e71367	3.7	23
289	Clinical characteristics of autoimmune hepatitis in older aged patients. <i>Hepatology Research</i> , 2006 , 36, 139-42	5.1	23
288	Diagnosis of Fibrosis and Activity by a Combined Use of Strain and Shear Wave Imaging in Patients with Liver Disease. <i>Digestive Diseases</i> , 2017 , 35, 515-520	3.2	22
287	Improvement of long-term outcomes in pancreatic cancer and its associated factors within the gemcitabine era: a collaborative retrospective multicenter clinical review of 1,082 patients. <i>BMC Gastroenterology</i> , 2013 , 13, 134	3	22
286	Tumor Markers AFP, AFP-L3, and DCP in Hepatocellular Carcinoma Refractory to Transcatheter Arterial Chemoembolization. <i>Oncology</i> , 2015 , 89, 167-74	3.6	22
285	Efficacy of laparoscopic radiofrequency ablation for hepatocellular carcinoma compared to percutaneous radiofrequency ablation with artificial ascites. <i>Digestive Endoscopy</i> , 2009 , 21, 82-6	3.7	22
284	Liver/spleen volume ratio as a predictor of prognosis in primary biliary cirrhosis. <i>Journal of Gastroenterology</i> , 2008 , 43, 632-6	6.9	22

283	Gianotti-Crosti syndrome caused by acute hepatitis B virus genotype D infection. <i>Internal Medicine</i> , 2004 , 43, 696-9	1.1	22
282	Blockade of B-cell-activating factor signaling enhances hepatic steatosis induced by a high-fat diet and improves insulin sensitivity. <i>Laboratory Investigation</i> , 2013 , 93, 311-21	5.9	21
281	Huge pancreatic acinar cell carcinoma with high levels of AFP and fucosylated AFP (AFP-L3). <i>Internal Medicine</i> , 2012 , 51, 1341-9	1.1	21
280	Toll-like receptor 3 signaling induces chronic pancreatitis through the Fas/Fas ligand-mediated cytotoxicity. <i>Tohoku Journal of Experimental Medicine</i> , 2009 , 217, 175-84	2.4	21
279	Using ALBI score at the start of sorafenib treatment to predict regorafenib treatment candidates in patients with hepatocellular carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 42-47	2.8	21
278	Incidence for progression of hypervascular HCC in hypovascular hepatic nodules showing hyperintensity on gadoxetic acid-enhanced hepatobiliary phase in patients with chronic liver diseases. <i>Japanese Journal of Radiology</i> , 2014 , 32, 405-13	2.9	20
277	Prognosis and therapy for ruptured hepatocellular carcinoma: problems with staging and treatment strategy. <i>European Journal of Radiology</i> , 2015 , 84, 366-371	4.7	20
276	T helper 17 cells in autoimmune liver diseases. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 607073		20
275	Mass reduction by radiofrequency ablation before hepatic arterial infusion chemotherapy improved prognosis for patients with huge hepatocellular carcinoma and portal vein thrombus. <i>American Journal of Roentgenology</i> , 2010 , 194, W221-6	5.4	20
274	Accumulation of refractory factors for pegylated interferon plus ribavirin therapy in older female patients with chronic hepatitis C. <i>Hepatology Research</i> , 2010 , 40, 1155-67	5.1	20
273	Induction of anti-HBs in HB vaccine nonresponders in vivo by hepatitis B surface antigen-pulsed blood dendritic cells. <i>Journal of Hepatology</i> , 2007 , 47, 60-6	13.4	20
272	Cigarette smoking is a risk factor for the onset of fatty liver disease in nondrinkers: A longitudinal cohort study. <i>PLoS ONE</i> , 2018 , 13, e0195147	3.7	20
271	A relationship between motilin and growth hormone secretagogue receptors. <i>Regulatory Peptides</i> , 2012 , 176, 28-35		19
270	Nonalcoholic fatty liver disease: portal hypertension due to outflow block in patients without cirrhosis. <i>Radiology</i> , 2015 , 274, 597-604	20.5	19
269	Clinical features of symptomatic primary biliary cirrhosis initially complicated with esophageal varices. <i>Journal of Gastroenterology</i> , 2006 , 41, 1220-6	6.9	19
268	Easy surveillance of muscle volume decline in chronic liver disease patients using finger-circle (yubi-wakka) test. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 347-354	10.3	19
267	Inhibition of hepatocellular carcinoma by PegIFN α in patients with chronic hepatitis C: a nationwide multicenter cooperative study. <i>Journal of Gastroenterology</i> , 2013 , 48, 382-90	6.9	18
266	Non-alcoholic fatty liver disease: factors associated with its presence and onset. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28 Suppl 4, 71-8	4	18

265	CCR5 promoter polymorphism influences the interferon response of patients with chronic hepatitis C in Japan. <i>Intervirology</i> , 2004 , 47, 114-20	2.5	18
264	Administration of dendritic cells in cancer nodules in hepatocellular carcinoma. <i>Oncology Reports</i> , 2005 , 14, 969-73	3.5	18
263	Recessive inheritance of population-specific intronic LINE-1 insertion causes a rotor syndrome phenotype. <i>Human Mutation</i> , 2015 , 36, 327-32	4.7	17
262	Validation of Newly Proposed Time to Transarterial Chemoembolization Progression in Intermediate-Stage Hepatocellular Carcinoma Cases. <i>Oncology</i> , 2017 , 93 Suppl 1, 120-126	3.6	17
261	Ribavirin regulates hepatitis C virus replication through enhancing interferon-stimulated genes and interleukin 8. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1121-30	7	17
260	Obesity and gastrointestinal liver disorders in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28 Suppl 4, 48-53	4	17
259	Ulcerative colitis complicated with primary biliary cirrhosis. <i>Internal Medicine</i> , 2011 , 50, 2323-7	1.1	16
258	ZNF689 suppresses apoptosis of hepatocellular carcinoma cells through the down-regulation of Bcl-2 family members. <i>Experimental Cell Research</i> , 2011 , 317, 1851-9	4.2	16
257	Ultrasonography screening for hepatocellular carcinoma in Japanese patients with diabetes mellitus. <i>Journal of Diabetes</i> , 2016 , 8, 640-6	3.8	16
256	Significance of exercise in nonalcoholic fatty liver disease in men: a community-based large cross-sectional study. <i>Journal of Gastroenterology</i> , 2015 , 50, 230-7	6.9	15
255	Hyperuricemia is a risk factor for the onset of impaired fasting glucose in men with a high plasma glucose level: a community-based study. <i>PLoS ONE</i> , 2014 , 9, e107882	3.7	15
254	Epithelial cyst arising in an intrapancreatic accessory spleen: a diagnostic dilemma. <i>Internal Medicine</i> , 2011 , 50, 1947-52	1.1	15
253	Fucosylated fraction of alpha-fetoprotein as a predictor of prognosis in patients with hepatocellular carcinoma after curative treatment. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2095-101	4	15
252	Protective role of interleukin-10-producing regulatory dendritic cells against murine autoimmune gastritis. <i>Journal of Gastroenterology</i> , 2008 , 43, 100-7	6.9	15
251	New diagnostic technique to evaluate hepatic steatosis using the attenuation coefficient on ultrasound B mode. <i>PLoS ONE</i> , 2019 , 14, e0221548	3.7	14
250	A better method for assessment of hepatic function in hepatocellular carcinoma patients treated with radiofrequency ablation: Usefulness of albumin-bilirubin grade. <i>Hepatology Research</i> , 2018 , 48, E61-E67	5.1	14
249	Signet-ring cell carcinoma of the gallbladder complicated by pulmonary tumor thrombotic microangiopathy. <i>Internal Medicine</i> , 2014 , 53, 1125-9	1.1	14
248	Importance of screening for synchronous malignant neoplasms in patients with hepatocellular carcinoma: impact of FDG PET/CT. <i>Liver International</i> , 2013 , 33, 1085-91	7.9	14

247	Hepatitis C virus expression and interferon antiviral action is dependent on PKR expression. <i>Journal of Medical Virology</i> , 2007 , 79, 1120-7	19.7	14
246	Dendritic cell subtypes in autoimmune liver diseases; decreased expression of HLA DR and CD123 on type 2 dendritic cells. <i>Hepatology Research</i> , 2002 , 22, 241-249	5.1	14
245	Evidence-based clinical practice guidelines for liver cirrhosis 2020. <i>Hepatology Research</i> , 2021 , 51, 725-749	4.1	14
244	Lenvatinib versus sorafenib in first-line treatment of unresectable hepatocellular carcinoma: An inverse probability of treatment weighting analysis. <i>Liver International</i> , 2021 , 41, 1389-1397	7.9	14
243	Impact of muscle volume and muscle function decline in patients undergoing surgical resection for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1271-1276	4	14
242	Pancreatic congestion in liver cirrhosis correlates with impaired insulin secretion. <i>Journal of Gastroenterology</i> , 2015 , 50, 683-93	6.9	13
241	Muscle volume loss a prognostic factor for death in liver cirrhosis patients and special relationship to portal hypertension. <i>Hepatology Research</i> , 2018 , 48, E354-E359	5.1	13
240	F-FDG-PET/CT predicts the distribution of microsatellite lesions in hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 798-804	1.6	13
239	Local recurrence of hepatocellular carcinoma in the tumor blood drainage area following radiofrequency ablation. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 182-186	1.6	13
238	Neuropsychiatric dysfunction in patients with chronic hepatitis and liver cirrhosis. <i>Hepatology Research</i> , 2008 , 38, 1069-75	5.1	13
237	Identification of CTL epitopes in hepatitis C virus by a genome-wide computational scanning and a rational design of peptide vaccine. <i>Immunogenetics</i> , 2007 , 59, 197-209	3.2	13
236	Characterization of Liver Monocytic Myeloid-Derived Suppressor Cells and Their Role in a Murine Model of Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016 , 11, e0149948	3.7	13
235	Prognosis following transcatheter arterial embolization for 121 patients with unresectable hepatocellular carcinoma with or without a history of treatment. <i>World Journal of Gastroenterology</i> , 2006 , 12, 2075-9	5.6	13
234	Recurrence of autoimmune hepatitis after liver transplantation without elevation of alanine aminotransferase. <i>World Journal of Gastroenterology</i> , 2007 , 13, 1618-21	5.6	13
233	Depletion of B cell-activating factor attenuates hepatic fat accumulation in a murine model of nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2019 , 9, 977	4.9	12
232	Lenvatinib-induced thyroid abnormalities in unresectable hepatocellular carcinoma. <i>Endocrine Journal</i> , 2019 , 66, 787-792	2.9	12
231	The effectiveness of dapagliflozin for sleep-disordered breathing among Japanese patients with obesity and type 2 diabetes mellitus. <i>Endocrine Journal</i> , 2018 , 65, 953-961	2.9	12
230	The ligand binding ability of dopamine D1 receptors synthesized using a wheat germ cell-free protein synthesis system with liposomes. <i>European Journal of Pharmacology</i> , 2014 , 745, 117-22	5.3	12

229	Clinical characteristics of patients who developed hepatocellular carcinoma after hepatitis C virus eradication with interferon therapy: current status in Japan. <i>Internal Medicine</i> , 2013 , 52, 2701-6	1.1	12
228	Treatment of hepatocellular carcinoma using arterial chemoembolization with degradable starch microspheres and continuous arterial infusion of 5-fluorouracil. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 596-603	2.8	12
227	Engineering immune therapy against hepatitis B virus. <i>Hepatology Research</i> , 2007 , 37 Suppl 3, S351-6	5.1	12
226	Major histocompatibility complex class-I presentation impaired in transgenic mice expressing hepatitis C virus structural proteins during dendritic cell maturation. <i>Journal of Medical Virology</i> , 2004 , 74, 253-61	19.7	12
225	The quantification of cytochrome P-450 (CYP 3A4) mRNA in the blood of patients with viral liver diseases. <i>Clinical Biochemistry</i> , 2005 , 38, 531-4	3.5	12
224	Can L-carnitine supplementation and exercise improve muscle complications in patients with liver cirrhosis who receive branched-chain amino acid supplementation?. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 878-884	2.2	12
223	Modified technique for determining therapeutic response to radiofrequency ablation therapy for hepatocellular carcinoma using US-volume system. <i>Oncology Reports</i> , 2010 , 23, 493-7	3.5	12
222	Effects of long-term entecavir treatment on the incidence of hepatocellular carcinoma in chronic hepatitis B patients. <i>Hepatology International</i> , 2016 , 10, 320-7	8.8	11
221	Upregulated absorption of dietary palmitic acids with changes in intestinal transporters in non-alcoholic steatohepatitis (NASH). <i>Journal of Gastroenterology</i> , 2017 , 52, 940-954	6.9	11
220	Stimulated hepatic stellate cell promotes progression of hepatocellular carcinoma due to protein kinase R activation. <i>PLoS ONE</i> , 2019 , 14, e0212589	3.7	11
219	Nutritional Index as Prognostic Indicator in Patients Receiving Lenvatinib Treatment for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2020 , 98, 295-302	3.6	11
218	Free testosterone concentration is inversely associated with markers of liver fibrosis in men with type 2 diabetes mellitus. <i>Endocrine Journal</i> , 2017 , 64, 1137-1142	2.9	11
217	Factors predictive of sustained virological response following 72 weeks of combination therapy for genotype 1b hepatitis C. <i>Journal of Gastroenterology</i> , 2011 , 46, 545-55	6.9	11
216	Contrast-enhanced sonography with abdominal virtual sonography in monitoring radiofrequency ablation of hepatocellular carcinoma. <i>Journal of Clinical Ultrasound</i> , 2010 , 38, 138-44	1	11
215	Evaluation of contrast-enhanced ultrasonography using perfluorobutane (Sonazoid(®)) in patients with small hepatocellular carcinoma: comparison with dynamic computed tomography. <i>Oncology Letters</i> , 2010 , 1, 485-488	2.6	11
214	Efficacy of splenectomy for hypersplenic patients with advanced hepatocellular carcinoma. <i>Hepatology Research</i> , 2008 , 38, 1172-7	5.1	11
213	Cell-based models of sustained, interferon-sensitive hepatitis C virus genotype 1 replication. <i>Journal of Virological Methods</i> , 2006 , 132, 195-203	2.6	11
212	A case of acute hepatitis E developed in a housewife who had cooked and eaten wild boar meat a month before. <i>Acta Hepatologica Japonica</i> , 2006 , 47, 459-464	0.3	11

211	B cell activating factor in obesity is regulated by oxidative stress in adipocytes. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013 , 52, 120-7	3.1	11
210	Early pancreatic volume reduction on CT predicts relapse in patients with type 1 autoimmune pancreatitis treated with steroids. <i>Orphanet Journal of Rare Diseases</i> , 2016 , 11, 103	4.2	11
209	Serum lipoprotein(a) levels and diabetic nephropathy among Japanese patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 923-7	3.2	11
208	Comparison between real-time tissue elastography and vibration-controlled transient elastography for the assessment of liver fibrosis and disease progression in patients with primary biliary cholangitis. <i>Hepatology Research</i> , 2017 , 47, 1252-1259	5.1	10
207	Advanced fibrosis of non-alcoholic steatohepatitis affects the significance of lipoprotein(a) as a cardiovascular risk factor. <i>Atherosclerosis</i> , 2020 , 299, 32-37	3.1	10
206	Nocturia and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 786-90	3.9	10
205	Low alcohol consumption increases the risk of impaired glucose tolerance in patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2016 , 51, 1090-1100	6.9	10
204	Multipolar versus monopolar radiofrequency ablation for hepatocellular carcinoma in the caudate lobe: Results of a propensity score analysis. <i>Hepatology Research</i> , 2017 , 47, 658-667	5.1	10
203	Oral administration of carbonic anhydrase I ameliorates murine experimental colitis induced by Foxp3-CD4+CD25- T cells. <i>Journal of Leukocyte Biology</i> , 2013 , 93, 963-72	6.5	10
202	Regulatory natural killer cells in murine liver and their immunosuppressive capacity. <i>Liver International</i> , 2010 , 30, 906-12	7.9	10
201	Infection as a Risk Factor in the Pathogenesis of Primary Biliary Cirrhosis: Pros and Cons. <i>Disease Markers</i> , 2010 , 29, 313-321	3.2	10
200	Variability of the polymerase gene (NS5B) in hepatitis C virus-infected women. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 4256-9	9.7	10
199	Treatment of hepatitis B virus-infected patients: utility of therapeutic recommendations in developing countries. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1605-14	4	10
198	A familial case of autoimmune hepatitis. <i>Internal Medicine</i> , 2009 , 48, 315-9	1.1	10
197	Clinical importance of muscle volume in lenvatinib treatment for hepatocellular carcinoma: Analysis adjusted with inverse probability weighting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1812-1819	4	10
196	Sofosbuvir plus velpatasvir treatment for hepatitis C virus in patients with decompensated cirrhosis: a Japanese real-world multicenter study. <i>Journal of Gastroenterology</i> , 2021 , 56, 67-77	6.9	10
195	Physical activity and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 193-198	3.9	9
194	Hypophosphatemia in patients with hepatitis B virus infection undergoing long-term adefovir dipivoxil therapy. <i>Hepatology Research</i> , 2014 , 44, 1081-7	5.1	9

193	Maximum standardized uptake value in F-fluoro-2-deoxyglucose positron emission tomography is associated with advanced tumor factors in esophageal cancer. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 313-321	1.6	9
192	Des-gamma-carboxy prothrombin identified by P-11 and P-16 antibodies reflects prognosis for patients with hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 671-7	4	9
191	Hepatitis C virus replication is inhibited by 22beta-methoxyolean-12-ene-3beta, 24(4beta)-diol (ME3738) through enhancing interferon-beta. <i>Hepatology</i> , 2008 , 48, 59-69	11.2	9
190	Hyperthyroidism Improves the Pathological Condition of Nonalcoholic Steatohepatitis: A Case of Nonalcoholic Steatohepatitis with Graves' Disease. <i>Internal Medicine</i> , 2016 , 55, 2019-23	1.1	9
189	Quantitative imaging of fibrotic and morphological changes in liver of non-alcoholic steatohepatitis (NASH) model mice by second harmonic generation (SHG) and auto-fluorescence (AF) imaging using two-photon excitation microscopy (TPEM). <i>Biochemistry and Biophysics Reports</i> , 2016 , 8, 277-283	2.2	9
188	Destructive Thyroiditis Induced by Lenvatinib in Three Patients with Hepatocellular Carcinoma. <i>Internal Medicine</i> , 2019 , 58, 791-795	1.1	9
187	Role of severe thrombocytopenia in preventing platelet count recovery in thrombocytopenic patients with chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 299-304	4	9
186	Genome-wide association study identifies a PSMD3 variant associated with neutropenia in interferon-based therapy for chronic hepatitis C. <i>Human Genetics</i> , 2015 , 134, 279-89	6.3	8
185	Alcohol consumption and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: Baseline data from the Dogo Study. <i>Alcohol</i> , 2016 , 55, 17-22	2.7	8
184	Wilms' tumor 1 gene modulates Fas-related death signals and anti-apoptotic functions in hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2013 , 48, 1069-80	6.9	8
183	Utility of Contrast-Enhanced Transabdominal Ultrasonography to Diagnose Early Chronic Pancreatitis. <i>BioMed Research International</i> , 2015 , 2015, 393124	3	8
182	Hepatocellular carcinoma in a case of Wilson's disease treated with radiofrequency ablation therapy. <i>Internal Medicine</i> , 2011 , 50, 1433-7	1.1	8
181	Usefulness of the hyperechoic rim for assessing the therapeutic efficacy of radiofrequency ablation in hepatocellular carcinoma patients. <i>Hepatology Research</i> , 2009 , 39, 954-62	5.1	8
180	Characteristics of geographic distributions and route of infection for hepatitis B virus genotype D in Ehime area in western Japan. <i>Hepatology Research</i> , 2007 , 37, 255-62	5.1	8
179	Morphometric analysis of lymphatic vessels in primary biliary cirrhosis. <i>Hepatology Research</i> , 2002 , 24, 107	5.1	8
178	Zinc deficiency as an independent prognostic factor for patients with early hepatocellular carcinoma due to hepatitis virus. <i>Hepatology Research</i> , 2020 , 50, 92-100	5.1	8
177	Prospective cohort trial to confirm the efficacy of no-touch radio frequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 567-574	4	8
176	Influence of anticoagulants on the risk of delayed bleeding after gastric endoscopic submucosal dissection: a multicenter retrospective study. <i>Gastric Cancer</i> , 2021 , 24, 179-189	7.6	8

175	Therapeutic effects of the PKR inhibitor C16 suppressing tumor proliferation and angiogenesis in hepatocellular carcinoma in vitro and in vivo. <i>Scientific Reports</i> , 2020 , 10, 5133	4.9	7
174	Relative changes in handgrip strength and skeletal muscle volume in patients with chronic liver disease over a 2-year observation period. <i>Hepatology Research</i> , 2018 , 48, 502-508	5.1	7
173	Virtual puncture line in radiofrequency ablation for hepatocellular carcinoma of the caudate lobe. <i>American Journal of Roentgenology</i> , 2009 , 193, W149-51	5.4	7
172	Mutational analysis of predicted intracellular loop domains of human motilin receptor. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, G460-6	5.1	7
171	Downregulation of ANP32B exerts anti-apoptotic effects in hepatocellular carcinoma. <i>PLoS ONE</i> , 2017 , 12, e0177343	3.7	7
170	Sustained Antiviral and Liver Protection by a Nasal Therapeutic Vaccine (NASVAC, Containing Both HBsAg and HBcAg) in Patients with Chronic Hepatitis B: 2-Year Follow-Up of Phase III Clinical Trial. <i>Pathogens</i> , 2021 , 10,	4.5	7
169	SARC-F combined with a simple tool for assessment of muscle abnormalities in outpatients with chronic liver disease. <i>Hepatology Research</i> , 2020 , 50, 502-511	5.1	7
168	Atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma: Early clinical experience. <i>Cancer Reports</i> , 2021 , e1464	1.5	7
167	Prediction of risk of falls based on handgrip strength in chronic liver disease patients living independently. <i>Hepatology Research</i> , 2019 , 49, 823-829	5.1	7
166	The transition in the etiologies of hepatocellular carcinoma-complicated liver cirrhosis in a nationwide survey of Japan. <i>Journal of Gastroenterology</i> , 2021 , 56, 158-167	6.9	7
165	Therapeutic efficacy of ramucirumab after lenvatinib for post-progression treatment of unresectable hepatocellular carcinoma. <i>Gastroenterology Report</i> , 2021 , 9, 133-138	3.3	7
164	Predictors of treatment efficacy and ALT non-normalization with sofosbuvir/ribavirin therapy for patients with hepatitis C virus genotype 2. <i>Journal of Medical Virology</i> , 2017 , 89, 1567-1573	19.7	6
163	Combination of Resection and Ablative Treatment for Hepatocellular Carcinoma: Usefulness of Complementary Radiofrequency Ablation. <i>Oncology</i> , 2019 , 96, 242-251	3.6	6
162	Sex difference in the development of hepatocellular carcinoma after direct-acting antiviral therapy in patients with HCV infection. <i>Journal of Medical Virology</i> , 2020 , 92, 3507	19.7	6
161	Antiemetic Effectiveness and Cost-Saving of Aprepitant plus Granisetron Is Superior to Palonosetron in Gastrointestinal Cancer Patients Who Received Moderately Emetogenic Chemotherapy. <i>Journal of Cancer</i> , 2017 , 8, 1371-1377	4.5	6
160	Clinical features of adult patients with acute hepatitis B virus infection progressing to chronic infection. <i>International Journal of Hepatology</i> , 2014 , 2014, 358206	2.7	6
159	Interleukin-18 induces insulin resistance in the hyperthyroid state. <i>Endocrine Journal</i> , 2013 , 60, 449-455	2.9	6
158	Abdominal imaging findings of a patient with hepatocellular carcinoma associated with glycogen storage disease type 1a. <i>Internal Medicine</i> , 2011 , 50, 2317-22	1.1	6

157	Mutational analysis of predicted extracellular domains of human growth hormone secretagogue receptor 1a. <i>Regulatory Peptides</i> , 2011 , 166, 28-35		6
156	Complete response of a patient with advanced primary splenic histiocytic sarcoma by treatment with chemotherapeutic drugs selected using the collagen gel droplet-embedded culture drug sensitivity test. <i>Internal Medicine</i> , 2012 , 51, 2893-7	1.1	6
155	Alcoholic hypertriglyceridemia with decreased activity of lipoprotein lipase and hepatic triglyceride lipase. <i>Internal Medicine</i> , 1993 , 32, 490-3	1.1	6
154	Implications of Birth-Dose Vaccination against Hepatitis B Virus in Southeast Asia. <i>Vaccines</i> , 2021 , 9,	5.3	6
153	Carbonic Anhydrase I Epitope Peptide Improves Inflammation in a Murine Model of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1835-46	4.5	6
152	The Serum Creatinine Level Might Be Associated with the Onset of Impaired Fasting Glucose: A Community-based Longitudinal Cohort Health Checkup Study. <i>Internal Medicine</i> , 2019 , 58, 505-510	1.1	6
151	Direct-acting antivirals improve survival and recurrence rates after treatment of hepatocellular carcinoma within the Milan criteria. <i>Journal of Gastroenterology</i> , 2021 , 56, 90-100	6.9	6
150	Clinical utility of multipolar ablation with a 3-D simulator system for patients with liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1852-1858	4	5
149	Nocturia and Prevalence of Depressive Symptoms in Japanese Adult Patients With Type 2 Diabetes Mellitus: The Dogo Study. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 51-55	2.1	5
148	Dietary intake habits and the prevalence of nocturia in Japanese patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 279-285	3.9	5
147	Eating Behaviours and Prevalence of Gastroesophageal Reflux Disease in Japanese Adult Patients With Type 2 Diabetes Mellitus: The Dogo Study. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 308-312	2.1	5
146	Designing immune therapy for chronic hepatitis B. <i>Journal of Clinical and Experimental Hepatology</i> , 2014 , 4, 241-6	4.1	5
145	Obesity and the prevalence of nocturia in Japanese elderly patients with type 2 diabetes mellitus: The Dogo study. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 2460-2465	2.9	5
144	Differences in the risk of fatty liver for onset of impaired fasting glucose according to baseline plasma glucose levels. <i>Journal of Gastroenterology</i> , 2017 , 52, 237-244	6.9	5
143	Self-reported sitting time and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 53-57	3.2	5
142	Portal biliopathy diagnosed using color Doppler and contrast-enhanced ultrasound. <i>Internal Medicine</i> , 2013 , 52, 1055-9	1.1	5
141	Future aspects of therapy for hepatitis B virus infection: value of surrogate markers, innovative therapy, and global collaboration. <i>Journal of Gastroenterology</i> , 2011 , 46, 717-23	6.9	5
140	Rapid alternative absorption of dietary long-chain fatty acids with upregulation of intestinal glycosylated CD36 in liver cirrhosis. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 90-101	7	5

139	Pancreatitis and cholangitis due to cytomegalovirus in a patient with hyperimmunoglobulin E syndrome. <i>Pancreas</i> , 2010 , 39, 940-2	2.6	5
138	Platelet-lymphocyte ratio predicts survival in patients with hepatocellular carcinoma who receive lenvatinib: an inverse probability weighting analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 32, 261-268	2.2	5
137	Association between platelet count and mucosal healing in Japanese patients with ulcerative colitis: a cross-sectional study. <i>BMC Gastroenterology</i> , 2020 , 20, 384	3	5
136	Microvascular Complications and Prevalence of Nocturia in Japanese Patients With Type 2 Diabetes Mellitus: The Dogo Study. <i>Urology</i> , 2016 , 93, 147-51	1.6	5
135	What Can Be Done to Solve the Unmet Clinical Need of Hepatocellular Carcinoma Patients following Lenvatinib Failure?. <i>Liver Cancer</i> , 2021 , 10, 115-125	9.1	5
134	Serum Globulin Is Associated with Endoscopic Findings and Mucosal Healing in Japanese Patients with Ulcerative Colitis. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	5
133	Relationship between urine pH and abnormal glucose tolerance in a community-based study. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 769-775	3.9	5
132	Endoscopic stent placement above the sphincter of Oddi for biliary strictures after living donor liver transplantation. <i>BMC Gastroenterology</i> , 2020 , 20, 92	3	4
131	Simeprevir with peginterferon/ribavirin for patients with hepatitis C virus genotype 1: high frequency of viral relapse in elderly patients. <i>SpringerPlus</i> , 2016 , 5, 518		4
130	Novel insights into immunotherapy for hepatitis B patients. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 267-76	4.2	4
129	Critical residues in the transmembrane helical bundle domains of the human motilin receptor for erythromycin binding and activity. <i>Regulatory Peptides</i> , 2013 , 180, 17-25		4
128	Smoking and prevalence of nocturia in Japanese patients with type 2 diabetes mellitus: a post-hoc analysis of The Dogo Study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1336-1341	2.3	4
127	B-type natriuretic peptide and renal function in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Endocrine Journal</i> , 2017 , 64, 1131-1136	2.9	4
126	Drug-induced liver injury with serious multiform exudative erythema following the use of an over-the-counter medication containing ibuprofen. <i>Internal Medicine</i> , 2015 , 54, 395-9	1.1	4
125	Recommendation of lamivudine-to-entecavir switching treatment in chronic hepatitis B responders: Randomized controlled trial. <i>Hepatology Research</i> , 2011 , 41, 505-11	5.1	4
124	Fibrosing cholestatic hepatitis with hepatitis C virus treated by double filtration plasmapheresis and interferon plus ribavirin after liver transplantation. <i>Clinical Journal of Gastroenterology</i> , 2009 , 2, 125-130	1.1	4
123	Doppler waveform pattern changes in a patient with primary Budd-Chiari syndrome before and after angioplasty. <i>Internal Medicine</i> , 2008 , 47, 91-5	1.1	4
122	Characteristics of lamivudine-resistant hepatitis B virus (HBV) strains with and without breakthrough hepatitis in patients with chronic hepatitis B evaluated by serial HBV full-genome sequences. <i>Journal of Medical Virology</i> , 2007 , 79, 911-8	19.7	4

121	Heterogeneity of hepatitis B virus genotype D in Japan. <i>Intervirology</i> , 2007 , 50, 150-5	2.5	4
120	Co-infection with hepatitis B virus genotype D and other genotypes in Western Japan. <i>Intervirology</i> , 2005 , 48, 262-7	2.5	4
119	Earlier recurrence of esophageal varices, following therapy, in patients with primary biliary cirrhosis (PBC) compared with non-PBC patients. <i>Journal of Gastroenterology</i> , 2004 , 39, 1085-9	6.9	4
118	Usefulness of a New Three-Dimensional Simulator System for Radiofrequency Ablation. <i>PLoS ONE</i> , 2016 , 11, e0148298	3.7	4
117	Infection as a risk factor in the pathogenesis of primary biliary cirrhosis: pros and cons. <i>Disease Markers</i> , 2010 , 29, 313-21	3.2	4
116	Recent trends of Japanese hepatocellular carcinoma due to HCV in aging society. <i>Hepato-Gastroenterology</i> , 2012 , 59, 1893-5		4
115	Relationship between body composition and the histology of non-alcoholic fatty liver disease: a cross-sectional study. <i>BMC Gastroenterology</i> , 2021 , 21, 170	3	4
114	Therapeutic efficacy of lenvatinib as third-line treatment after regorafenib for unresectable hepatocellular carcinoma progression. <i>Hepatology Research</i> , 2021 , 51, 880-889	5.1	4
113	A Possible Case of Hepatitis due to Hypereosinophilic Syndrome. <i>Internal Medicine</i> , 2016 , 55, 1453-8	1.1	4
112	Difficulty in management of intraductal papillary mucinous neoplasm-associated pancreatobiliary fistulas and the role of "pig-nose" appearance and intraductal ultrasonography in diagnosis. <i>Endoscopy International Open</i> , 2016 , 4, E446-50	3	4
111	Insulin-like growth factor-1 is inversely associated with liver fibrotic markers in patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1083-1091	3.9	4
110	Diagnostic Challenge in Pancreatic Sarcoidosis Using Endoscopic Ultrasonography. <i>Internal Medicine</i> , 2018 , 57, 231-235	1.1	4
109	Low Urine pH Is Associated with Non-alcoholic Fatty Liver Disease: A Community-based Cross-sectional Study. <i>Internal Medicine</i> , 2018 , 57, 2799-2805	1.1	4
108	Intranasal vaccination with HBs and HBc protein combined with carboxyl vinyl polymer induces strong neutralizing antibody, anti-HBs IgA, and IFNG response. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 520, 86-92	3.4	3
107	Effects of Motilin Receptor Agonists and Ghrelin in Human Transgenic Mice. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	3
106	ABO Blood Type and the Long-term Outcomes of Pancreatic Cancer. <i>Internal Medicine</i> , 2020 , 59, 761-768	1.1	3
105	Macrovascular Complications and Prevalence of Urgency Incontinence in Japanese Patients with Type 2 Diabetes Mellitus: The Dogo Study. <i>Internal Medicine</i> , 2017 , 56, 889-893	1.1	3
104	Prognostic Scoring System for radiofrequency ablation: Usefulness of Albumin-bilirubin (ALBI)-grade. <i>Acta Hepatologica Japonica</i> , 2016 , 57, 312-319	0.3	3

103	Assessment of a needle-tracking system for bipolar radiofrequency ablation. <i>Journal of Medical Ultrasonics (2001)</i> , 2016 , 43, 185-91	1.4	3
102	Early Detection of Pancreatic Cancer in Patients With Chronic Liver Disease Under Hepatocellular Carcinoma Surveillance. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 2004-2010	6.4	3
101	Reply to the letter by Lai et al. regarding "body mass index is the most useful predictive factor for the onset of nonalcoholic fatty liver disease: a community-based retrospective longitudinal study". <i>Journal of Gastroenterology</i> , 2013 , 48, 550-1	6.9	3
100	Abdominal Ultrasound Findings of Tumor-Forming Hepatic Malignant Lymphoma. <i>Digestive Diseases</i> , 2017 , 35, 498-505	3.2	3
99	Nonalcoholic fatty liver with a hepatic arterial buffer response strongly associated with future metabolic disease. <i>Hepatology Communications</i> , 2017 , 1, 623-633	6	3
98	Alpha-fetoprotein and des-gamma-carboxy-prothrombin at twenty-four weeks after interferon-based therapy predict hepatocellular carcinoma development. <i>World Journal of Hepatology</i> , 2015 , 7, 2757-64	3.4	3
97	Interleukin 28B polymorphism predicts interferon plus ribavirin treatment outcome in patients with hepatitis C virus-related liver cirrhosis: A multicenter retrospective study in Japan. <i>Hepatology Research</i> , 2014 , 44, 983-92	5.1	3
96	An adult patient with acute infection with hepatitis B virus genotype C that progressed to chronic infection. <i>Internal Medicine</i> , 2012 , 51, 173-6	1.1	3
95	Congenital hepatic fibrosis without any symptoms as diagnosed by laparoscopy. <i>Digestive Endoscopy</i> , 2010 , 22, 357-9	3.7	3
94	Clinical course of tuberculous peritonitis determined by laparoscopy. <i>Internal Medicine</i> , 2010 , 49, 293-7	1.1	3
93	Clinical usefulness of quantitative evaluation of visceral fat by ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2007 , 34, 151-7	1.4	3
92	Effect of disease duration on the association between serum albumin and mucosal healing in patients with ulcerative colitis. <i>BMJ Open Gastroenterology</i> , 2021 , 8,	3.9	3
91	Identification of microRNA-96-5p as a postoperative, prognostic microRNA predictor in nonviral hepatocellular carcinoma. <i>Hepatology Research</i> , 2021 ,	5.1	3
90	AFP and eGFR are related to early and late recurrence of HCC following antiviral therapy. <i>BMC Cancer</i> , 2021 , 21, 699	4.8	3
89	Adverse events as potential predictive factors of activity in patients with advanced hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2021 ,	7.9	3
88	Age and Prevalence of Esophageal Reflux Disease in Japanese Patients with Type 2 Diabetes Mellitus: The Dogo Study. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 3530-3536	4	3
87	Association between serum bilirubin and mucosal healing among Japanese patients with ulcerative colitis: a cross-sectional study. <i>International Journal of Colorectal Disease</i> , 2021 , 36, 377-382	3	3
86	Development of a method for measuring spleen stiffness by transient elastography using a new device and ultrasound-fusion method. <i>PLoS ONE</i> , 2021 , 16, e0246315	3.7	3

85	Usefulness of laparoscopy and intraductal ultrasonography in a patient with isolated immunoglobulin G4-related sclerosing cholangitis. <i>Clinical Journal of Gastroenterology</i> , 2018 , 11, 62-68	1.1	3
84	Impact of modified albumin-bilirubin grade on survival in patients with HCC who received lenvatinib. <i>Scientific Reports</i> , 2021 , 11, 14474	4.9	3
83	Efficacy of lenvatinib for unresectable hepatocellular carcinoma based on background liver disease etiology: multi-center retrospective study. <i>Scientific Reports</i> , 2021 , 11, 16663	4.9	3
82	The Safety and Efficacy of a Therapeutic Vaccine for Chronic Hepatitis B: A Follow-Up Study of Phase III Clinical Trial.. <i>Vaccines</i> , 2021 , 10,	5.3	3
81	Schistosomiasis Diagnosed Using Laparoscopy and Colonoscopy. <i>Internal Medicine</i> , 2019 , 58, 2495-2499	1.1	2
80	Longitudinal impact of dapagliflozin treatment on ventricular repolarization heterogeneity in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1593-1594	3.9	2
79	Characterization of the biliary tract by virtual ultrasonography constructed by gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging. <i>Journal of Medical Ultrasonics (2001)</i> , 2015 , 42, 185-93	1.4	2
78	A case of hepatocellular carcinoma treated by radiofrequency ablation confirming the adjacent major bile duct under hybrid contrast mode through a biliary drainage catheter. <i>Clinical Journal of Gastroenterology</i> , 2015 , 8, 318-22	1.1	2
77	Wilson Disease With Giant Splenic Artery Aneurysms Caused by Fibromuscular Dysplasia During Living Donor Liver Transplantation: A Case Report. <i>Transplantation Proceedings</i> , 2019 , 51, 3131-3135	1.1	2
76	High serum palmitic acid is associated with low antiviral effects of interferon-based therapy for hepatitis C virus. <i>Lipids</i> , 2012 , 47, 1053-62	1.6	2
75	Simple formula to predict response to peginterferon alpha2b and ribavirin combination therapy in genotype 1 chronic hepatitis C patients with high viral loads. <i>Hepatology Research</i> , 2011 , 41, 126-32	5.1	2
74	Sustained virological response of patients with hepatitis C virus genotype 2 depends on pegylated interferon compliance. <i>Hepatology Research</i> , 2011 , 41, 722-30	5.1	2
73	High orotate phosphoribosyltransferase gene expression predicts complete response to chemoradiotherapy in patients with squamous cell carcinoma of the esophagus. <i>Oncology</i> , 2009 , 76, 342-9	3.6	2
72	Clinical features and hepatitis B virus (HBV) genotypes in pregnant women chronically infected with HBV. <i>Internal Medicine</i> , 2012 , 51, 3317-22	1.1	2
71	FDG positron emission tomography/computed tomography findings for the prediction of early recurrence of hepatocellular carcinoma after surgical resection. <i>Experimental and Therapeutic Medicine</i> , 2010 , 1, 829-832	2.1	2
70	Development of hepatocellular carcinoma (HCC) in a patient 17 years after recovery from chronic hepatitis B and seroconversion to anti-HBs. <i>Internal Medicine</i> , 2007 , 46, 29-33	1.1	2
69	Administration of dendritic cells in cancer nodules in hepatocellular carcinoma. <i>Oncology Reports</i> , 2005 , 14, 969	3.5	2
68	Clinical effectiveness of switching between DPP-4 inhibitors in patients with type 2 diabetes mellitus?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019 , 57, 474-477	2	2

67	Easy clinical predictor for low BCAA to tyrosine ratio in chronic liver disease patients with hepatocellular carcinoma: Usefulness of ALBI score as nutritional prognostic marker. <i>Cancer Medicine</i> , 2021 , 10, 3584-3592	4.8	2
66	Microvascular complications and prevalence of urgency incontinence in Japanese patients with type 2 diabetes mellitus: The dogo study. <i>Neurourology and Urodynamics</i> , 2016 , 35, 1024-1027	2.3	2
65	Current trends in hepatitis B vaccination. <i>Future Virology</i> , 2016 , 11, 369-378	2.4	2
64	A rare case of acute pancreatitis caused by <i>Candida Albicans</i> . <i>Clinical Journal of Gastroenterology</i> , 2019 , 12, 82-87	1.1	2
63	Lenvatinib versus Sorafenib as first-line treatment in hepatocellular carcinoma: A multi-institutional matched case-control study. <i>Hepatology Research</i> , 2021 , 51, 1229-1241	5.1	2
62	Dietary intake of vegetables, fruit, and antioxidants and risk of ulcerative colitis: A case-control study in Japan. <i>Nutrition</i> , 2021 , 91-92, 111378	4.8	2
61	Importance of Screening for Esophagogastric Varices in Naïve Hepatocellular Carcinoma Patients within Milan Criteria: Indicator for Liver Transplantation. <i>Digestive Surgery</i> , 2017 , 34, 429-435	2.5	1
60	An unusual cause of abdominal pain. <i>Gastroenterology</i> , 2015 , 148, e1-2	13.3	1
59	Clinical features of fatty liver in nonobese Japanese without regular alcohol intake. <i>Diabetology International</i> , 2015 , 6, 60-65	2.3	1
58	Simple method with tumor markers for predicting prognosis following transcatheter arterial chemo-embolization for switching to next therapy in intermediate hepatocellular carcinoma: multi-center analysis. <i>Acta Hepatologica Japonica</i> , 2017 , 58, 329-337	0.3	1
57	Clear visualization of extravasation on angiography using carbon dioxide in a case of hepatocellular carcinoma rupture with unclear visualization using iodine contrast agent. <i>Internal Medicine</i> , 2015 , 54, 407-10	1.1	1
56	Severe hypoglycemia associated with insulin-like growth factor II-producing liver metastasis from gastric carcinoma treated with overnight total parenteral nutrition via a central vein catheter reserve port. <i>Clinical Journal of Gastroenterology</i> , 2011 , 4, 68-72	1.1	1
55	Clinical profile of primary biliary cirrhosis that was diagnosed as symptomatic primary biliary cirrhosis according to the revised diagnostic criteria in Japan. <i>Internal Medicine</i> , 2010 , 49, 1073-8	1.1	1
54	LAPAROSCOPIC FEATURES AND INTEROBSERVER VARIATION OF HISTOLOGICAL DIAGNOSIS IN PATIENTS WITH NON-ALCOHOLIC FATTY LIVER DISEASE. <i>Digestive Endoscopy</i> , 2007 , 20, 22-28	3.7	1
53	Effect of disease duration on the association between C-reactive protein-albumin ratio and endoscopic activity in ulcerative colitis. <i>BMC Gastroenterology</i> , 2022 , 22, 39	3	1
52	Proposal for new sleep disorder criteria in patients with chronic liver disease: Influence of liver-related complications. <i>Hepatology Research</i> , 2021 ,	5.1	1
51	Elimination of Hepatitis by 2030 <i>Infectious Diseases & Immunity</i> , 2021 , Publish Ahead of Print,		1
50	Apoptosis-associated speck-like protein containing a CARD regulates the growth of pancreatic ductal adenocarcinoma. <i>Scientific Reports</i> , 2021 , 11, 22351	4.9	1

49	Association Between Peripheral Blood Monocyte Count and Mucosal Healing in Japanese Patients With Ulcerative Colitis. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00429	4.2	1
48	Efficacy of combining electric-field and coronal-plane imaging to obtain ultrasound-ultrasound fusion images in monopolar radiofrequency ablation for patients with liver cancer. <i>Hepatology Research</i> , 2020 , 50, 985-995	5.1	1
47	Simple prognostic markers for optimal treatment of patients with unresectable pancreatic cancer. <i>Medicine (United States)</i> , 2021 , 100, e27591	1.8	1
46	The long noncoding RNA of RMRP is downregulated by PERK, which induces apoptosis in hepatocellular carcinoma cells. <i>Scientific Reports</i> , 2021 , 11, 7926	4.9	1
45	Pancreas stiffness in liver cirrhosis is an indicator of insulin secretion caused by portal hypertension and pancreatic congestion. <i>Hepatology Research</i> , 2021 , 51, 775-785	5.1	1
44	The mechanism of increased intestinal palmitic acid absorption and its impact on hepatic stellate cell activation in nonalcoholic steatohepatitis. <i>Scientific Reports</i> , 2021 , 11, 13380	4.9	1
43	Tissue Intrinsic Fluorescence Spectra-Based Digital Pathology of Liver Fibrosis by Marker-Controlled Segmentation. <i>Frontiers in Medicine</i> , 2018 , 5, 350	4.9	1
42	Accurate reflection of hepatic venous pressure gradient by spleen stiffness measurement in patients with low controlled attenuation parameter values. <i>JGH Open</i> , 2021 , 5, 1172-1178	1.8	1
41	Role of Pegylated Interferon in Patients with Chronic Liver Diseases in the Context of SARS-CoV-2 Infection. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2021 , 11, 27-31	1.6	1
40	Treatment on the Spleen Prevents the Progression of Secondary Sarcopenia in Patients With Liver Cirrhosis. <i>Hepatology Communications</i> , 2020 , 4, 1812-1823	6	0
39	Validation trial for efficacy of ultrasonographic measurement method to predict ascitic volume using virtual ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2018 , 45, 555-564	1.4	0
38	Association between menstrual pain and functional dyspepsia in a Japanese young population.. <i>Neurogastroenterology and Motility</i> , 2022 , e14324	4	0
37	Liver-related events after direct-acting antiviral therapy in patients with hepatitis C virus-associated cirrhosis.. <i>Journal of Gastroenterology</i> , 2022 , 57, 120	6.9	0
36	Factors Related to Sleeping Disorder Due to Pruritus in Patients with Chronic Liver Disease. <i>Internal Medicine</i> , 2021 , 60, 3195-3203	1.1	0
35	Ileal mucosa-associated microbiota overgrowth associated with pathogenesis of primary biliary cholangitis. <i>Scientific Reports</i> , 2021 , 11, 19705	4.9	0
34	Positive Association Between Sleep Disturbance and Prevalence of Functional Dyspepsia in Japanese Young People. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	0
33	Validation of the FibroScan-aspartate aminotransferase score by vibration-controlled transient and B-mode ultrasound elastography. <i>Hepatology Research</i> , 2021 , 51, 652-661	5.1	0
32	Frequency, Intensity, and Partner of Exercise Habit Is Inversely Associated with Functional Dyspepsia in Young Japanese Population. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	0

31	Nonalcoholic fatty liver disease is a risk factor for glucose intolerance onset in men regardless of alanine aminotransferase status. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1890-1898	3.9	○
30	Impact of Early Lenvatinib Administration on Survival in Patients with Intermediate-Stage Hepatocellular Carcinoma: A Multicenter, Inverse Probability Weighting Analysis. <i>Oncology</i> , 2021 , 99, 518-527	3.6	○
29	Noninvasive ultrasound technique for assessment of liver fibrosis and cardiac function in Fontan-associated liver disease: diagnosis based on elastography and hepatic vein waveform type. <i>Journal of Medical Ultrasonics (2001)</i> , 2021 , 48, 235-244	1.4	○
28	Efficacy of B-mode ultrasound-based attenuation for the diagnosis of hepatic steatosis: a systematic review/meta-analysis.. <i>Journal of Medical Ultrasonics (2001)</i> , 2022 , 1	1.4	○
27	Association Between Body Mass Index and Functional Dyspepsia in Young Japanese People.. <i>Journal of Neurogastroenterology and Motility</i> , 2022 , 28, 276-282	4.4	○
26	C-reactive protein to albumin ratio predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib.. <i>Scientific Reports</i> , 2022 , 12, 8421	4.9	○
25	Ultrasonography surveillance improves prognosis of patients with hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2019 , 11, 325-330	1.6	
24	An HBV-HIV co-infected patient treated with tenofovir-based therapy who achieved HBs antigen/antibody seroconversion. <i>Internal Medicine</i> , 2014 , 53, 1343-6	1.1	
23	Peer review report 1 on Diagnostic approaches and treatment of Eosinophilic Esophagitis. A review article <i>Annals of Medicine and Surgery</i> , 2017 , 13, 178	2	
22	Safety and effectiveness of sorafenib in elderly patients with HCC. <i>Acta Hepatologica Japonica</i> , 2015 , 56, 369-372	0.3	
21	Reply: To PMID 22488593. <i>Hepatology</i> , 2013 , 58, 834-5	11.2	
20	Endovascular treatment is effective against acute mesenteric ischemia complicated with metabolic diseases. <i>Clinical Journal of Gastroenterology</i> , 2011 , 4, 223-229	1.1	
19	A case of serous cystadenoma of the pancreas with a central stellate scar detected on contrast-enhanced ultrasound with perflubutane. <i>Clinical Journal of Gastroenterology</i> , 2009 , 2, 232-237	1.1	
18	Dendritic Cell-Based Immune Therapy in Liver Diseases. <i>Current Immunology Reviews</i> , 2012 , 8, 28-36	1.3	
17	Dendritic Cells in Autoimmune Liver Diseases. <i>Current Immunology Reviews</i> , 2012 , 8, 23-27	1.3	
16	Protein kinase R is increased and is functional in hepatitis C virus-related hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2528-2534	0.7	
15	Hepatopulmonary syndrome in a patient with primary biliary cirrhosis. <i>Internal Medicine</i> , 2004 , 43, 458-60.	1	
14	Cellular and Molecular Mechanisms Underlying Scope and Limitation of Ongoing and Innovative Therapies for Treating Chronic Hepatitis B. <i>Livers</i> , 2022 , 2, 1-14		

13	The Effect of the Hepatitis B Vaccine Derived from Genotype C on Infants Born to Mothers Infected with Genotype D. <i>Internal Medicine</i> , 2020 , 59, 2825-2830	1.1
12	The Number of Teeth Is Associated with Diabetic Nephropathy. <i>Diabetes</i> , 2018 , 67, 1581-P	0.9
11	Advanced Nonalcoholic Steatohepatitis Is Associated with Low Serum Lipoprotein(a) Concentrations. <i>Diabetes</i> , 2018 , 67, 1666-P	0.9
10	Skipping Breakfast and Eating Fast Could Be Associated with Metabolic Syndrome—Clinical Cohort Study in Japan. <i>Diabetes</i> , 2018 , 67, 1609-P	0.9
9	Liver Cirrhosis with Steatohepatitis: Nonalcoholic Steatohepatitis and Alcoholic Steatohepatitis 2019 , 1-21	
8	Sustained virological response against hepatitis C virus in a patient with Down's syndrome treated with interferon- α . <i>Acta Hepatologica Japonica</i> , 2012 , 53, 201-205	0.3
7	Authors' Response to "Praziquantel Could Be the Appropriate Choice for the Diagnostic Treatment of Schistosomiasis". <i>Internal Medicine</i> , 2020 , 59, 883	1.1
6	Radiofrequency Ablation Covering the Entire Tumor Blood Drainage Area Improves Survival in Hepatocellular Carcinoma. <i>Hepatology Communications</i> , 2021 , 5, 1300-1309	6
5	The inverse association between unhealthy eating habit and mucosal healing among patients with ulcerative colitis. <i>BMC Gastroenterology</i> , 2021 , 21, 152	3
4	Dilatation of lymphatic vessels increases liver stiffness on transient elastography irrespective of fibrosis. <i>Hepatology Research</i> , 2021 , 51, 284-293	5.1
3	Role of a rapid response system and code status discussion as determinants of prognosis for critical inpatients: An observational study in a Japanese urban hospital. <i>Medicine (United States)</i> , 2021 , 100, e26856	1.8
2	Innovative Therapies Targeting the Virus and the Host for Treating Chronic Hepatitis B Virus Infection: From Bench to Bedside. <i>Vaccines</i> , 2022 , 10, 746	5.3
1	The Usefulness of the Athens Insomnia Scale for Evaluating Sleep Disturbance in Patients with Chronic Liver Disease Comparing with Pittsburgh Sleep Quality Index and Epworth Sleepiness Scale. <i>Medicina (Lithuania)</i> , 2022 , 58, 741	3.1