

Yoichi Hiasa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9152548/yoichi-hiasa-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

390
papers

9,098
citations

42
h-index

82
g-index

428
ext. papers

10,752
ext. citations

4.5
avg, IF

5.46
L-index

#	Paper	IF	Citations
390	Effect of disease duration on the association between C-reactive protein-albumin ratio and endoscopic activity in ulcerative colitis.. <i>BMC Gastroenterology</i> , 2022 , 22, 39	3	1
389	Cellular and Molecular Mechanisms Underlying Scope and Limitation of Ongoing and Innovative Therapies for Treating Chronic Hepatitis B. <i>Livers</i> , 2022 , 2, 1-14		
388	Association between menstrual pain and functional dyspepsia in a Japanese young population.. <i>Neurogastroenterology and Motility</i> , 2022 , e14324	4	0
387	Liver-related events after direct-acting antiviral therapy in patients with hepatitis C virus-associated cirrhosis.. <i>Journal of Gastroenterology</i> , 2022 , 57, 120	6.9	0
386	Efficacy of B-mode ultrasound-based attenuation for the diagnosis of hepatic steatosis: a systematic review/meta-analysis.. <i>Journal of Medical Ultrasonics (2001)</i> , 2022 , 1	1.4	0
385	Association Between Body Mass Index and Functional Dyspepsia in Young Japanese People.. <i>Journal of Neurogastroenterology and Motility</i> , 2022 , 28, 276-282	4.4	0
384	Innovative Therapies Targeting the Virus and the Host for Treating Chronic Hepatitis B Virus Infection: From Bench to Bedside. <i>Vaccines</i> , 2022 , 10, 746	5.3	
383	C-reactive protein to albumin ratio predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib.. <i>Scientific Reports</i> , 2022 , 12, 8421	4.9	0
382	The Usefulness of the Athens Insomnia Scale for Evaluating Sleep Disturbance in Patients with Chronic Liver Disease Comparing with Pittsburgh Sleep Quality Index and Epworth Sleepiness Scale. <i>Medicina (Lithuania)</i> , 2022 , 58, 741	3.1	
381	Sustained Antiviral and Liver Protection by a Nasal Therapeutic Vaccine (NASVAC, Containing Both HBsAg and HBeAg) in Patients with Chronic Hepatitis B: 2-Year Follow-Up of Phase III Clinical Trial. <i>Pathogens</i> , 2021 , 10,	4.5	7
380	Proposal for new sleep disorder criteria in patients with chronic liver disease: Influence of liver-related complications. <i>Hepatology Research</i> , 2021 ,	5.1	1
379	Elimination of Hepatitis by 2030 <i>Infectious Diseases & Immunity</i> , 2021 , Publish Ahead of Print,		1
378	Apoptosis-associated speck-like protein containing a CARD regulates the growth of pancreatic ductal adenocarcinoma. <i>Scientific Reports</i> , 2021 , 11, 22351	4.9	1
377	Association Between Peripheral Blood Monocyte Count and Mucosal Healing in Japanese Patients With Ulcerative Colitis. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00429	4.2	1
376	Factors Related to Sleeping Disorder Due to Pruritus in Patients with Chronic Liver Disease. <i>Internal Medicine</i> , 2021 , 60, 3195-3203	1.1	0
375	Ileal mucosa-associated microbiota overgrowth associated with pathogenesis of primary biliary cholangitis. <i>Scientific Reports</i> , 2021 , 11, 19705	4.9	0
374	Positive Association Between Sleep Disturbance and Prevalence of Functional Dyspepsia in Japanese Young People. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	0

373	Simple prognostic markers for optimal treatment of patients with unresectable pancreatic cancer. <i>Medicine (United States)</i> , 2021 , 100, e27591	1.8	1
372	Platelet-lymphocyte ratio predicts survival in patients with hepatocellular carcinoma who receive lenvatinib: an inverse probability weighting analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 32, 261-268	2.2	5
371	Clinical importance of muscle volume in lenvatinib treatment for hepatocellular carcinoma: Analysis adjusted with inverse probability weighting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1812-1819	4	10
370	Radiofrequency Ablation Covering the Entire Tumor Blood Drainage Area Improves Survival in Hepatocellular Carcinoma. <i>Hepatology Communications</i> , 2021 , 5, 1300-1309	6	
369	Validation of the FibroScan-aspartate aminotransferase score by vibration-controlled transient and B-mode ultrasound elastography. <i>Hepatology Research</i> , 2021 , 51, 652-661	5.1	0
368	The inverse association between unhealthy eating habit and mucosal healing among patients with ulcerative colitis. <i>BMC Gastroenterology</i> , 2021 , 21, 152	3	
367	The long noncoding RNA of RMRP is downregulated by PERK, which induces apoptosis in hepatocellular carcinoma cells. <i>Scientific Reports</i> , 2021 , 11, 7926	4.9	1
366	Implications of Birth-Dose Vaccination against Hepatitis B Virus in Southeast Asia. <i>Vaccines</i> , 2021 , 9,	5.3	6
365	Relationship between body composition and the histology of non-alcoholic fatty liver disease: a cross-sectional study. <i>BMC Gastroenterology</i> , 2021 , 21, 170	3	4
364	Easy clinical predictor for low BCAA to tyrosine ratio in chronic liver disease patients with hepatocellular carcinoma: Usefulness of ALBI score as nutritional prognostic marker. <i>Cancer Medicine</i> , 2021 , 10, 3584-3592	4.8	2
363	Frequency, Intensity, and Partner of Exercise Habit Is Inversely Associated with Functional Dyspepsia in Young Japanese Population. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	0
362	Nonalcoholic fatty liver disease is a risk factor for glucose intolerance onset in men regardless of alanine aminotransferase status. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1890-1898	3.9	0
361	Therapeutic efficacy of lenvatinib as third-line treatment after regorafenib for unresectable hepatocellular carcinoma progression. <i>Hepatology Research</i> , 2021 , 51, 880-889	5.1	4
360	Effect of disease duration on the association between serum albumin and mucosal healing in patients with ulcerative colitis. <i>BMJ Open Gastroenterology</i> , 2021 , 8,	3.9	3
359	Identification of microRNA-96-5p as a postoperative, prognostic microRNA predictor in nonviral hepatocellular carcinoma. <i>Hepatology Research</i> , 2021 ,	5.1	3
358	Atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma: Early clinical experience. <i>Cancer Reports</i> , 2021 , e1464	1.5	7
357	Pancreas stiffness in liver cirrhosis is an indicator of insulin secretion caused by portal hypertension and pancreatic congestion. <i>Hepatology Research</i> , 2021 , 51, 775-785	5.1	1
356	The mechanism of increased intestinal palmitic acid absorption and its impact on hepatic stellate cell activation in nonalcoholic steatohepatitis. <i>Scientific Reports</i> , 2021 , 11, 13380	4.9	1

355	AFP and eGFR are related to early and late recurrence of HCC following antiviral therapy. <i>BMC Cancer</i> , 2021 , 21, 699	4.8	3
354	Adverse events as potential predictive factors of activity in patients with advanced hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2021 ,	7.9	3
353	Evidence-based clinical practice guidelines for liver cirrhosis 2020. <i>Hepatology Research</i> , 2021 , 51, 725-749	4.1	14
352	Influence of anticoagulants on the risk of delayed bleeding after gastric endoscopic submucosal dissection: a multicenter retrospective study. <i>Gastric Cancer</i> , 2021 , 24, 179-189	7.6	8
351	Sofosbuvir plus velpatasvir treatment for hepatitis C virus in patients with decompensated cirrhosis: a Japanese real-world multicenter study. <i>Journal of Gastroenterology</i> , 2021 , 56, 67-77	6.9	10
350	Association between serum bilirubin and mucosal healing among Japanese patients with ulcerative colitis: a cross-sectional study. <i>International Journal of Colorectal Disease</i> , 2021 , 36, 377-382	3	3
349	Direct-acting antivirals improve survival and recurrence rates after treatment of hepatocellular carcinoma within the Milan criteria. <i>Journal of Gastroenterology</i> , 2021 , 56, 90-100	6.9	6
348	The transition in the etiologies of hepatocellular carcinoma-complicated liver cirrhosis in a nationwide survey of Japan. <i>Journal of Gastroenterology</i> , 2021 , 56, 158-167	6.9	7
347	Therapeutic efficacy of ramucirumab after lenvatinib for post-progression treatment of unresectable hepatocellular carcinoma. <i>Gastroenterology Report</i> , 2021 , 9, 133-138	3.3	7
346	Impact of Early Lenvatinib Administration on Survival in Patients with Intermediate-Stage Hepatocellular Carcinoma: A Multicenter, Inverse Probability Weighting Analysis. <i>Oncology</i> , 2021 , 99, 518-527	3.6	0
345	What Can Be Done to Solve the Unmet Clinical Need of Hepatocellular Carcinoma Patients following Lenvatinib Failure?. <i>Liver Cancer</i> , 2021 , 10, 115-125	9.1	5
344	Lenvatinib versus sorafenib in first-line treatment of unresectable hepatocellular carcinoma: An inverse probability of treatment weighting analysis. <i>Liver International</i> , 2021 , 41, 1389-1397	7.9	14
343	Development of a method for measuring spleen stiffness by transient elastography using a new device and ultrasound-fusion method. <i>PLoS ONE</i> , 2021 , 16, e0246315	3.7	3
342	Serum Globulin Is Associated with Endoscopic Findings and Mucosal Healing in Japanese Patients with Ulcerative Colitis. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	5
341	Dilatation of lymphatic vessels increases liver stiffness on transient elastography irrespective of fibrosis. <i>Hepatology Research</i> , 2021 , 51, 284-293	5.1	
340	Evidence-based clinical practice guidelines for Liver Cirrhosis 2020. <i>Journal of Gastroenterology</i> , 2021 , 56, 593-619	6.9	27
339	Impact of modified albumin-bilirubin grade on survival in patients with HCC who received lenvatinib. <i>Scientific Reports</i> , 2021 , 11, 14474	4.9	3
338	Role of a rapid response system and code status discussion as determinants of prognosis for critical inpatients: An observational study in a Japanese urban hospital. <i>Medicine (United States)</i> , 2021 , 100, e26856	1.8	8

337	Accurate reflection of hepatic venous pressure gradient by spleen stiffness measurement in patients with low controlled attenuation parameter values. <i>JGH Open</i> , 2021 , 5, 1172-1178	1.8	1
336	Efficacy of lenvatinib for unresectable hepatocellular carcinoma based on background liver disease etiology: multi-center retrospective study. <i>Scientific Reports</i> , 2021 , 11, 16663	4.9	3
335	Lenvatinib versus Sorafenib as first-line treatment in hepatocellular carcinoma: A multi-institutional matched case-control study. <i>Hepatology Research</i> , 2021 , 51, 1229-1241	5.1	2
334	Dietary intake of vegetables, fruit, and antioxidants and risk of ulcerative colitis: A case-control study in Japan. <i>Nutrition</i> , 2021 , 91-92, 111378	4.8	2
333	Noninvasive ultrasound technique for assessment of liver fibrosis and cardiac function in Fontan-associated liver disease: diagnosis based on elastography and hepatic vein waveform type. <i>Journal of Medical Ultrasonics (2001)</i> , 2021 , 48, 235-244	1.4	0
332	Role of Pegylated Interferon in Patients with Chronic Liver Diseases in the Context of SARS-CoV-2 Infection. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2021 , 11, 27-31	1.6	1
331	The Safety and Efficacy of a Therapeutic Vaccine for Chronic Hepatitis B: A Follow-Up Study of Phase III Clinical Trial.. <i>Vaccines</i> , 2021 , 10,	5.3	3
330	Treatment on the Spleen Prevents the Progression of Secondary Sarcopenia in Patients With Liver Cirrhosis. <i>Hepatology Communications</i> , 2020 , 4, 1812-1823	6	0
329	Sex difference in the development of hepatocellular carcinoma after direct-acting antiviral therapy in patients with HCV infection. <i>Journal of Medical Virology</i> , 2020 , 92, 3507	19.7	6
328	ABO Blood Type and the Long-term Outcomes of Pancreatic Cancer. <i>Internal Medicine</i> , 2020 , 59, 761-768	1.1	3
327	Advanced fibrosis of non-alcoholic steatohepatitis affects the significance of lipoprotein(a) as a cardiovascular risk factor. <i>Atherosclerosis</i> , 2020 , 299, 32-37	3.1	10
326	Therapeutic effects of the PKR inhibitor C16 suppressing tumor proliferation and angiogenesis in hepatocellular carcinoma in vitro and in vivo. <i>Scientific Reports</i> , 2020 , 10, 5133	4.9	7
325	Nutritional Index as Prognostic Indicator in Patients Receiving Lenvatinib Treatment for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2020 , 98, 295-302	3.6	11
324	Neutrophil-to-lymphocyte ratio is associated with survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Liver International</i> , 2020 , 40, 968-976	7.9	25
323	Endoscopic stent placement above the sphincter of Oddi for biliary strictures after living donor liver transplantation. <i>BMC Gastroenterology</i> , 2020 , 20, 92	3	4
322	The Effect of the Hepatitis B Vaccine Derived from Genotype C on Infants Born to Mothers Infected with Genotype D. <i>Internal Medicine</i> , 2020 , 59, 2825-2830	1.1	
321	Efficacy of combining electric-field and coronal-plane imaging to obtain ultrasound-ultrasound fusion images in monopolar radiofrequency ablation for patients with liver cancer. <i>Hepatology Research</i> , 2020 , 50, 985-995	5.1	1
320	Post-Progression Treatment Eligibility of Unresectable Hepatocellular Carcinoma Patients Treated with Lenvatinib. <i>Liver Cancer</i> , 2020 , 9, 73-83	9.1	27

319	Safety and efficacy of lenvatinib in elderly patients with unresectable hepatocellular carcinoma: A multicenter analysis with propensity score matching. <i>Hepatology Research</i> , 2020 , 50, 75-83	5.1	26
318	Zinc deficiency as an independent prognostic factor for patients with early hepatocellular carcinoma due to hepatitis virus. <i>Hepatology Research</i> , 2020 , 50, 92-100	5.1	8
317	Authors' Response to "Praziquantel Could Be the Appropriate Choice for the Diagnostic Treatment of Schistosomiasis". <i>Internal Medicine</i> , 2020 , 59, 883	1.1	
316	SARC-F combined with a simple tool for assessment of muscle abnormalities in outpatients with chronic liver disease. <i>Hepatology Research</i> , 2020 , 50, 502-511	5.1	7
315	Transition in the etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , 2020 , 55, 353-362	6.9	29
314	Association between platelet count and mucosal healing in Japanese patients with ulcerative colitis: a cross-sectional study. <i>BMC Gastroenterology</i> , 2020 , 20, 384	3	5
313	Role of severe thrombocytopenia in preventing platelet count recovery in thrombocytopenic patients with chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 299-304	4	9
312	New diagnostic technique to evaluate hepatic steatosis using the attenuation coefficient on ultrasound B mode. <i>PLoS ONE</i> , 2019 , 14, e0221548	3.7	14
311	Early Relative Change in Hepatic Function with Lenvatinib for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019 , 97, 334-340	3.6	26
310	Ultrasonography surveillance improves prognosis of patients with hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2019 , 11, 325-330	1.6	
309	Intranasal vaccination with HBs and HBc protein combined with carboxyl vinyl polymer induces strong neutralizing antibody, anti-HBs IgA, and IFNG response. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 520, 86-92	3.4	3
308	Depletion of B cell-activating factor attenuates hepatic fat accumulation in a murine model of nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2019 , 9, 977	4.9	12
307	Schistosomiasis Diagnosed Using Laparoscopy and Colonoscopy. <i>Internal Medicine</i> , 2019 , 58, 2495-2499	1.1	2
306	Prognostic factor of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions-Multicenter analysis. <i>Cancer Medicine</i> , 2019 , 8, 3719-3728	4.8	97
305	Lenvatinib-induced thyroid abnormalities in unresectable hepatocellular carcinoma. <i>Endocrine Journal</i> , 2019 , 66, 787-792	2.9	12
304	Longitudinal impact of dapagliflozin treatment on ventricular repolarization heterogeneity in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1593-1594	3.9	2
303	Combination of Resection and Ablative Treatment for Hepatocellular Carcinoma: Usefulness of Complementary Radiofrequency Ablation. <i>Oncology</i> , 2019 , 96, 242-251	3.6	6
302	Effects of Motilin Receptor Agonists and Ghrelin in Human Transgenic Mice. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	3

301	Stimulated hepatic stellate cell promotes progression of hepatocellular carcinoma due to protein kinase R activation. <i>PLoS ONE</i> , 2019 , 14, e0212589	3.7	11
300	Validation of Modified ALBI Grade for More Detailed Assessment of Hepatic Function in Hepatocellular Carcinoma Patients: A Multicenter Analysis. <i>Liver Cancer</i> , 2019 , 8, 121-129	9.1	88
299	Therapeutic potential of lenvatinib for unresectable hepatocellular carcinoma in clinical practice: Multicenter analysis. <i>Hepatology Research</i> , 2019 , 49, 111-117	5.1	66
298	Important Clinical Factors in Sequential Therapy Including Lenvatinib against Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019 , 97, 277-285	3.6	44
297	Early Detection of Pancreatic Cancer in Patients With Chronic Liver Disease Under Hepatocellular Carcinoma Surveillance. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 2004-2010	6.4	3
296	Wilson Disease With Giant Splenic Artery Aneurysms Caused by Fibromuscular Dysplasia During Living Donor Liver Transplantation: A Case Report. <i>Transplantation Proceedings</i> , 2019 , 51, 3131-3135	1.1	2
295	Clinical effectiveness of switching between DPP-4 inhibitors in patients with type 2 diabetes mellitus?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019 , 57, 474-477	2	2
294	Liver Cirrhosis with Steatohepatitis: Nonalcoholic Steatohepatitis and Alcoholic Steatohepatitis 2019 , 1-21		
293	Easy surveillance of muscle volume decline in chronic liver disease patients using finger-circle (yubi-wakka) test. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 347-354	10.3	19
292	Prediction of risk of falls based on handgrip strength in chronic liver disease patients living independently. <i>Hepatology Research</i> , 2019 , 49, 823-829	5.1	7
291	Can L-carnitine supplementation and exercise improve muscle complications in patients with liver cirrhosis who receive branched-chain amino acid supplementation?. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 878-884	2.2	12
290	A rare case of acute pancreatitis caused by Candida Albicans. <i>Clinical Journal of Gastroenterology</i> , 2019 , 12, 82-87	1.1	2
289	Prospective cohort trial to confirm the efficacy of no-touch radio frequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 567-574	4	8
288	Clinical features of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions: Multicenter analysis. <i>Cancer Medicine</i> , 2019 , 8, 137-146	4.8	87
287	Analysis of 307 cases with drug-induced liver injury between 2010 and 2018 in Japan. <i>Hepatology Research</i> , 2019 , 49, 105-110	5.1	27
286	Insulin-like growth factor-1 is inversely associated with liver fibrotic markers in patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1083-1091	3.9	4
285	Impact of albumin-bilirubin grade on survival in patients with hepatocellular carcinoma who received sorafenib: An analysis using time-dependent receiver operating characteristic. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1066-1073	4	27
284	The Serum Creatinine Level Might Be Associated with the Onset of Impaired Fasting Glucose: A Community-based Longitudinal Cohort Health Checkup Study. <i>Internal Medicine</i> , 2019 , 58, 505-510	1.1	6

283	Using ALBI score at the start of sorafenib treatment to predict regorafenib treatment candidates in patients with hepatocellular carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 42-47	2.8	21
282	Predictors of hepatocellular carcinoma occurrence after direct-acting antiviral therapy in patients with hepatitis C virus infection. <i>Hepatology Research</i> , 2019 , 49, 136-146	5.1	32
281	Destructive Thyroiditis Induced by Lenvatinib in Three Patients with Hepatocellular Carcinoma. <i>Internal Medicine</i> , 2019 , 58, 791-795	1.1	9
280	Novel quantitative assessment system of liver steatosis using a newly developed attenuation measurement method. <i>Hepatology Research</i> , 2018 , 48, 821-828	5.1	37
279	Validation trial for efficacy of ultrasonographic measurement method to predict ascitic volume using virtual ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2018 , 45, 555-564	1.4	0
278	Roles of protein kinase R in cancer: Potential as a therapeutic target. <i>Cancer Science</i> , 2018 , 109, 919-925	6.9	28
277	Transcatheter Arterial Chemoembolization With or Without Radiofrequency Ablation: Outcomes in Patients With Barcelona Clinic Liver Cancer Stage B Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2018 , 210, 891-898	5.4	23
276	Quantitative assessment of liver fibrosis reveals a nonlinear association with fibrosis stage in nonalcoholic fatty liver disease. <i>Hepatology Communications</i> , 2018 , 2, 58-68	6	30
275	Relative changes in handgrip strength and skeletal muscle volume in patients with chronic liver disease over a 2-year observation period. <i>Hepatology Research</i> , 2018 , 48, 502-508	5.1	7
274	Nocturia and Prevalence of Depressive Symptoms in Japanese Adult Patients With Type 2 Diabetes Mellitus: The Dogo Study. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 51-55	2.1	5
273	Physical activity and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 193-198	3.9	9
272	A better method for assessment of hepatic function in hepatocellular carcinoma patients treated with radiofrequency ablation: Usefulness of albumin-bilirubin grade. <i>Hepatology Research</i> , 2018 , 48, E61-E67	5.1	14
271	Dietary intake habits and the prevalence of nocturia in Japanese patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 279-285	3.9	5
270	Eating Behaviours and Prevalence of Gastroesophageal Reflux Disease in Japanese Adult Patients With Type 2 Diabetes Mellitus: The Dogo Study. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 308-312	2.1	5
269	Muscle volume loss a prognostic factor for death in liver cirrhosis patients and special relationship to portal hypertension. <i>Hepatology Research</i> , 2018 , 48, E354-E359	5.1	13
268	The effectiveness of dapagliflozin for sleep-disordered breathing among Japanese patients with obesity and type 2 diabetes mellitus. <i>Endocrine Journal</i> , 2018 , 65, 953-961	2.9	12
267	The Number of Teeth Is Associated with Diabetic Nephropathy. <i>Diabetes</i> , 2018 , 67, 1581-P	0.9	
266	Advanced Nonalcoholic Steatohepatitis Is Associated with Low Serum Lipoprotein(a) Concentrations. <i>Diabetes</i> , 2018 , 67, 1666-P	0.9	

265	Skipping Breakfast and Eating Fast Could Be Associated with Metabolic Syndrome—Clinical Cohort Study in Japan. <i>Diabetes</i> , 2018 , 67, 1609-P	0.9	
264	Impact of muscle volume and muscle function decline in patients undergoing surgical resection for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1271-1276	4	14
263	Relationship between urine pH and abnormal glucose tolerance in a community-based study. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 769-775	3.9	5
262	Usefulness of laparoscopy and intraductal ultrasonography in a patient with isolated immunoglobulin G4-related sclerosing cholangitis. <i>Clinical Journal of Gastroenterology</i> , 2018 , 11, 62-68	1.1	3
261	Tissue Intrinsic Fluorescence Spectra-Based Digital Pathology of Liver Fibrosis by Marker-Controlled Segmentation. <i>Frontiers in Medicine</i> , 2018 , 5, 350	4.9	1
260	Diagnostic Challenge in Pancreatic Sarcoidosis Using Endoscopic Ultrasonography. <i>Internal Medicine</i> , 2018 , 57, 231-235	1.1	4
259	Ipragliflozin Ameliorates Liver Damage in Non-alcoholic Fatty Liver Disease. <i>Open Medicine (Poland)</i> , 2018 , 13, 402-409	2.2	25
258	Cigarette smoking is a risk factor for the onset of fatty liver disease in nondrinkers: A longitudinal cohort study. <i>PLoS ONE</i> , 2018 , 13, e0195147	3.7	20
257	Treatment of chronic hepatitis B naïve patients with a therapeutic vaccine containing HBs and HBc antigens (a randomized, open and treatment controlled phase III clinical trial). <i>PLoS ONE</i> , 2018 , 13, e0201236	3.7	44
256	Low Urine pH Is Associated with Non-alcoholic Fatty Liver Disease: A Community-based Cross-sectional Study. <i>Internal Medicine</i> , 2018 , 57, 2799-2805	1.1	4
255	Comparison between real-time tissue elastography and vibration-controlled transient elastography for the assessment of liver fibrosis and disease progression in patients with primary biliary cholangitis. <i>Hepatology Research</i> , 2017 , 47, 1252-1259	5.1	10
254	Upregulated absorption of dietary palmitic acids with changes in intestinal transporters in non-alcoholic steatohepatitis (NASH). <i>Journal of Gastroenterology</i> , 2017 , 52, 940-954	6.9	11
253	Clinical utility of multipolar ablation with a 3-D simulator system for patients with liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1852-1858	4	5
252	Genome-Wide Association Study Identifies TLL1 Variant Associated With Development of Hepatocellular Carcinoma After Eradication of Hepatitis C Virus Infection. <i>Gastroenterology</i> , 2017 , 152, 1383-1394	13.3	76
251	Predictors of treatment efficacy and ALT non-normalization with sofosbuvir/ribavirin therapy for patients with hepatitis C virus genotype 2. <i>Journal of Medical Virology</i> , 2017 , 89, 1567-1573	19.7	6
250	Importance of Screening for Esophagogastric Varices in Naïve Hepatocellular Carcinoma Patients within Milan Criteria: Indicator for Liver Transplantation. <i>Digestive Surgery</i> , 2017 , 34, 429-435	2.5	1
249	Albumin-Bilirubin (ALBI) Grade as Part of the Evidence-Based Clinical Practice Guideline for HCC of the Japan Society of Hepatology: A Comparison with the Liver Damage and Child-Pugh Classifications. <i>Liver Cancer</i> , 2017 , 6, 204-215	9.1	96
248	Role of hepatic resection in patients with intermediate-stage hepatocellular carcinoma: A multicenter study from Japan. <i>Cancer Science</i> , 2017 , 108, 1414-1420	6.9	25

247	Diagnosis of Fibrosis and Activity by a Combined Use of Strain and Shear Wave Imaging in Patients with Liver Disease. <i>Digestive Diseases</i> , 2017 , 35, 515-520	3.2	22
246	Efficacy of branched-chain amino acid supplementation and walking exercise for preventing sarcopenia in patients with liver cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 1416-1423	2.2	88
245	Hepatic Function during Repeated TACE Procedures and Prognosis after Introducing Sorafenib in Patients with Unresectable Hepatocellular Carcinoma: Multicenter Analysis. <i>Digestive Diseases</i> , 2017 , 35, 602-610	3.2	81
244	Macrovascular Complications and Prevalence of Urgency Incontinence in Japanese Patients with Type 2 Diabetes Mellitus: The Dogo Study. <i>Internal Medicine</i> , 2017 , 56, 889-893	1.1	3
243	Free testosterone concentration is inversely associated with markers of liver fibrosis in men with type 2 diabetes mellitus. <i>Endocrine Journal</i> , 2017 , 64, 1137-1142	2.9	11
242	Antiemetic Effectiveness and Cost-Saving of Aprepitant plus Granisetron Is Superior to Palonosetron in Gastrointestinal Cancer Patients Who Received Moderately Emetogenic Chemotherapy. <i>Journal of Cancer</i> , 2017 , 8, 1371-1377	4.5	6
241	Peer review report 1 on Diagnostic approaches and treatment of Eosinophilic Esophagitis. A review article <i>Annals of Medicine and Surgery</i> , 2017 , 13, 178	2	
240	Obesity and the prevalence of nocturia in Japanese elderly patients with type 2 diabetes mellitus: The Dogo study. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 2460-2465	2.9	5
239	Abdominal Ultrasound Findings of Tumor-Forming Hepatic Malignant Lymphoma. <i>Digestive Diseases</i> , 2017 , 35, 498-505	3.2	3
238	Efficacy of chemotherapy in elderly patients with unresectable pancreatic cancer: a multicenter review of 895 patients. <i>BMC Gastroenterology</i> , 2017 , 17, 66	3	24
237	Muscle volume loss as a prognostic marker in hepatocellular carcinoma patients treated with sorafenib. <i>Hepatology Research</i> , 2017 , 47, 558-565	5.1	56
236	Multipolar versus monopolar radiofrequency ablation for hepatocellular carcinoma in the caudate lobe: Results of a propensity score analysis. <i>Hepatology Research</i> , 2017 , 47, 658-667	5.1	10
235	Smoking and prevalence of nocturia in Japanese patients with type 2 diabetes mellitus: a post-hoc analysis of The Dogo Study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1336-1341	2.3	4
234	Differences in the risk of fatty liver for onset of impaired fasting glucose according to baseline plasma glucose levels. <i>Journal of Gastroenterology</i> , 2017 , 52, 237-244	6.9	5
233	Self-reported sitting time and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 53-57	3.2	5
232	Validation of Newly Proposed Time to Transarterial Chemoembolization Progression in Intermediate-Stage Hepatocellular Carcinoma Cases. <i>Oncology</i> , 2017 , 93 Suppl 1, 120-126	3.6	17
231	Simple method with tumor markers for predicting prognosis following transcatheter arterial chemo-embolization for switching to next therapy in intermediate hepatocellular carcinoma: multi-center analysis. <i>Acta Hepatologica Japonica</i> , 2017 , 58, 329-337	0.3	1
230	Nonalcoholic fatty liver with a hepatic arterial buffer response strongly associated with future metabolic disease. <i>Hepatology Communications</i> , 2017 , 1, 623-633	6	3

229	B-type natriuretic peptide and renal function in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Endocrine Journal</i> , 2017 , 64, 1131-1136	2.9	4
228	Downregulation of ANP32B exerts anti-apoptotic effects in hepatocellular carcinoma. <i>PLoS ONE</i> , 2017 , 12, e0177343	3.7	7
227	Effects of long-term entecavir treatment on the incidence of hepatocellular carcinoma in chronic hepatitis B patients. <i>Hepatology International</i> , 2016 , 10, 320-7	8.8	11
226	Alcohol consumption and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: Baseline data from the Dogo Study. <i>Alcohol</i> , 2016 , 55, 17-22	2.7	8
225	Interleukin-34 as a fibroblast-derived marker of liver fibrosis in patients with non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2016 , 6, 28814	4.9	32
224	Understanding of HLA-conferred susceptibility to chronic hepatitis B infection requires HLA genotyping-based association analysis. <i>Scientific Reports</i> , 2016 , 6, 24767	4.9	29
223	Prognostic Scoring System for radiofrequency ablation: Usefulness of Albumin-bilirubin (ALBI)-grade. <i>Acta Hepatologica Japonica</i> , 2016 , 57, 312-319	0.3	3
222	Assessment of a needle-tracking system for bipolar radiofrequency ablation. <i>Journal of Medical Ultrasonics (2001)</i> , 2016 , 43, 185-91	1.4	3
221	Simeprevir with peginterferon/ribavirin for patients with hepatitis C virus genotype 1: high frequency of viral relapse in elderly patients. <i>SpringerPlus</i> , 2016 , 5, 518		4
220	Nocturia and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: The Dogo Study. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 786-90	3.9	10
219	Low alcohol consumption increases the risk of impaired glucose tolerance in patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2016 , 51, 1090-1100	6.9	10
218	Novel insights into immunotherapy for hepatitis B patients. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 267-76	4.2	4
217	Usefulness of a New Three-Dimensional Simulator System for Radiofrequency Ablation. <i>PLoS ONE</i> , 2016 , 11, e0148298	3.7	4
216	Characterization of Liver Monocytic Myeloid-Derived Suppressor Cells and Their Role in a Murine Model of Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016 , 11, e0149948	3.7	13
215	Early pancreatic volume reduction on CT predicts relapse in patients with type 1 autoimmune pancreatitis treated with steroids. <i>Orphanet Journal of Rare Diseases</i> , 2016 , 11, 103	4.2	11
214	Carbonic Anhydrase I Epitope Peptide Improves Inflammation in a Murine Model of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1835-46	4.5	6
213	Proposed New Sub-Grouping for Intermediate-Stage Hepatocellular Carcinoma Using Albumin-Bilirubin Grade. <i>Oncology</i> , 2016 , 91, 153-61	3.6	32
212	Microvascular complications and prevalence of urgency incontinence in Japanese patients with type 2 diabetes mellitus: The dogo study. <i>Neurourology and Urodynamics</i> , 2016 , 35, 1024-1027	2.3	2

211	Ultrasonography screening for hepatocellular carcinoma in Japanese patients with diabetes mellitus. <i>Journal of Diabetes</i> , 2016 , 8, 640-6	3.8	16
210	A Possible Case of Hepatitis due to Hypereosinophilic Syndrome. <i>Internal Medicine</i> , 2016 , 55, 1453-8	1.1	4
209	Hyperthyroidism Improves the Pathological Condition of Nonalcoholic Steatohepatitis: A Case of Nonalcoholic Steatohepatitis with Graves' Disease. <i>Internal Medicine</i> , 2016 , 55, 2019-23	1.1	9
208	Sarcopenia and two types of presarcopenia in Japanese patients with chronic liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 940-7	2.2	40
207	Current trends in hepatitis B vaccination. <i>Future Virology</i> , 2016 , 11, 369-378	2.4	2
206	Serum lipoprotein(a) levels and diabetic nephropathy among Japanese patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 923-7	3.2	11
205	Microvascular Complications and Prevalence of Nocturia in Japanese Patients With Type 2 Diabetes Mellitus: The Dogo Study. <i>Urology</i> , 2016 , 93, 147-51	1.6	5
204	Difficulty in management of intraductal papillary mucinous neoplasm-associated pancreatobiliary fistulas and the role of "pig-nose" appearance and intraductal ultrasonography in diagnosis. <i>Endoscopy International Open</i> , 2016 , 4, E446-50	3	4
203	Quantitative imaging of fibrotic and morphological changes in liver of non-alcoholic steatohepatitis (NASH) model mice by second harmonic generation (SHG) and auto-fluorescence (AF) imaging using two-photon excitation microscopy (TPEM). <i>Biochemistry and Biophysics Reports</i> , 2016 , 8, 277-283	2.2	9
202	Age and Prevalence of Esophageal Reflux Disease in Japanese Patients with Type 2 Diabetes Mellitus: The Dogo Study. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 3530-3536	4	3
201	Characterization of the biliary tract by virtual ultrasonography constructed by gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging. <i>Journal of Medical Ultrasonics (2001)</i> , 2015 , 42, 185-93	1.4	2
200	Short sleep duration reduces the risk of nonalcoholic fatty liver disease onset in men: a community-based longitudinal cohort study. <i>Journal of Gastroenterology</i> , 2015 , 50, 583-9	6.9	23
199	An unusual cause of abdominal pain. <i>Gastroenterology</i> , 2015 , 148, e1-2	13.3	1
198	Association between <i>Wisteria floribunda</i> agglutinin-positive Mac-2 binding protein and the fibrosis stage of non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2015 , 50, 776-84	6.9	117
197	Muscle atrophy as pre-sarcopenia in Japanese patients with chronic liver disease: computed tomography is useful for evaluation. <i>Journal of Gastroenterology</i> , 2015 , 50, 1206-13	6.9	74
196	Recessive inheritance of population-specific intronic LINE-1 insertion causes a rotor syndrome phenotype. <i>Human Mutation</i> , 2015 , 36, 327-32	4.7	17
195	A case of hepatocellular carcinoma treated by radiofrequency ablation confirming the adjacent major bile duct under hybrid contrast mode through a biliary drainage catheter. <i>Clinical Journal of Gastroenterology</i> , 2015 , 8, 318-22	1.1	2
194	Genome-wide association study identifies a PSMD3 variant associated with neutropenia in interferon-based therapy for chronic hepatitis C. <i>Human Genetics</i> , 2015 , 134, 279-89	6.3	8

193	Diminished immune response to vaccinations in obesity: role of myeloid-derived suppressor and other myeloid cells. <i>Obesity Research and Clinical Practice</i> , 2015 , 9, 35-44	5.4	24
192	Pancreatic congestion in liver cirrhosis correlates with impaired insulin secretion. <i>Journal of Gastroenterology</i> , 2015 , 50, 683-93	6.9	13
191	Clinical features of fatty liver in nonobese Japanese without regular alcohol intake. <i>Diabetology International</i> , 2015 , 6, 60-65	2.3	1
190	Significance of exercise in nonalcoholic fatty liver disease in men: a community-based large cross-sectional study. <i>Journal of Gastroenterology</i> , 2015 , 50, 230-7	6.9	15
189	Clear visualization of extravasation on angiography using carbon dioxide in a case of hepatocellular carcinoma rupture with unclear visualization using iodine contrast agent. <i>Internal Medicine</i> , 2015 , 54, 407-10	1.1	1
188	Drug-induced liver injury with serious multiform exudative erythema following the use of an over-the-counter medication containing ibuprofen. <i>Internal Medicine</i> , 2015 , 54, 395-9	1.1	4
187	Safety and effectiveness of sorafenib in elderly patients with HCC. <i>Acta Hepatologica Japonica</i> , 2015 , 56, 369-372	0.3	
186	Utility of Contrast-Enhanced Transabdominal Ultrasonography to Diagnose Early Chronic Pancreatitis. <i>BioMed Research International</i> , 2015 , 2015, 393124	3	8
185	Alpha-fetoprotein and des-gamma-carboxy-prothrombin at twenty-four weeks after interferon-based therapy predict hepatocellular carcinoma development. <i>World Journal of Hepatology</i> , 2015 , 7, 2757-64	3.4	3
184	Tumor Markers AFP, AFP-L3, and DCP in Hepatocellular Carcinoma Refractory to Transcatheter Arterial Chemoembolization. <i>Oncology</i> , 2015 , 89, 167-74	3.6	22
183	Prognosis and therapy for ruptured hepatocellular carcinoma: problems with staging and treatment strategy. <i>European Journal of Radiology</i> , 2015 , 84, 366-371	4.7	20
182	Nonalcoholic fatty liver disease: portal hypertension due to outflow block in patients without cirrhosis. <i>Radiology</i> , 2015 , 274, 597-604	20.5	19
181	The ligand binding ability of dopamine D1 receptors synthesized using a wheat germ cell-free protein synthesis system with liposomes. <i>European Journal of Pharmacology</i> , 2014 , 745, 117-22	5.3	12
180	Hypophosphatemia in patients with hepatitis B virus infection undergoing long-term adefovir dipivoxil therapy. <i>Hepatology Research</i> , 2014 , 44, 1081-7	5.1	9
179	Designing immune therapy for chronic hepatitis B. <i>Journal of Clinical and Experimental Hepatology</i> , 2014 , 4, 241-6	4.1	5
178	Incidence for progression of hypervascular HCC in hypovascular hepatic nodules showing hyperintensity on gadoteric acid-enhanced hepatobiliary phase in patients with chronic liver diseases. <i>Japanese Journal of Radiology</i> , 2014 , 32, 405-13	2.9	20
177	Association between subclinical hypothyroidism and diabetic nephropathy in patients with type 2 diabetes mellitus. <i>Endocrine Journal</i> , 2014 , 61, 1011-8	2.9	38
176	Signet-ring cell carcinoma of the gallbladder complicated by pulmonary tumor thrombotic microangiopathy. <i>Internal Medicine</i> , 2014 , 53, 1125-9	1.1	14

175	An HBV-HIV co-infected patient treated with tenofovir-based therapy who achieved HBs antigen/antibody seroconversion. <i>Internal Medicine</i> , 2014 , 53, 1343-6	1.1	
174	F-FDG-PET/CT predicts the distribution of microsatellite lesions in hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 798-804	1.6	13
173	New susceptibility and resistance HLA-DP alleles to HBV-related diseases identified by a trans-ethnic association study in Asia. <i>PLoS ONE</i> , 2014 , 9, e86449	3.7	28
172	Hyperuricemia is a risk factor for the onset of impaired fasting glucose in men with a high plasma glucose level: a community-based study. <i>PLoS ONE</i> , 2014 , 9, e107882	3.7	15
171	Interleukin 28B polymorphism predicts interferon plus ribavirin treatment outcome in patients with hepatitis C virus-related liver cirrhosis: A multicenter retrospective study in Japan. <i>Hepatology Research</i> , 2014 , 44, 983-92	5.1	3
170	Clinical features of adult patients with acute hepatitis B virus infection progressing to chronic infection. <i>International Journal of Hepatology</i> , 2014 , 2014, 358206	2.7	6
169	Local recurrence of hepatocellular carcinoma in the tumor blood drainage area following radiofrequency ablation. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 182-186	1.6	13
168	Maximum standardized uptake value in F-fluoro-2-deoxyglucose positron emission tomography is associated with advanced tumor factors in esophageal cancer. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 313-321	1.6	9
167	Circulating AIM as an indicator of liver damage and hepatocellular carcinoma in humans. <i>PLoS ONE</i> , 2014 , 9, e109123	3.7	29
166	B cell-activating factor is associated with the histological severity of nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2013 , 7, 539-47	8.8	27
165	Wilms' tumor 1 gene modulates Fas-related death signals and anti-apoptotic functions in hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2013 , 48, 1069-80	6.9	8
164	Reply to the letter by Lai et al. regarding "body mass index is the most useful predictive factor for the onset of nonalcoholic fatty liver disease: a community-based retrospective longitudinal study". <i>Journal of Gastroenterology</i> , 2013 , 48, 550-1	6.9	3
163	Inhibition of hepatocellular carcinoma by PegIFN α 2a in patients with chronic hepatitis C: a nationwide multicenter cooperative study. <i>Journal of Gastroenterology</i> , 2013 , 48, 382-90	6.9	18
162	Body mass index is the most useful predictive factor for the onset of nonalcoholic fatty liver disease: a community-based retrospective longitudinal cohort study. <i>Journal of Gastroenterology</i> , 2013 , 48, 413-22	6.9	49
161	Blockade of B-cell-activating factor signaling enhances hepatic steatosis induced by a high-fat diet and improves insulin sensitivity. <i>Laboratory Investigation</i> , 2013 , 93, 311-21	5.9	21
160	Improvement of long-term outcomes in pancreatic cancer and its associated factors within the gemcitabine era: a collaborative retrospective multicenter clinical review of 1,082 patients. <i>BMC Gastroenterology</i> , 2013 , 13, 134	3	22
159	Critical residues in the transmembrane helical bundle domains of the human motilin receptor for erythromycin binding and activity. <i>Regulatory Peptides</i> , 2013 , 180, 17-25		4
158	Des-gamma-carboxy prothrombin identified by P-11 and P-16 antibodies reflects prognosis for patients with hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 671-7	4	9

157	FGF3/FGF4 amplification and multiple lung metastases in responders to sorafenib in hepatocellular carcinoma. <i>Hepatology</i> , 2013 , 57, 1407-15	11.2	106
156	Reply: To PMID 22488593. <i>Hepatology</i> , 2013 , 58, 834-5	11.2	
155	Oral administration of carbonic anhydrase I ameliorates murine experimental colitis induced by Foxp3-CD4+CD25- T cells. <i>Journal of Leukocyte Biology</i> , 2013 , 93, 963-72	6.5	10
154	Obesity and gastrointestinal liver disorders in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28 Suppl 4, 48-53	4	17
153	Non-alcoholic fatty liver disease: factors associated with its presence and onset. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28 Suppl 4, 71-8	4	18
152	Importance of screening for synchronous malignant neoplasms in patients with hepatocellular carcinoma: impact of FDG PET/CT. <i>Liver International</i> , 2013 , 33, 1085-91	7.9	14
151	Interleukin-18 induces insulin resistance in the hyperthyroid state. <i>Endocrine Journal</i> , 2013 , 60, 449-455	2.9	6
150	Colonic intussusception caused by anisakiasis: a case report and review of the literature. <i>Internal Medicine</i> , 2013 , 52, 223-6	1.1	33
149	Clinical characteristics of patients who developed hepatocellular carcinoma after hepatitis C virus eradication with interferon therapy: current status in Japan. <i>Internal Medicine</i> , 2013 , 52, 2701-6	1.1	12
148	Portal biliopathy diagnosed using color Doppler and contrast-enhanced ultrasound. <i>Internal Medicine</i> , 2013 , 52, 1055-9	1.1	5
147	Protein kinase R modulates c-Fos and c-Jun signaling to promote proliferation of hepatocellular carcinoma with hepatitis C virus infection. <i>PLoS ONE</i> , 2013 , 8, e67750	3.7	28
146	Increased B cell-activating factor promotes tumor invasion and metastasis in human pancreatic cancer. <i>PLoS ONE</i> , 2013 , 8, e71367	3.7	23
145	T helper 17 cells in autoimmune liver diseases. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 607073		20
144	B cell activating factor in obesity is regulated by oxidative stress in adipocytes. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013 , 52, 120-7	3.1	11
143	A relationship between motilin and growth hormone secretagogue receptors. <i>Regulatory Peptides</i> , 2012 , 176, 28-35		19
142	Huge pancreatic acinar cell carcinoma with high levels of AFP and fucosylated AFP (AFP-L3). <i>Internal Medicine</i> , 2012 , 51, 1341-9	1.1	21
141	An adult patient with acute infection with hepatitis B virus genotype C that progressed to chronic infection. <i>Internal Medicine</i> , 2012 , 51, 173-6	1.1	3
140	Ribavirin regulates hepatitis C virus replication through enhancing interferon-stimulated genes and interleukin 8. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1121-30	7	17

139	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations. <i>BMC Medical Genetics</i> , 2012 , 13, 47	2.1	34
138	Lymphotoxin β receptor signaling promotes development of autoimmune pancreatitis. <i>Gastroenterology</i> , 2012 , 143, 1361-1374	13.3	36
137	Strong and multi-antigen specific immunity by hepatitis B core antigen (HBcAg)-based vaccines in a murine model of chronic hepatitis B: HBcAg is a candidate for a therapeutic vaccine against hepatitis B virus. <i>Antiviral Research</i> , 2012 , 96, 59-64	10.8	40
136	High serum palmitic acid is associated with low antiviral effects of interferon-based therapy for hepatitis C virus. <i>Lipids</i> , 2012 , 47, 1053-62	1.6	2
135	Real-time tissue elastography for evaluation of hepatic fibrosis and portal hypertension in nonalcoholic fatty liver diseases. <i>Hepatology</i> , 2012 , 56, 1271-8	11.2	83
134	Metabolic markers and ALT cutoff level for diagnosing nonalcoholic fatty liver disease: a community-based cross-sectional study. <i>Journal of Gastroenterology</i> , 2012 , 47, 696-703	6.9	39
133	Biliary atresia and survival into adulthood without transplantation: a collaborative multicentre clinic review. <i>Liver International</i> , 2012 , 32, 510-8	7.9	30
132	Regulatory dendritic cells pulsed with carbonic anhydrase I protect mice from colitis induced by CD4+CD25- T cells. <i>Journal of Immunology</i> , 2012 , 188, 2164-72	5.3	31
131	Rapid alternative absorption of dietary long-chain fatty acids with upregulation of intestinal glycosylated CD36 in liver cirrhosis. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 90-101	7	5
130	Phase I/II study of immunotherapy using tumor antigen-pulsed dendritic cells in patients with hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2012 , 41, 1601-9	4.4	88
129	Dendritic Cell-Based Immune Therapy in Liver Diseases. <i>Current Immunology Reviews</i> , 2012 , 8, 28-36	1.3	
128	Dendritic Cells in Autoimmune Liver Diseases. <i>Current Immunology Reviews</i> , 2012 , 8, 23-27	1.3	
127	Long-term branched-chain amino acid supplementation improves glucose tolerance in patients with nonalcoholic steatohepatitis-related cirrhosis. <i>Internal Medicine</i> , 2012 , 51, 2151-5	1.1	27
126	Complete response of a patient with advanced primary splenic histiocytic sarcoma by treatment with chemotherapeutic drugs selected using the collagen gel droplet-embedded culture drug sensitivity test. <i>Internal Medicine</i> , 2012 , 51, 2893-7	1.1	6
125	Clinical features and hepatitis B virus (HBV) genotypes in pregnant women chronically infected with HBV. <i>Internal Medicine</i> , 2012 , 51, 3317-22	1.1	2
124	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean. <i>PLoS ONE</i> , 2012 , 7, e39175	3.7	117
123	Recent trends of Japanese hepatocellular carcinoma due to HCV in aging society. <i>Hepato-Gastroenterology</i> , 2012 , 59, 1893-5		4
122	Sustained virological response against hepatitis C virus in a patient with Down's syndrome treated with interferon- α <i>Acta Hepatologica Japonica</i> , 2012 , 53, 201-205	0.3	

121	B cell-activating factor controls the production of adipokines and induces insulin resistance. <i>Obesity</i> , 2011 , 19, 1915-22	8	36
120	Simple formula to predict response to peginterferon alpha2b and ribavirin combination therapy in genotype 1 chronic hepatitis C patients with high viral loads. <i>Hepatology Research</i> , 2011 , 41, 126-32	5.1	2
119	Biochemical response to ursodeoxycholic acid predicts long-term outcome in Japanese patients with primary biliary cirrhosis. <i>Hepatology Research</i> , 2011 , 41, 310-7	5.1	37
118	Recommendation of lamivudine-to-entecavir switching treatment in chronic hepatitis B responders: Randomized controlled trial. <i>Hepatology Research</i> , 2011 , 41, 505-11	5.1	4
117	Sustained virological response of patients with hepatitis C virus genotype 2 depends on pegylated interferon compliance. <i>Hepatology Research</i> , 2011 , 41, 722-30	5.1	2
116	Aerobic exercise improves insulin resistance and decreases body fat and serum levels of leptin in patients with hepatitis C virus. <i>Hepatology Research</i> , 2011 , 41, 928-35	5.1	27
115	Clinical significance of B cell-activating factor in autoimmune pancreatitis. <i>Pancreas</i> , 2011 , 40, 840-5	2.6	24
114	Ulcerative colitis complicated with primary biliary cirrhosis. <i>Internal Medicine</i> , 2011 , 50, 2323-7	1.1	16
113	Hepatocellular carcinoma in a case of Wilson's disease treated with radiofrequency ablation therapy. <i>Internal Medicine</i> , 2011 , 50, 1433-7	1.1	8
112	Epithelial cyst arising in an intrapancreatic accessory spleen: a diagnostic dilemma. <i>Internal Medicine</i> , 2011 , 50, 1947-52	1.1	15
111	Abdominal imaging findings of a patient with hepatocellular carcinoma associated with glycogen storage disease type 1a. <i>Internal Medicine</i> , 2011 , 50, 2317-22	1.1	6
110	Mutational analysis of predicted extracellular domains of human growth hormone secretagogue receptor 1a. <i>Regulatory Peptides</i> , 2011 , 166, 28-35		6
109	ZNF689 suppresses apoptosis of hepatocellular carcinoma cells through the down-regulation of Bcl-2 family members. <i>Experimental Cell Research</i> , 2011 , 317, 1851-9	4.2	16
108	Characteristics of small bowel tumors detected by double balloon endoscopy. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 2366-71	4	26
107	Factors predictive of sustained virological response following 72 weeks of combination therapy for genotype 1b hepatitis C. <i>Journal of Gastroenterology</i> , 2011 , 46, 545-55	6.9	11
106	Future aspects of therapy for hepatitis B virus infection: value of surrogate markers, innovative therapy, and global collaboration. <i>Journal of Gastroenterology</i> , 2011 , 46, 717-23	6.9	5
105	Severe hypoglycemia associated with insulin-like growth factor II-producing liver metastasis from gastric carcinoma treated with overnight total parenteral nutrition via a central vein catheter reserve port. <i>Clinical Journal of Gastroenterology</i> , 2011 , 4, 68-72	1.1	1
104	Endovascular treatment is effective against acute mesenteric ischemia complicated with metabolic diseases. <i>Clinical Journal of Gastroenterology</i> , 2011 , 4, 223-229	1.1	

103	Association of IL28B variants with response to pegylated-interferon alpha plus ribavirin combination therapy reveals intersubgenotypic differences between genotypes 2a and 2b. <i>Journal of Medical Virology</i> , 2011 , 83, 871-8	19.7	43
102	Hepatic elasticity in patients with ascites: evaluation with real-time tissue elastography. <i>American Journal of Roentgenology</i> , 2011 , 196, W766-71	5.4	26
101	Splenic elasticity measured with real-time tissue elastography is a marker of portal hypertension. <i>Radiology</i> , 2011 , 261, 960-8	20.5	69
100	Liver fibrosis in patients with chronic hepatitis C: noninvasive diagnosis by means of real-time tissue elastography--establishment of the method for measurement. <i>Radiology</i> , 2011 , 258, 610-7	20.5	117
99	Genome-wide association study identified ITPA/DDR1G1 variants reflecting thrombocytopenia in pegylated interferon and ribavirin therapy for chronic hepatitis C. <i>Human Molecular Genetics</i> , 2011 , 20, 3507-16	5.6	75
98	Regulatory natural killer cells in murine liver and their immunosuppressive capacity. <i>Liver International</i> , 2010 , 30, 906-12	7.9	10
97	Radiofrequency ablation therapy for hepatocellular carcinoma in elderly patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 403-7	4	43
96	Congenital hepatic fibrosis without any symptoms as diagnosed by laparoscopy. <i>Digestive Endoscopy</i> , 2010 , 22, 357-9	3.7	3
95	Infection as a Risk Factor in the Pathogenesis of Primary Biliary Cirrhosis: Pros and Cons. <i>Disease Markers</i> , 2010 , 29, 313-321	3.2	10
94	Clinical translation in the treatment of hepatocellular carcinoma following the introduction of contrast-enhanced ultrasonography with Sonazoid. <i>Oncology Letters</i> , 2010 , 1, 57-61	2.6	29
93	Variability of the polymerase gene (NS5B) in hepatitis C virus-infected women. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 4256-9	9.7	10
92	Mass reduction by radiofrequency ablation before hepatic arterial infusion chemotherapy improved prognosis for patients with huge hepatocellular carcinoma and portal vein thrombus. <i>American Journal of Roentgenology</i> , 2010 , 194, W221-6	5.4	20
91	Amino acid imbalance in patients with chronic liver diseases. <i>Hepatology Research</i> , 2010 , 40, 393-8	5.1	35
90	Accumulation of refractory factors for pegylated interferon plus ribavirin therapy in older female patients with chronic hepatitis C. <i>Hepatology Research</i> , 2010 , 40, 1155-67	5.1	20
89	Contrast-enhanced sonography with abdominal virtual sonography in monitoring radiofrequency ablation of hepatocellular carcinoma. <i>Journal of Clinical Ultrasound</i> , 2010 , 38, 138-44	1	11
88	Pancreatitis and cholangitis due to cytomegalovirus in a patient with hyperimmunoglobulin E syndrome. <i>Pancreas</i> , 2010 , 39, 940-2	2.6	5
87	Immune modulator and antiviral potential of dendritic cells pulsed with both hepatitis B surface antigen and core antigen for treating chronic HBV infection. <i>Antiviral Therapy</i> , 2010 , 15, 887-95	1.6	28
86	Clinical profile of primary biliary cirrhosis that was diagnosed as symptomatic primary biliary cirrhosis according to the revised diagnostic criteria in Japan. <i>Internal Medicine</i> , 2010 , 49, 1073-8	1.1	1

85	Evaluation of contrast-enhanced ultrasonography using perfluorobutane (Sonazoid(□)) in patients with small hepatocellular carcinoma: comparison with dynamic computed tomography. <i>Oncology Letters</i> , 2010 , 1, 485-488	2.6	11
84	Persistent expression of the full genome of hepatitis C virus in B cells induces spontaneous development of B-cell lymphomas in vivo. <i>Blood</i> , 2010 , 116, 4926-33	2.2	58
83	Clinical course of tuberculous peritonitis determined by laparoscopy. <i>Internal Medicine</i> , 2010 , 49, 293-7	1.1	3
82	FDG positron emission tomography/computed tomography findings for the prediction of early recurrence of hepatocellular carcinoma after surgical resection. <i>Experimental and Therapeutic Medicine</i> , 2010 , 1, 829-832	2.1	2
81	Etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , 2010 , 45, 86-94	6.9	113
80	Impaired dendritic cell functions disrupt antigen-specific adaptive immune responses in mice with nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2010 , 45, 859-67	6.9	30
79	Fucosylated fraction of alpha-fetoprotein as a predictor of prognosis in patients with hepatocellular carcinoma after curative treatment. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2095-101	4	15
78	Infection as a risk factor in the pathogenesis of primary biliary cirrhosis: pros and cons. <i>Disease Markers</i> , 2010 , 29, 313-21	3.2	4
77	Modified technique for determining therapeutic response to radiofrequency ablation therapy for hepatocellular carcinoma using US-volume system. <i>Oncology Reports</i> , 2010 , 23, 493-7	3.5	12
76	Distribution of hepatitis B virus genotypes among patients with chronic infection in Japan shifting toward an increase of genotype A. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 1476-83	9.7	97
75	High orotate phosphoribosyltransferase gene expression predicts complete response to chemoradiotherapy in patients with squamous cell carcinoma of the esophagus. <i>Oncology</i> , 2009 , 76, 3423-6	3.6	2
74	Virtual puncture line in radiofrequency ablation for hepatocellular carcinoma of the caudate lobe. <i>American Journal of Roentgenology</i> , 2009 , 193, W149-51	5.4	7
73	Treatment of hepatitis B virus-infected patients: utility of therapeutic recommendations in developing countries. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1605-14	4	10
72	Early biochemical response to ursodeoxycholic acid predicts symptom development in patients with asymptomatic primary biliary cirrhosis. <i>Journal of Gastroenterology</i> , 2009 , 44, 630-4	6.9	52
71	Fibrosing cholestatic hepatitis with hepatitis C virus treated by double filtration plasmapheresis and interferon plus ribavirin after liver transplantation. <i>Clinical Journal of Gastroenterology</i> , 2009 , 2, 125-130	1.1	4
70	A case of serous cystadenoma of the pancreas with a central stellate scar detected on contrast-enhanced ultrasound with perflubutane. <i>Clinical Journal of Gastroenterology</i> , 2009 , 2, 232-237	1.1	
69	Genome-wide association of IL28B with response to pegylated interferon-alpha and ribavirin therapy for chronic hepatitis C. <i>Nature Genetics</i> , 2009 , 41, 1105-9	36.3	1926
68	Efficacy of laparoscopic radiofrequency ablation for hepatocellular carcinoma compared to percutaneous radiofrequency ablation with artificial ascites. <i>Digestive Endoscopy</i> , 2009 , 21, 82-6	3.7	22

67	Diabetes pattern on the 75 g oral glucose tolerance test is a risk factor for hepatocellular carcinoma in patients with hepatitis C virus. <i>Liver International</i> , 2009 , 29, 1194-201	7.9	30
66	Usefulness of the hyperechoic rim for assessing the therapeutic efficacy of radiofrequency ablation in hepatocellular carcinoma patients. <i>Hepatology Research</i> , 2009 , 39, 954-62	5.1	8
65	Toll-like receptor 3 signaling induces chronic pancreatitis through the Fas/Fas ligand-mediated cytotoxicity. <i>Tohoku Journal of Experimental Medicine</i> , 2009 , 217, 175-84	2.4	21
64	A familial case of autoimmune hepatitis. <i>Internal Medicine</i> , 2009 , 48, 315-9	1.1	10
63	Occupational liver injury due to N,N-dimethylformamide in the synthetics industry. <i>Internal Medicine</i> , 2009 , 48, 1647-50	1.1	29
62	Wilms' tumour 1 gene expression is increased in hepatocellular carcinoma and associated with poor prognosis. <i>European Journal of Cancer</i> , 2008 , 44, 600-8	7.5	41
61	Neuropsychiatric dysfunction in patients with chronic hepatitis and liver cirrhosis. <i>Hepatology Research</i> , 2008 , 38, 1069-75	5.1	13
60	Efficacy of splenectomy for hypersplenic patients with advanced hepatocellular carcinoma. <i>Hepatology Research</i> , 2008 , 38, 1172-7	5.1	11
59	Treatment of hepatocellular carcinoma using arterial chemoembolization with degradable starch microspheres and continuous arterial infusion of 5-fluorouracil. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 596-603	2.8	12
58	Mutational analysis of predicted intracellular loop domains of human motilin receptor. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, G460-6	5.1	7
57	Doppler waveform pattern changes in a patient with primary Budd-Chiari syndrome before and after angioplasty. <i>Internal Medicine</i> , 2008 , 47, 91-5	1.1	4
56	Protective role of interleukin-10-producing regulatory dendritic cells against murine autoimmune gastritis. <i>Journal of Gastroenterology</i> , 2008 , 43, 100-7	6.9	15
55	Characteristic endoscopic features of portal hypertensive enteropathy. <i>Journal of Gastroenterology</i> , 2008 , 43, 327-31	6.9	40
54	Liver/spleen volume ratio as a predictor of prognosis in primary biliary cirrhosis. <i>Journal of Gastroenterology</i> , 2008 , 43, 632-6	6.9	22
53	Hepatitis C virus replication is inhibited by 22beta-methoxyolean-12-ene-3beta, 24(4beta)-diol (ME3738) through enhancing interferon-beta. <i>Hepatology</i> , 2008 , 48, 59-69	11.2	9
52	Clinicopathologic features of the severe form of acute type 1 autoimmune hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 255-8	6.9	67
51	Impaired dendritic cell function resulting from chronic undernutrition disrupts the antigen-specific immune response in mice. <i>Journal of Nutrition</i> , 2007 , 137, 671-5	4.1	32
50	Hepatitis C virus expression and interferon antiviral action is dependent on PKR expression. <i>Journal of Medical Virology</i> , 2007 , 79, 1120-7	19.7	14

49	Characteristics of lamivudine-resistant hepatitis B virus (HBV) strains with and without breakthrough hepatitis in patients with chronic hepatitis B evaluated by serial HBV full-genome sequences. <i>Journal of Medical Virology</i> , 2007 , 79, 911-8	19.7	4
48	LAPAROSCOPIC FEATURES AND INTEROBSERVER VARIATION OF HISTOLOGICAL DIAGNOSIS IN PATIENTS WITH NON-ALCOHOLIC FATTY LIVER DISEASE. <i>Digestive Endoscopy</i> , 2007 , 20, 22-28	3.7	1
47	Engineering immune therapy against hepatitis B virus. <i>Hepatology Research</i> , 2007 , 37 Suppl 3, S351-6	5.1	12
46	Dietary habits and nutrient intake in non-alcoholic steatohepatitis. <i>Nutrition</i> , 2007 , 23, 46-52	4.8	185
45	Identification of CTL epitopes in hepatitis C virus by a genome-wide computational scanning and a rational design of peptide vaccine. <i>Immunogenetics</i> , 2007 , 59, 197-209	3.2	13
44	Significance of laparoscopic splenectomy in patients with hypersplenism. <i>World Journal of Surgery</i> , 2007 , 31, 549-55	3.3	57
43	Clinical usefulness of quantitative evaluation of visceral fat by ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2007 , 34, 151-7	1.4	3
42	Percutaneous ultrasound-guided radiofrequency ablation of hepatocellular carcinoma with artificially induced pleural effusion and ascites. <i>Journal of Gastroenterology</i> , 2007 , 42, 306-11	6.9	79
41	Heterogeneity of hepatitis B virus genotype D in Japan. <i>Intervirology</i> , 2007 , 50, 150-5	2.5	4
40	Compartmentalization of hepatitis C virus (HCV) during HCV/HIV coinfection. <i>Journal of Infectious Diseases</i> , 2007 , 195, 1765-73	7	39
39	Three cases of liver abscesses complicated with colon cancer without liver metastasis: importance of screening for digestive disease. <i>Internal Medicine</i> , 2007 , 46, 2013-7	1.1	29
38	Development of hepatocellular carcinoma (HCC) in a patient 17 years after recovery from chronic hepatitis B and seroconversion to anti-HBs. <i>Internal Medicine</i> , 2007 , 46, 29-33	1.1	2
37	Budd-Chiari syndrome associated with hypereosinophilic syndrome; a case report. <i>Internal Medicine</i> , 2007 , 46, 1095-100	1.1	27
36	Induction of anti-HBs in HB vaccine nonresponders in vivo by hepatitis B surface antigen-pulsed blood dendritic cells. <i>Journal of Hepatology</i> , 2007 , 47, 60-6	13.4	20
35	Prevalence of hepatitis E virus among wild boar in the Ehime area of western Japan. <i>Hepatology Research</i> , 2007 , 37, 214-20	5.1	44
34	Characteristics of geographic distributions and route of infection for hepatitis B virus genotype D in Ehime area in western Japan. <i>Hepatology Research</i> , 2007 , 37, 255-62	5.1	8
33	Diabetes mellitus reduces the therapeutic effectiveness of interferon-alpha2b plus ribavirin therapy in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2007 , 37, 331-6	5.1	32
32	Recurrence of autoimmune hepatitis after liver transplantation without elevation of alanine aminotransferase. <i>World Journal of Gastroenterology</i> , 2007 , 13, 1618-21	5.6	13

31	Clinical features of symptomatic primary biliary cirrhosis initially complicated with esophageal varices. <i>Journal of Gastroenterology</i> , 2006 , 41, 1220-6	6.9	19
30	Cell-based models of sustained, interferon-sensitive hepatitis C virus genotype 1 replication. <i>Journal of Virological Methods</i> , 2006 , 132, 195-203	2.6	11
29	Tracing the history of hepatitis B virus genotype D in western Japan. <i>Journal of Medical Virology</i> , 2006 , 78, 44-52	19.7	28
28	Anti-HBs-positive liver failure due to hepatitis B virus reactivation induced by rituximab. <i>Internal Medicine</i> , 2006 , 45, 721-4	1.1	102
27	Usefulness of contrast-enhanced ultrasonography with abdominal virtual ultrasonography in assessing therapeutic response in hepatocellular carcinoma treated with radiofrequency ablation. <i>Liver International</i> , 2006 , 26, 1241-7	7.9	34
26	Clinical characteristics of autoimmune hepatitis in older aged patients. <i>Hepatology Research</i> , 2006 , 36, 139-42	5.1	23
25	A case of acute hepatitis E developed in a housewife who had cooked and eaten wild boar meat a month before. <i>Acta Hepatologica Japonica</i> , 2006 , 47, 459-464	0.3	11
24	Prognosis following transcatheter arterial embolization for 121 patients with unresectable hepatocellular carcinoma with or without a history of treatment. <i>World Journal of Gastroenterology</i> , 2006 , 12, 2075-9	5.6	13
23	Co-infection with hepatitis B virus genotype D and other genotypes in Western Japan. <i>Intervirology</i> , 2005 , 48, 262-7	2.5	4
22	In vivo immunization by vaccine therapy following virus suppression by lamivudine: a novel approach for treating patients with chronic hepatitis B. <i>Journal of Clinical Virology</i> , 2005 , 32, 156-61	14.5	70
21	Hepatitis C virus expression suppresses interferon signaling by degrading STAT1. <i>Gastroenterology</i> , 2005 , 128, 1034-41	13.3	129
20	Administration of dendritic cells in cancer nodules in hepatocellular carcinoma. <i>Oncology Reports</i> , 2005 , 14, 969	3.5	2
19	Hepatitis C virus acts as a tumor accelerator by blocking apoptosis in a mouse model of hepatocarcinogenesis. <i>Hepatology</i> , 2005 , 41, 660-7	11.2	72
18	The quantification of cytochrome P-450 (CYP 3A4) mRNA in the blood of patients with viral liver diseases. <i>Clinical Biochemistry</i> , 2005 , 38, 531-4	3.5	12
17	Detection of hepatitis C virus (HCV) in serum and peripheral-blood mononuclear cells from HCV-monoinfected and HIV/HCV-coinfected persons. <i>Journal of Infectious Diseases</i> , 2005 , 192, 258-65	7	70
16	Administration of dendritic cells in cancer nodules in hepatocellular carcinoma. <i>Oncology Reports</i> , 2005 , 14, 969-73	3.5	18
15	CCR5 promoter polymorphism influences the interferon response of patients with chronic hepatitis C in Japan. <i>Intervirology</i> , 2004 , 47, 114-20	2.5	18
14	Earlier recurrence of esophageal varices, following therapy, in patients with primary biliary cirrhosis (PBC) compared with non-PBC patients. <i>Journal of Gastroenterology</i> , 2004 , 39, 1085-9	6.9	4

13	Recent clinical features of Wilson's disease with hepatic presentation. <i>Journal of Gastroenterology</i> , 2004 , 39, 1165-9	6.9	43
12	Major histocompatibility complex class-I presentation impaired in transgenic mice expressing hepatitis C virus structural proteins during dendritic cell maturation. <i>Journal of Medical Virology</i> , 2004 , 74, 253-61	19.7	12
11	Gianotti-Crosti syndrome caused by acute hepatitis B virus genotype D infection. <i>Internal Medicine</i> , 2004 , 43, 696-9	1.1	22
10	Hepatopulmonary syndrome in a patient with primary biliary cirrhosis. <i>Internal Medicine</i> , 2004 , 43, 458-60.	1	1
9	Protein kinase R is increased and is functional in hepatitis C virus-related hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2528-34	0.7	33
8	Protein kinase R is increased and is functional in hepatitis C virus-related hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2528-2534	0.7	
7	Dendritic cell subtypes in autoimmune liver diseases; decreased expression of HLA DR and CD123 on type 2 dendritic cells. <i>Hepatology Research</i> , 2002 , 22, 241-249	5.1	14
6	Morphometric analysis of lymphatic vessels in primary biliary cirrhosis. <i>Hepatology Research</i> , 2002 , 24, 107	5.1	8
5	Viral RNA mutations are region specific and increased by ribavirin in a full-length hepatitis C virus replication system. <i>Journal of Virology</i> , 2002 , 76, 8505-17	6.6	168
4	Clinical characteristics of autoimmune hepatitis with histological features of acute hepatitis. <i>Hepatology Research</i> , 2001 , 21, 213-219	5.1	43
3	Possible role of cytotoxic T cells in acute liver injury in hepatitis C virus cDNA transgenic mice mediated by Cre/loxP system. <i>Journal of Medical Virology</i> , 2000 , 62, 308-17	19.7	34
2	Low stimulatory capacity of lymphoid dendritic cells expressing hepatitis C virus genes. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 249, 90-5	3.4	52
1	Alcoholic hypertriglyceridemia with decreased activity of lipoprotein lipase and hepatic triglyceride lipase. <i>Internal Medicine</i> , 1993 , 32, 490-3	1.1	6