

# Francisco M Nadal-Nicolás

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9154635/publications.pdf>

Version: 2024-02-01

48  
papers

2,793  
citations

331670

21  
h-index

377865

34  
g-index

54  
all docs

54  
docs citations

54  
times ranked

2455  
citing authors

#	ARTICLE	IF	CITATIONS
1	A High-Density Narrow-Field Inhibitory Retinal Interneuron with Direct Coupling to Müller Glia. <i>Journal of Neuroscience</i> , 2021, 41, 6018-6037.	3.6	11
2	Establishing the ground squirrel as a superb model for retinal ganglion cell disorders and optic neuropathies. <i>Laboratory Investigation</i> , 2021, 101, 1289-1303.	3.7	7
3	True S-cones are concentrated in the ventral mouse retina and wired for color detection in the upper visual field. <i>ELife</i> , 2020, 9, .	6.0	75
4	Melanopsin+RGCs Are fully Resistant to NMDA-Induced Excitotoxicity. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3012.	4.1	18
5	Topical bromfenac transiently delays axotomy-induced retinal ganglion cell loss. <i>Experimental Eye Research</i> , 2019, 182, 156-159.	2.6	2
6	Nerve fibre layer degeneration and retinal ganglion cell loss long term after optic nerve crush or transection in adult mice. <i>Experimental Eye Research</i> , 2018, 170, 40-50.	2.6	46
7	The aging rat retina: from function to anatomy. <i>Neurobiology of Aging</i> , 2018, 61, 146-168.	3.1	80
8	Human Wharton's jelly mesenchymal stem cells protect axotomized rat retinal ganglion cells via secretion of anti-inflammatory and neurotrophic factors. <i>Scientific Reports</i> , 2018, 8, 16299.	3.3	50
9	Survival of melanopsin expressing retinal ganglion cells long term after optic nerve trauma in mice. <i>Experimental Eye Research</i> , 2018, 174, 93-97.	2.6	23
10	Pigment Epithelium-derived Factor Protects Retinal Pigment Epithelial Cells Against Cytotoxicity <i>in Vitro</i> . <i>Advances in Experimental Medicine and Biology</i> , 2018, 1074, 457-464.	1.6	17
11	The senescent vision: dysfunction or neuronal loss?. <i>Ageing</i> , 2018, 11, 15-17.	3.1	6
12	MicroRNA regulation in an animal model of acute ocular hypertension. <i>Acta Ophthalmologica</i> , 2017, 95, e10-e21.	1.1	28
13	Microglial dynamics after axotomy-induced retinal ganglion cell death. <i>Journal of Neuroinflammation</i> , 2017, 14, 218.	7.2	51
14	Shared and Differential Retinal Responses against Optic Nerve Injury and Ocular Hypertension. <i>Frontiers in Neuroscience</i> , 2017, 11, 235.	2.8	74
15	Melanopsin-Containing or Non-Melanopsin-Containing Retinal Ganglion Cells Response to Acute Ocular Hypertension With or Without Brain-Derived Neurotrophic Factor Neuroprotection. , 2016, 57, 6652.		34
16	Apoptotic Retinal Ganglion Cell Death After Optic Nerve Transection or Crush in Mice: Delayed RGC Loss With BDNF or a Caspase 3 Inhibitor. , 2016, 57, 81.		113
17	Ketorolac Administration Attenuates Retinal Ganglion Cell Death After Axonal Injury. , 2016, 57, 1183.		16
18	Topical Treatment With Bromfenac Reduces Retinal Gliosis and Inflammation After Optic Nerve Crush. , 2016, 57, 6098.		16

#	ARTICLE	IF	CITATIONS
19	Involvement of P2X7 receptor in neuronal degeneration triggered by traumatic injury. <i>Scientific Reports</i> , 2016, 6, 38499.	3.3	23
20	Caffeine administration prevents retinal neuroinflammation and loss of retinal ganglion cells in an animal model of glaucoma. <i>Scientific Reports</i> , 2016, 6, 27532.	3.3	54
21	Melanopsin expression is an indicator of the well-being of melanopsin-expressing retinal ganglion cells but not of their viability. <i>Neural Regeneration Research</i> , 2016, 11, 1243.	3.0	13
22	Long-Term Effect of Optic Nerve Axotomy on the Retinal Ganglion Cell Layer. , 2015, 56, 6095.		96
23	Inherited Photoreceptor Degeneration Causes the Death of Melanopsin-Positive Retinal Ganglion Cells and Increases Their Coexpression of Brn3a. , 2015, 56, 4592.		38
24	Comparison of Retinal Nerve Fiber Layer Thinning and Retinal Ganglion Cell Loss After Optic Nerve Transection in Adult Albino Rats. , 2015, 56, 4487.		66
25	Transient Downregulation of Melanopsin Expression After Retrograde Tracing or Optic Nerve Injury in Adult Rats. , 2015, 56, 4309.		25
26	BDNF Rescues RGCs But Not Intrinsically Photosensitive RGCs in Ocular Hypertensive Albino Rat Retinas. , 2015, 56, 1924.		60
27	Laser-induced ocular hypertension in adult rats does not affect non-RGC neurons in the ganglion cell layer but results in protracted severe loss of cone-photoreceptors. <i>Experimental Eye Research</i> , 2015, 132, 17-33.	2.6	50
28	Two methods to trace retinal ganglion cells with fluorogold: From the intact optic nerve or by stereotactic injection into the optic tract. <i>Experimental Eye Research</i> , 2015, 131, 12-19.	2.6	31
29	Retinal neurodegeneration in experimental glaucoma. <i>Progress in Brain Research</i> , 2015, 220, 1-35.	1.4	63
30	Retino-retinal projection in juvenile and young adult rats and mice. <i>Experimental Eye Research</i> , 2015, 134, 47-52.	2.6	21
31	Identifying specific RGC types may shed light on their idiosyncratic responses to neuroprotection. <i>Neural Regeneration Research</i> , 2015, 10, 1228.	3.0	22
32	Ocular hypertension in adult rodents does not affect non-RGC neurons in the ganglion cell layer but results in severe loss of cone-photoreceptors. <i>Acta Ophthalmologica</i> , 2015, 93, n/a-n/a.	1.1	0
33	A Novel In Vivo Model of Focal Light Emitting Diode-Induced Cone-Photoreceptor Phototoxicity: Neuroprotection Afforded by Brimonidine, BDNF, PEDF or bFGF. <i>PLoS ONE</i> , 2014, 9, e113798.	2.5	61
34	Displaced retinal ganglion cells in albino and pigmented rats. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 99.	1.7	76
35	Sectorial loss of retinal ganglion cells in inherited photoreceptor degeneration is due to RGC death. <i>British Journal of Ophthalmology</i> , 2014, 98, 396-401.	3.9	29
36	Temporal response of the phagocytic microglia in the axotomized rat retina: optic nerve crush vs. transection. <i>Acta Ophthalmologica</i> , 2014, 92, 0-0.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Number and Distribution of Mouse Retinal Cone Photoreceptors: Differences between an Albino (Swiss) and a Pigmented (C57/BL6) Strain. PLoS ONE, 2014, 9, e102392.	2.5	103
38	Number and spatial distribution of intrinsically photosensitive retinal ganglion cells in the adult albino rat. Experimental Eye Research, 2013, 108, 84-93.	2.6	70
39	Metabolomic Changes in the Rat Retina After Optic Nerve Crush. , 2013, 54, 4249.		37
40	Whole Number, Distribution and Co-Expression of Brn3 Transcription Factors in Retinal Ganglion Cells of Adult Albino and Pigmented Rats. PLoS ONE, 2012, 7, e49830.	2.5	131
41	Understanding glaucomatous damage: Anatomical and functional data from ocular hypertensive rodent retinas. Progress in Retinal and Eye Research, 2012, 31, 1-27.	15.5	167
42	Retinal neuronal death caused by ocular hypertension. Acta Ophthalmologica, 2012, 90, 0-0.	1.1	0
43	Brain derived neurotrophic factor maintains Brn3a expression in axotomized rat retinal ganglion cells. Experimental Eye Research, 2011, 92, 260-267.	2.6	74
44	Axotomy-induced retinal ganglion cell death in adult mice: Quantitative and topographic time course analyses. Experimental Eye Research, 2011, 92, 377-387.	2.6	136
45	Automated Quantification and Topographical Distribution of the Whole Population of S- and L-Cones in Adult Albino and Pigmented Rats. , 2010, 51, 3171.		71
46	Time-course of the retinal nerve fibre layer degeneration after complete intra-orbital optic nerve transection or crush: A comparative study. Vision Research, 2009, 49, 2808-2825.	1.4	63
47	Brn3a as a Marker of Retinal Ganglion Cells: Qualitative and Quantitative Time Course Studies in Naïve and Optic Nerveâ€“Injured Retinas. , 2009, 50, 3860.		465
48	Immediate Upregulation of Proteins Belonging to Different Branches of the Apoptotic Cascade in the Retina after Optic Nerve Transection and Optic Nerve Crush. , 2009, 50, 424.		76