

Joanne Hodgekins

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9156210/publications.pdf>

Version: 2024-02-01

26
papers

939
citations

949033

11
h-index

620720

26
g-index

26
all docs

26
docs citations

26
times ranked

1346
citing authors

#	ARTICLE	IF	CITATIONS
1	Determinants of patient-reported outcome trajectories and symptomatic recovery in Improving Access to Psychological Therapies (IAPT) services. <i>Psychological Medicine</i> , 2022, 52, 3231-3240.	2.7	4
2	Clinical and cost-effectiveness of social recovery therapy for the prevention and treatment of long-term social disability among young people with emerging severe mental illness (PRODIGY): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2022, 220, 154-162.	1.7	5
3	Improved social functioning following social recovery therapy in first episode psychosis: Do social cognition and neurocognition change following therapy, and do they predict treatment response?. <i>Schizophrenia Research</i> , 2021, 228, 249-255.	1.1	3
4	The impact of manic symptoms in first episode psychosis: Findings from the UK National EDEN study. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 358-367.	2.2	2
5	A Systematic Review and Lived-Experience Panel Analysis of Hopefulness in Youth Depression Treatment. <i>Adolescent Research Review</i> , 2021, , 1-32.	2.3	2
6	Structure and stability of symptoms in first episode psychosis: a longitudinal network approach. <i>Translational Psychiatry</i> , 2021, 11, 567.	2.4	14
7	Social recovery therapy for young people with emerging severe mental illness: the Prodigy RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-98.	1.3	1
8	Views of young people in Malaysia on mental health, help-seeking and unusual psychological experiences. <i>Microbial Biotechnology</i> , 2020, 14, 115-123.	0.9	7
9	Service user experience of the Norfolk youth service. <i>Mental Health Review Journal</i> , 2020, 25, 85-98.	0.3	2
10	Prevalence of treatment resistance and clozapine use in early intervention services. <i>BJPsych Open</i> , 2020, 6, e107.	0.3	26
11	Psychological interventions for people with psychotic experiences: A systematic review and meta-analysis of controlled and uncontrolled effectiveness and economic studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 673-695.	1.3	12
12	Assessing social recovery of vulnerable youth in global mental health settings: a pilot study of clinical research tools in Malaysia. <i>BMC Psychiatry</i> , 2019, 19, 188.	1.1	1
13	Borderline Personality Disorder: What Predicts Acute Psychiatric Readmissions?. <i>Journal of Personality Disorders</i> , 2019, 35, 1-13.	0.8	9
14	Psychological interventions for people with psychotic experiences: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 124.	2.5	2
15	Social recovery therapy: a treatment manual. <i>Psychosis</i> , 2019, 11, 261-272.	0.4	10
16	Cognitive behavioural therapy for anxiety in psychosis: a systematic review and meta-analysis. <i>Psychosis</i> , 2019, 11, 223-237.	0.4	3
17	Attachment styles and clinical correlates in people at ultra high risk for psychosis. <i>British Journal of Psychology</i> , 2018, 109, 45-62.	1.2	11
18	A review of abnormalities in the perception of visual illusions in schizophrenia. <i>Psychonomic Bulletin and Review</i> , 2017, 24, 734-751.	1.4	73

#	ARTICLE	IF	CITATIONS
19	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 315.	0.7	14
20	Effectiveness of cognitive behavioural therapy with people who have autistic spectrum disorders: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2016, 49, 41-54.	6.0	151
21	Participant views on involvement in a trial of social recovery cognitive behavioural therapy. <i>British Journal of Psychiatry</i> , 2015, 206, 122-127.	1.7	21
22	Using a Semi-Structured Interview to Explore Imagery Experienced During Social Anxiety for Clients with a Diagnosis of Psychosis: An Exploratory Study Conducted Within an Early Intervention for Psychosis Service. <i>Behavioural and Cognitive Psychotherapy</i> , 2012, 40, 55-68.	0.9	14
23	Negative Cognition, Depressed Mood, and Paranoia: A Longitudinal Pathway Analysis Using Structural Equation Modeling. <i>Schizophrenia Bulletin</i> , 2012, 38, 1063-1073.	2.3	154
24	Cognitive Bias Modification in the Treatment of Social Anxiety in Early Psychosis: A Single Case Series. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 341-347.	0.9	24
25	CBT and Recovery From Psychosis in the ISREP Trial: Mediating Effects of Hope and Positive Beliefs on Activity. <i>Psychiatric Services</i> , 2010, 61, 321-324.	1.1	34
26	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759.	2.7	340