

Barbara Muz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9156507/publications.pdf>

Version: 2024-02-01

70
papers

2,591
citations

304368

22
h-index

223531

46
g-index

71
all docs

71
docs citations

71
times ranked

4796
citing authors

#	ARTICLE	IF	CITATIONS
1	Localized Delivery of Cisplatin to Cervical Cancer Improves Its Therapeutic Efficacy and Minimizes Its Side Effect Profile. International Journal of Radiation Oncology Biology Physics, 2021, 109, 1483-1494.	0.4	37
2	Synthesis and Characterisation of a Boron-Rich Symmetric Triazine Bearing a Hypoxia-Targeting Nitroimidazole Moiety. Symmetry, 2021, 13, 202.	1.1	0
3	Nanoparticle T-cell engagers as a modular platform for cancer immunotherapy. Leukemia, 2021, 35, 2346-2357.	3.3	28
4	3D tissue engineered plasma cultures support leukemic proliferation and induces drug resistance. Leukemia and Lymphoma, 2021, 62, 1-9.	0.6	5
5	Nanoparticle T cell engagers for the treatment of acute myeloid leukemia. Oncotarget, 2021, 12, 1878-1885.	0.8	8
6	A pilot study of 3D tissue-engineered bone marrow culture as a tool to predict patient response to therapy in multiple myeloma. Scientific Reports, 2021, 11, 19343.	1.6	6
7	Targeting E-selectin to Tackle Cancer Using Uproleselan. Cancers, 2021, 13, 335.	1.7	30
8	3D Tissue-Engineered Bone Marrow Culture Predicts Patient Response to Drugs in Multiple Myeloma. Blood, 2021, 138, 2690-2690.	0.6	0
9	CXCR4-targeted PET imaging using ⁶⁴ Cu-AMD3100 for detection of Waldenström Macroglobulinemia. Cancer Biology and Therapy, 2020, 21, 52-60.	1.5	6
10	Tumor microenvironment-targeted nanoparticles loaded with bortezomib and ROCK inhibitor improve efficacy in multiple myeloma. Nature Communications, 2020, 11, 6037.	5.8	51
11	Targeting CD47 as a Novel Immunotherapy for Multiple Myeloma. Cancers, 2020, 12, 305.	1.7	56
12	Biomaterials for cancer immunotherapy. , 2020, , 499-526.		5
13	Abstract A27: Endothelial progenitor cells as drug-delivery Trojan horses for treatment and imaging of cancer. , 2020, , .		0
14	Abstract PR06: Targeting CD47 as a novel immunotherapy for multiple myeloma. , 2020, , .		0
15	Abstract 2613: Integrin beta-3 signaling links chemoresistance and mitochondrial metabolism in breast cancer bone metastases. , 2020, , .		0
16	Abstract B01: Nanoparticle multispecific T-cell engagers for the treatment of multiple myeloma. , 2020, , .		1
17	Inhibition of HIF-1a By PX-478 Normalizes Blood Vessels, Improves Drug Delivery and Suppresses Progression and Dissemination in Multiple Myeloma. Blood, 2020, 136, 3-3.	0.6	3
18	Thermal Sensitive Liposomes Improve Delivery of Boronated Agents for Boron Neutron Capture Therapy. Pharmaceutical Research, 2019, 36, 144.	1.7	26

#	ARTICLE	IF	CITATIONS
19	Inhibition of CD47 as a Novel Cancer Immunotherapy for Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e153-e154.	0.2	0
20	A Short and Convenient Synthesis of α -Dodecaborate Sugar Conjugates. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 7228-7232.	1.2	17
21	Inhibition of E-Selectin (GMI-1271) or E-selectin together with CXCR4 (GMI-1359) re-sensitizes multiple myeloma to therapy. <i>Blood Cancer Journal</i> , 2019, 9, 68.	2.8	18
22	PYK2/FAK inhibitors reverse hypoxia-induced drug resistance in multiple myeloma. <i>Haematologica</i> , 2019, 104, e310-e313.	1.7	10
23	Nanoparticle Multi-Specific T cell Engagers for the Treatment of Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e156.	0.2	0
24	Endothelial Progenitor Cells as Drug Delivery Trojan Horses for Theranostic Use in Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e95.	0.2	0
25	Injectable Hydrogels for Localized Chemotherapy and Radiotherapy in Brain Tumors. <i>Journal of Pharmaceutical Sciences</i> , 2018, 107, 922-933.	1.6	35
26	Enhancing proteasome-inhibitory activity and specificity of bortezomib by CD38 targeted nanoparticles in multiple myeloma. <i>Journal of Controlled Release</i> , 2018, 270, 158-176.	4.8	49
27	Label-free hypoxia measurement in a xenograft multiple myeloma model using optical-resolution photoacoustic microscopy (Conference Presentation)., 2018, , .		0
28	3D-Tissue Engineered Bone Marrow (3DTEBM) Culture Retrospectively Predicts Treatment Clinical Outcomes of Multiple Myeloma Patients. <i>Blood</i> , 2018, 132, 1987-1987.	0.6	0
29	Overcoming Drug Resistance in Myeloma By Synchronized Delivery of Therapeutic and Bone Marrow Disrupting Agents By Nanoparticles Targeting Tumor-Associated Endothelium. <i>Blood</i> , 2018, 132, 1931-1931.	0.6	0
30	Direct measurement of hypoxia in a xenograft multiple myeloma model by optical-resolution photoacoustic microscopy. <i>Cancer Biology and Therapy</i> , 2017, 18, 101-105.	1.5	18
31	Tariquidar sensitizes multiple myeloma cells to proteasome inhibitors via reduction of hypoxia-induced P-gp-mediated drug resistance. <i>Leukemia and Lymphoma</i> , 2017, 58, 2916-2925.	0.6	30
32	Selinexor Overcomes Hypoxia-Induced Drug Resistance in Multiple Myeloma. <i>Translational Oncology</i> , 2017, 10, 632-640.	1.7	26
33	Abstract 5005: Inhibition of E-selectin or E-selectin together with CXCR4 resensitizes multiple myeloma to treatment. , 2017, , .		1
34	Spotlight on ixazomib: potential in the treatment of multiple myeloma. <i>Drug Design, Development and Therapy</i> , 2016, 10, 217.	2.0	69
35	A Hypoxia-Targeted Boron Neutron Capture Therapy Agent for the Treatment of Glioma. <i>Pharmaceutical Research</i> , 2016, 33, 2530-2539.	1.7	16
36	A CD_{138} -independent strategy to detect minimal residual disease and circulating tumour cells in multiple myeloma. <i>British Journal of Haematology</i> , 2016, 173, 70-81.	1.2	20

#	ARTICLE	IF	CITATIONS
37	Newly established myeloma-derived stromal cell line MSP-1 supports multiple myeloma proliferation, migration, and adhesion and induces drug resistance more than normal-derived stroma. <i>Haematologica</i> , 2016, 101, e307-e311.	1.7	11
38	Tris DBA palladium overcomes hypoxia-mediated drug resistance in multiple myeloma. <i>Leukemia and Lymphoma</i> , 2016, 57, 1677-1686.	0.6	20
39	Anti-CD38 Targeted Nanoparticles for Drug Delivery in Multiple Myeloma. <i>Blood</i> , 2016, 128, 2135-2135.	0.6	4
40	Novel Flow Cytometry-Based Biomarkers Predict Recurrence in Myeloma Patients through Detection of MRD in the Bone Marrow and CTCs in Peripheral Blood. <i>Blood</i> , 2016, 128, 2076-2076.	0.6	0
41	The role of hypoxia in cancer progression, angiogenesis, metastasis, and resistance to therapy. <i>Hypoxia (Auckland, N Z)</i> , 2015, 3, 83.	1.9	1,372
42	Inhibition of P-Selectin and PSGL-1 Using Humanized Monoclonal Antibodies Increases the Sensitivity of Multiple Myeloma Cells to Bortezomib. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	27
43	Hypoxia Promotes Dissemination and Colonization in New Bone Marrow Niches in Waldenström Macroglobulinemia. <i>Molecular Cancer Research</i> , 2015, 13, 263-272.	1.5	23
44	Identification of ILK as a novel therapeutic target for acute and chronic myeloid leukemia. <i>Leukemia Research</i> , 2015, 39, 1299-1308.	0.4	15
45	3D tissue-engineered bone marrow as a novel model to study pathophysiology and drug resistance in multiple myeloma. <i>Biomaterials</i> , 2015, 73, 70-84.	5.7	120
46	Abstract 5356: 3D tissue-engineered bone marrow niche as novel method to study pathophysiology and drug resistance in multiple myeloma. <i>Cancer Research</i> , 2015, 75, 5356-5356.	0.4	1
47	Hypoxia Induces Pgp-Mediated Carfilzomib Resistance in Multiple Myeloma Cells and HIF Inhibition Significantly Enhances Sensitivity and Response to Carfilzomib In Vivo. <i>Blood</i> , 2015, 126, 1286-1286.	0.6	1
48	Tirapazamine As a Strategy to Overcome Hypoxia-Induced Drug Resistance in Multiple Myeloma. <i>Blood</i> , 2015, 126, 4436-4436.	0.6	2
49	Abstract 5305: Predicting relapse using CD138-independent strategy to detect residual myeloma plasma cells. , 2015, , .		0
50	Abstract 5468: Tirapazamine as a strategy to prevent cell dissemination and overcome drug resistance. , 2015, , .		0
51	Novel Method to Detect Minimal Residual Disease in Multiple Myeloma Predicts Recurrence Better Than CD138-Based Models. <i>Blood</i> , 2015, 126, 2985-2985.	0.6	0
52	Tris DBA Palladium Overcomes Hypoxia Mediated Drug Resistance in Multiple Myeloma. <i>Blood</i> , 2015, 126, 2978-2978.	0.6	0
53	Selinexor Is an Effective Cancer Treatment in Hypoxic Conditions and Synergizes with Proteasome Inhibitors to Treat Drug Resistant Multiple Myeloma. <i>Blood</i> , 2015, 126, 3017-3017.	0.6	0
54	The myeloid-binding peptide adenoviral vector enables multi-organ vascular endothelial gene targeting. <i>Laboratory Investigation</i> , 2014, 94, 881-892.	1.7	17

#	ARTICLE	IF	CITATIONS
55	The Role of Hypoxia and Exploitation of the Hypoxic Environment in Hematologic Malignancies. <i>Molecular Cancer Research</i> , 2014, 12, 1347-1354.	1.5	50
56	Molecularly Targeted Therapies in Multiple Myeloma. <i>Leukemia Research and Treatment</i> , 2014, 2014, 1-8.	2.0	43
57	PI3KCA plays a major role in multiple myeloma and its inhibition with BYL719 decreases proliferation, synergizes with other therapies and overcomes stroma-induced resistance. <i>British Journal of Haematology</i> , 2014, 165, 89-101.	1.2	34
58	Patient-Derived 3D Tissue-Engineered Bone Marrow Cultures Support Primary MM Growth. <i>Blood</i> , 2014, 124, 4705-4705.	0.6	0
59	PYK2 Inhibitors Sensitize Hypoxia-Induced Drug Resistant Multiple Myeloma Cell. <i>Blood</i> , 2014, 124, 4704-4704.	0.6	0
60	CD138-Independent Strategy for Detecting Residual and Circulating Myeloma Plasma Cells. <i>Blood</i> , 2014, 124, 2077-2077.	0.6	0
61	3D Tissue-Engineered Bone Marrow Cultures Induce Drug Resistance, De-Differentiation and Cytokine Expression Changes in Multiple Myeloma. <i>Blood</i> , 2014, 124, 2069-2069.	0.6	0
62	Inhibition of P-Selectin and PSGL-1 Using Humanized Monoclonal Antibodies Increases the Sensitivity of Multiple Myeloma Cells to Proteasome Inhibitors. <i>Blood</i> , 2014, 124, 4758-4758.	0.6	0
63	Cell Trafficking of Endothelial Progenitor Cells in Tumor Progression. <i>Clinical Cancer Research</i> , 2013, 19, 3360-3368.	3.2	104
64	Autologous 3D Tissue-Engineered Bone Marrow For Drug Screening In MM Patients. <i>Blood</i> , 2013, 122, 132-132.	0.6	1
65	Tumor Hypoxia Promotes Dissemination and Tumor Colonization In Waldenström Macroglobulinemia. <i>Blood</i> , 2013, 122, 3011-3011.	0.6	1
66	PI3K-Alpha Plays A Major Role In Multiple Myeloma and Its Inhibition With BYL917 Decreases Proliferation, Synergizes With Other Therapies and Overcomes Stroma-Induced Resistance. <i>Blood</i> , 2013, 122, 3215-3215.	0.6	1
67	Hypoxia Induces Drug Resistance In Multiple Myeloma. <i>Blood</i> , 2013, 122, 1852-1852.	0.6	2
68	Prolyl hydroxylase domain enzyme 2 is the major player in regulating hypoxic responses in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2012, 64, 2856-2867.	6.7	29
69	Differential effects of Th1 versus Th2 cytokines in combination with hypoxia on HIFs and angiogenesis in RA. <i>Arthritis Research and Therapy</i> , 2012, 14, R180.	1.6	41
70	The role of hypoxia and HIF-dependent signalling events in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2009, 11, 201.	1.6	99