

Mark E Finnis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9156539/publications.pdf>

Version: 2024-02-01

37
papers

560
citations

759233

12
h-index

677142

22
g-index

39
all docs

39
docs citations

39
times ranked

841
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure and Function of the Kidney in Septic Shock. A Prospective Controlled Experimental Study. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 692-700.	5.6	94
2	Stress hyperglycaemia in critically ill patients and the subsequent risk of diabetes: a systematic review and meta-analysis. Critical Care, 2016, 20, 301.	5.8	65
3	Glycaemic control targets after traumatic brain injury: a systematic review and meta-analysis. Critical Care, 2018, 22, 11.	5.8	62
4	Stress Induced Hyperglycemia and the Subsequent Risk of Type 2 Diabetes in Survivors of Critical Illness. PLoS ONE, 2016, 11, e0165923.	2.5	54
5	Initiation of vasopressor infusions via peripheral versus central access in patients with early septic shock: A retrospective cohort study. EMA - Emergency Medicine Australasia, 2020, 32, 210-219.	1.1	45
6	Use of a High-Protein Enteral Nutrition Formula to Increase Protein Delivery to Critically Ill Patients: A Randomized, Blinded, Parallel-Group, Feasibility Trial. Journal of Parenteral and Enteral Nutrition, 2021, 45, 699-709.	2.6	28
7	Impact of nasogastric tubes on swallowing physiology in older, healthy subjects: A randomized controlled crossover trial. Clinical Nutrition, 2015, 34, 572-578.	5.0	21
8	Incidence, Patient Characteristics, Mode of Drug Delivery, and Outcomes of Septic Shock Patients Treated With Vasopressors in the Arise Trial. Shock, 2019, 52, 400-407.	2.1	17
9	Haemoglobin concentration and volume of intravenous fluids in septic shock in the ARISE trial. Critical Care, 2018, 22, 118.	5.8	15
10	The Effect of a Liberal Approach to Glucose Control in Critically Ill Patients with Type 2 Diabetes: A Multicenter, Parallel-Group, Open-Label Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 874-882.	5.6	15
11	Incident Diabetes in Survivors of Critical Illness and Mechanisms Underlying Persistent Glucose Intolerance: A Prospective Cohort Study. Critical Care Medicine, 2019, 47, e103-e111.	0.9	14
12	Characteristics and Outcomes of Critically Ill Patients with Acute Exacerbation of Chronic Obstructive Pulmonary Disease in Australia and New Zealand. Annals of the American Thoracic Society, 2020, 17, 736-745.	3.2	14
13	Cerebral metabolic effects of strict versus conventional glycaemic targets following severe traumatic brain injury. Critical Care, 2018, 22, 16.	5.8	12
14	Opinions and practices of blood glucose control in critically ill patients with pre-existing type 2 diabetes in Australian and New Zealand intensive care units. Australian Critical Care, 2019, 32, 361-365.	1.3	10
15	Obstetric admissions to intensive care units in Australia and New Zealand: a registry-based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1558-1567.	2.3	10
16	The relationship between the change in central venous pressure and intravenous fluid volume in patients presenting to the emergency department with septic shock. Intensive Care Medicine, 2018, 44, 1591-1592.	8.2	9
17	Dysnatremia and 6-Month Functional Outcomes in Critically Ill Patients With Aneurysmal Subarachnoid Hemorrhage: A Prospective Cohort Study. , 2021, 3, e0445.		9
18	Are point-of-care measurements of glycated haemoglobin accurate in the critically ill?. Australian Critical Care, 2019, 32, 465-470.	1.3	6

#	ARTICLE	IF	CITATIONS
19	An observational study investigating the use of patient-owned technology to quantify physical activity in survivors of critical illness. <i>Australian Critical Care</i> , 2020, 33, 137-143.	1.3	6
20	Hyperoncotic Albumin Solution in Continuous Renal Replacement Therapy Patients. <i>Blood Purification</i> , 2022, 51, 590-599.	1.8	6
21	A multicenter randomized clinical trial of pharmacological vitamin B1 administration to critically ill patients who develop hypophosphatemia during enteral nutrition (The THIAMINE 4 HYPOPHOSPHATEMIA) Tj ETQqđ.đ 0.784đ14 rgBT		
22	Abnormal pulmonary function tests are associated with prolonged ventilation and risk of complications following elective cardiac surgery. <i>Anaesthesia and Intensive Care</i> , 2019, 47, 510-515.	0.7	5
23	Prior exposure to hyperglycaemia attenuates the relationship between glycaemic variability during critical illness and mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016, 18, 189-97.	0.1	5
24	Study protocol and statistical analysis plan for the Liberal Glucose Control in Critically Ill Patients with Pre-existing Type 2 Diabetes (LUCID) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 133-141.	0.1	5
25	Urinary and renal oxygenation during dexmedetomidine infusion in critically ill adults with mechanistic insights from an ovine model. <i>Journal of Critical Care</i> , 2021, 64, 74-81.	2.2	4
26	Diabetes mellitus, glycaemic control, and severe COVID-19 in the Australian critical care setting: A nested cohort study. <i>Australian Critical Care</i> , 2023, 36, 579-585.	1.3	4
27	A Quality Control Study of the Adherence to Recommended Physiological Targets for the Management of Brain-Dead Organ Donors in South Australian Intensive Care Units. <i>Progress in Transplantation</i> , 2018, 28, 386-389.	0.7	3
28	Time to antimicrobial therapy in septic shock patients treated with an early goal-directed resuscitation protocol: A post-hoc analysis of the ARISE trial. <i>EMA - Emergency Medicine Australasia</i> , 2021, 33, 409-417.	1.1	3
29	Outcomes following grade V subarachnoid haemorrhage: A single-centre retrospective study. <i>Anaesthesia and Intensive Care</i> , 2020, 48, 289-296.	0.7	3
30	Early Treatment with Human Albumin Solution in Continuous Renal Replacement Patients. <i>Blood Purification</i> , 2021, 50, 205-213.	1.8	2
31	Long-term mortality of critically ill patients with diabetes who survive admission to the intensive care unit. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 303-309.	0.1	2
32	Long-term outcomes of patients admitted to an intensive care unit with intentional self-harm. <i>Anaesthesia and Intensive Care</i> , 2021, 49, 0310057X2097898.	0.7	1
33	Difficulties in knowing which critical care trial data warrant change in practice. <i>Medical Journal of Australia</i> , 2019, 211, 306.	1.7	0
34	The impact of bereavement support on psychological distress in family members: a systematic review and meta-analysis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 225-233.	0.1	0
35	Frailty is not independently associated with intensive care unit length of stay: An observational study. <i>Australian Critical Care</i> , 2021, , .	1.3	0
36	The use of smartphone-derived location data to evaluate participation following critical illness: A pilot observational cohort study. <i>Australian Critical Care</i> , 2022, 35, 225-232.	1.3	0

#	ARTICLE	IF	CITATIONS
37	Venous blood for the analysis of acidâ€base status in a model of septic shock. EMA - Emergency Medicine Australasia, 2022, , .	1.1	0