

Mark E Finnis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9156539/publications.pdf>

Version: 2024-02-01

37
papers

560
citations

759233

12
h-index

677142

22
g-index

39
all docs

39
docs citations

39
times ranked

841
citing authors

#	ARTICLE	IF	CITATIONS
1	Diabetes mellitus, glycaemic control, and severe COVID-19 in the Australian critical care setting: A nested cohort study. <i>Australian Critical Care</i> , 2023, 36, 579-585.	1.3	4
2	Hyperoncotic Albumin Solution in Continuous Renal Replacement Therapy Patients. <i>Blood Purification</i> , 2022, 51, 590-599.	1.8	6
3	The use of smartphone-derived location data to evaluate participation following critical illness: A pilot observational cohort study. <i>Australian Critical Care</i> , 2022, 35, 225-232.	1.3	0
4	Venous blood for the analysis of acidâ€base status in a model of septic shock. <i>EMA - Emergency Medicine Australasia</i> , 2022, , .	1.1	0
5	The Effect of a Liberal Approach to Glucose Control in Critically Ill Patients with Type 2 Diabetes: A Multicenter, Parallel-Group, Open-Label Randomized Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 206, 874-882.	5.6	15
6	Time to antimicrobial therapy in septic shock patients treated with an early goalâ€directed resuscitation protocol: A postâ€hoc analysis of the ARISE trial. <i>EMA - Emergency Medicine Australasia</i> , 2021, 33, 409-417.	1.1	3
7	Early Treatment with Human Albumin Solution in Continuous Renal Replacement Patients. <i>Blood Purification</i> , 2021, 50, 205-213.	1.8	2
8	Use of a Highâ€Protein Enteral Nutrition Formula to Increase Protein Delivery to Critically Ill Patients: A Randomized, Blinded, Parallelâ€Group, Feasibility Trial. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 699-709.	2.6	28
9	Long-term outcomes of patients admitted to an intensive care unit with intentional self-harm. <i>Anaesthesia and Intensive Care</i> , 2021, 49, 0310057X2097898.	0.7	1
10	The impact of bereavement support on psychological distress in family members: a systematic review and meta-analysis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 225-233.	0.1	0
11	Dysnatremia and 6-Month Functional Outcomes in Critically Ill Patients With Aneurysmal Subarachnoid Hemorrhage: A Prospective Cohort Study. , 2021, 3, e0445.		9
12	A multicenter randomized clinical trial of pharmacological vitamin B1 administration to critically ill patients who develop hypophosphatemia during enteral nutrition (The THIAMINE 4 HYPOPHOSPHATEMIA) Tj ETQq6.0 0 rgBTq/Overlock		
13	Urinary and renal oxygenation during dexmedetomidine infusion in critically ill adults with mechanistic insights from an ovine model. <i>Journal of Critical Care</i> , 2021, 64, 74-81.	2.2	4
14	Frailty is not independently associated with intensive care unit length of stay: An observational study. <i>Australian Critical Care</i> , 2021, , .	1.3	0
15	An observational study investigating the use of patient-owned technology to quantify physical activity in survivors of critical illness. <i>Australian Critical Care</i> , 2020, 33, 137-143.	1.3	6
16	Initiation of vasopressor infusions via peripheral <i>versus</i> central access in patients with early septic shock: A retrospective cohort study. <i>EMA - Emergency Medicine Australasia</i> , 2020, 32, 210-219.	1.1	45
17	Outcomes following grade V subarachnoid haemorrhage: A single-centre retrospective study. <i>Anaesthesia and Intensive Care</i> , 2020, 48, 289-296.	0.7	3
18	Obstetric admissions to intensive care units in Australia and New Zealand: a registryâ€based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1558-1567.	2.3	10

#	ARTICLE	IF	CITATIONS
19	Characteristics and Outcomes of Critically Ill Patients with Acute Exacerbation of Chronic Obstructive Pulmonary Disease in Australia and New Zealand. <i>Annals of the American Thoracic Society</i> , 2020, 17, 736-745.	3.2	14
20	Study protocol and statistical analysis plan for the Liberal Glucose Control in Critically Ill Patients with Pre-existing Type 2 Diabetes (LUCID) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 133-141.	0.1	5
21	Difficulties in knowing which critical care trial data warrant change in practice. <i>Medical Journal of Australia</i> , 2019, 211, 306.	1.7	0
22	Abnormal pulmonary function tests are associated with prolonged ventilation and risk of complications following elective cardiac surgery. <i>Anaesthesia and Intensive Care</i> , 2019, 47, 510-515.	0.7	5
23	Are point-of-care measurements of glycated haemoglobin accurate in the critically ill?. <i>Australian Critical Care</i> , 2019, 32, 465-470.	1.3	6
24	Incidence, Patient Characteristics, Mode of Drug Delivery, and Outcomes of Septic Shock Patients Treated With Vasopressors in the Arise Trial. <i>Shock</i> , 2019, 52, 400-407.	2.1	17
25	Incident Diabetes in Survivors of Critical Illness and Mechanisms Underlying Persistent Glucose Intolerance: A Prospective Cohort Study. <i>Critical Care Medicine</i> , 2019, 47, e103-e111.	0.9	14
26	Opinions and practices of blood glucose control in critically ill patients with pre-existing type 2 diabetes in Australian and New Zealand intensive care units. <i>Australian Critical Care</i> , 2019, 32, 361-365.	1.3	10
27	A Quality Control Study of the Adherence to Recommended Physiological Targets for the Management of Brain-Dead Organ Donors in South Australian Intensive Care Units. <i>Progress in Transplantation</i> , 2018, 28, 386-389.	0.7	3
28	The relationship between the change in central venous pressure and intravenous fluid volume in patients presenting to the emergency department with septic shock. <i>Intensive Care Medicine</i> , 2018, 44, 1591-1592.	8.2	9
29	Glycaemic control targets after traumatic brain injury: a systematic review and meta-analysis. <i>Critical Care</i> , 2018, 22, 11.	5.8	62
30	Cerebral metabolic effects of strict versus conventional glycaemic targets following severe traumatic brain injury. <i>Critical Care</i> , 2018, 22, 16.	5.8	12
31	Haemoglobin concentration and volume of intravenous fluids in septic shock in the ARISE trial. <i>Critical Care</i> , 2018, 22, 118.	5.8	15
32	Long-term mortality of critically ill patients with diabetes who survive admission to the intensive care unit. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 303-309.	0.1	2
33	Stress hyperglycaemia in critically ill patients and the subsequent risk of diabetes: a systematic review and meta-analysis. <i>Critical Care</i> , 2016, 20, 301.	5.8	65
34	Structure and Function of the Kidney in Septic Shock. A Prospective Controlled Experimental Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 194, 692-700.	5.6	94
35	Stress Induced Hyperglycemia and the Subsequent Risk of Type 2 Diabetes in Survivors of Critical Illness. <i>PLoS ONE</i> , 2016, 11, e0165923.	2.5	54
36	Prior exposure to hyperglycaemia attenuates the relationship between glycaemic variability during critical illness and mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016, 18, 189-97.	0.1	5

#	ARTICLE	IF	CITATIONS
37	Impact of nasogastric tubes on swallowing physiology in older, healthy subjects: A randomized controlled crossover trial. <i>Clinical Nutrition</i> , 2015, 34, 572-578.	5.0	21