
Fioretta Palombi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9156869/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	VEGF-induced neoangiogenesis is mediated by NAADP and two-pore channel-2–dependent Ca ²⁺ signaling. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E4706-15.	7.1	138
2	Naringenin is a powerful inhibitor of SARS-CoV-2 infection in vitro. Pharmacological Research, 2021, 163, 105255.	7.1	88
3	Naringenin Impairs Two-Pore Channel 2 Activity And Inhibits VEGF-Induced Angiogenesis. Scientific Reports, 2017, 7, 5121.	3.3	77
4	NAADP-Dependent Ca2+ Signaling Controls Melanoma Progression, Metastatic Dissemination and Neoangiogenesis. Scientific Reports, 2016, 6, 18925.	3.3	35
5	Could the Inhibition of Endo-Lysosomal Two-Pore Channels (TPCs) by the Natural Flavonoid Naringenin Represent an Option to Fight SARS-CoV-2 Infection?. Frontiers in Microbiology, 2020, 11, 970.	3.5	33
6	Dual control of seminiferous tubule contractility mediated by ET A and ET B endothelin receptor subtypes. FASEB Journal, 1997, 11, 276-286.	0.5	31
7	The Adherent/Invasive Escherichia coli Strain LF82 Invades and Persists in Human Prostate Cell Line RWPE-1, Activating a Strong Inflammatory Response. Infection and Immunity, 2016, 84, 3105-3113.	2.2	24
8	Loss of Two-Pore Channel 2 (TPC2) Expression Increases the Metastatic Traits of Melanoma Cells by a Mechanism Involving the Hippo Signalling Pathway and Store-Operated Calcium Entry. Cancers, 2020, 12, 2391.	3.7	22
9	Visual evoked potentials of Niemann-Pick type C1 mice reveal an impairment of the visual pathway that is rescued by 2-hydroxypropyl-ß-cyclodextrin. Orphanet Journal of Rare Diseases, 2015, 10, 133.	2.7	21
10	The Discovery of Naringenin as Endolysosomal Two-Pore Channel Inhibitor and Its Emerging Role in SARS-CoV-2 Infection. Cells, 2021, 10, 1130.	4.1	20
11	Regulation of Angiogenic Functions by Angiopoietins through Calcium-Dependent Signaling Pathways. BioMed Research International, 2015, 2015, 1-14.	1.9	16
12	A neurofibrillar body in the perikaryon of nervus terminalis ganglion cells in teleosts. Cell and Tissue Research, 1969, 93, 395-403.	2.9	9
13	Cell-cell interactions in the local control of seminiferous tubule contractility. Contraception, 2002, 65, 289-291.	1.5	8
14	Relevance of lysosomal Ca2+ signalling machinery in cancer. Cell Calcium, 2022, 102, 102539.	2.4	8
15	Ned-19 inhibition of parasite growth and multiplication suggests a role for NAADP mediated signalling in the asexual development of Plasmodium falciparum. Malaria Journal, 2017, 16, 366.	2.3	5