
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9157625/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Essential points from Evidence-based Clinical Practice Guidelines for Chronic Kidney Disease 2018. Clinical and Experimental Nephrology, 2019, 23, 1-15.	0.7	99
2	Effectiveness of combined thoracoscopic–laparoscopic esophagectomy: comparison of postoperative complications and midterm oncological outcomes in patients with esophageal cancer. Surgical Endoscopy and Other Interventional Techniques, 2012, 26, 381-390.	1.3	91
3	Abnormal Mineral Metabolism and Mortality in Hemodialysis Patients With Secondary Hyperparathyroidism: Evidence From Marginal Structural Models Used to Adjust for Time-Dependent Confounding. American Journal of Kidney Diseases, 2014, 63, 979-987.	2.1	64
4	SARC-F Validation and SARC-F+EBM Derivation in Musculoskeletal Disease: The SPSS-OK Study. Journal of Nutrition, Health and Aging, 2019, 23, 732-738.	1.5	51
5	PTH-dependence of the effectiveness of cinacalcet in hemodialysis patients with secondary hyperparathyroidism. Scientific Reports, 2016, 6, 19612.	1.6	47
6	Intramedullary Spinal Cord Abscess Treated With Antibiotic Therapy -Case Report and Review Neurologia Medico-Chirurgica, 2009, 49, 262-268.	1.0	38
7	Overactive bladder symptom severity is associated with falls in community-dwelling adults: LOHAS study. BMJ Open, 2013, 3, e002413.	0.8	36
8	Resolution of Infliximab-Refractory Nivolumab-Induced Acute Severe Enterocolitis After Cyclosporine Treatment in a Patient with Non-Small Cell Lung Cancer. American Journal of Case Reports, 2018, 19, 360-364.	0.3	34
9	Revisiting Interdialytic Weight Gain and Mortality Association With Serum Albumin Interactions: The Japanese Dialysis Outcomes and Practice Pattern Study. , 2017, 27, 421-429.		32
10	Incorporation of apical lymph node status into the seventh edition of the TNM classification improves prediction of prognosis in stage III colonic cancer. British Journal of Surgery, 2014, 101, 1143-1152.	0.1	26
11	Risk Score to Predict 1-Year Mortality after Haemodialysis Initiation in Patients with Stage 5 Chronic Kidney Disease under Predialysis Nephrology Care. PLoS ONE, 2015, 10, e0129180.	1.1	26
12	Hopelessness and Depression Predict Sarcopenia in Advanced CKD and Dialysis: A Multicenter Cohort Study. Journal of Nutrition, Health and Aging, 2021, 25, 593-599.	1.5	22
13	A digest of the Evidence-Based Clinical Practice Guideline for Nephrotic Syndrome 2020. Clinical and Experimental Nephrology, 2021, 25, 1277-1285.	0.7	21
14	Low Testosterone Levels and Reduced Kidney Function in Japanese Adult Men: The Locomotive Syndrome and Health Outcome in Aizu Cohort Study. Journal of the American Medical Directors Association, 2016, 17, 371.e1-371.e6.	1.2	20
15	Contribution of dysregulated serum magnesium to mortality in hemodialysis patients with secondary hyperparathyroidism: a 3-year cohort study. CKJ: Clinical Kidney Journal, 2015, 8, 744-752.	1.4	18
16	Vitality Measured as Self-reported Energy Level and Clinical Outcomes in Hemodialysis Patients: The Japanese Dialysis Outcomes and Practice Pattern Study (J-DOPPS). American Journal of Kidney Diseases, 2019, 73, 486-495.	2.1	18
17	Effects of Combination Therapy with Peritoneal Dialysis and Hemodialysis on Left Ventricular Hypertrophy. Peritoneal Dialysis International, 2011, 31, 598-600.	1.1	17
18	Longitudinal Association Between Subjective Fatigue and Future Falls in Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS). Journal of Aging and Health, 2019, 31, 67-84.	0.9	17

#	Article	IF	CITATIONS
19	Low Testosterone Levels, Depressive Symptoms, and Falls in Older Men: A Cross-Sectional Study. Journal of the American Medical Directors Association, 2014, 15, 30-35.	1.2	16
20	Impact of cinacalcet introduction on MBD management: the MBD-5D study in Japan. Kidney International Supplements, 2013, 3, 436-441.	4.6	15
21	Structural severity, phase angle, and quadriceps strength among patients with knee osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2020, 39, 3049-3056.	1.0	15
22	Myeloperoxidase-antineutrophil cytoplasmic antibody-associated crescentic glomerulonephritis with rheumatoid arthritis: a comparison of patients without rheumatoid arthritis. Clinical and Experimental Nephrology, 2010, 14, 325-332.	0.7	14
23	Arteriovenous Access Closure in Hemodialysis Patients With Refractory Heart Failure: A Single Center Experience. Therapeutic Apheresis and Dialysis, 2011, 15, 195-202.	0.4	14
24	Influence of the severity of knee osteoarthritis on the association between leg muscle mass and quadriceps strength: the SPSS-OK study. Clinical Rheumatology, 2019, 38, 719-725.	1.0	14
25	Disentangling Associations Between Serum Muscle Biomarkers and Sarcopenia in the Presence of Pain and Inflammation Among Patients With Osteoarthritis. Journal of Clinical Rheumatology, 2021, 27, 56-63.	0.5	14
26	The impact that family members' health care experiences have on patients' trust in physicians. BMC Health Services Research, 2021, 21, 1122.	0.9	14
27	Idiosyncratic Liver Injury Induced by Vildagliptin With Successful Switch to Linagliptin in a Hemodialyzed Diabetic Patient. Diabetes Care, 2014, 37, e198-e199.	4.3	13
28	Gait speed and overactive bladder in the healthy communityâ€dwelling super elderly: The Sukagawa Study. Neurourology and Urodynamics, 2019, 38, 2324-2332.	0.8	13
29	Association of the Great East Japan Earthquake and the Daiichi Nuclear Disaster in Fukushima City, Japan, With Birth Rates. JAMA Network Open, 2019, 2, e187455.	2.8	13
30	Association of Patients' Past Misdiagnosis Experiences with Trust in Their Current Physician Among Japanese Adults. Journal of General Internal Medicine, 2022, 37, 1115-1121.	1.3	13
31	Association of Serum Bicarbonate with Bone Fractures in Hemodialysis Patients: The Mineral and Bone Disorder Outcomes Study for Japanese CKD Stage 5D Patients (MBD-5D). Nephron Clinical Practice, 2014, 128, 79-87.	2.3	12
32	Association between health-related hope and adherence to prescribed treatment in CKD patients: multicenter cross-sectional study. BMC Nephrology, 2020, 21, 453.	0.8	12
33	A scale for measuring health-related hope: its development and psychometric testing. Annals of Clinical Epidemiology, 2019, 1, 102-119.	0.3	12
34	AA amyloid nephropathy with predominant vascular deposition in CrohnÂ's disease. Clinical Nephrology, 2013, 79, 229-232.	0.4	12
35	Impact of trajectories of abdominal aortic calcification over 2 years on subsequent mortality: a 10-year longitudinal study. Nephrology Dialysis Transplantation, 2018, 33, 676-683.	0.4	11
36	Effects of barbed suture during robot-assisted radical prostatectomy on postoperative tissue damage and longitudinal changes in lower urinary tract outcome. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 145-153.	1.3	11

#	Article	IF	CITATIONS
37	A Case of Churg-Strauss Syndrome With Necrotizing Crescentic Glomerulonephritis Accompanied by Acute Coronary Syndrome Due to Vasospasm. American Journal of Kidney Diseases, 2010, 56, e5-e9.	2.1	10
38	Frequent monitoring of mineral metabolism in hemodialysis patients with secondary hyperparathyroidism: associations with achievement of treatment goals and with adjustments in therapy. Nephrology Dialysis Transplantation, 2016, 32, gfw020.	0.4	10
39	Salt intake and body weight correlate with higher blood pressure in the very elderly population: The Sukagawa study. Journal of Clinical Hypertension, 2019, 21, 942-949.	1.0	10
40	Cryptorchidism after the Fukushima Daiichi Nuclear Power Plant accident:causation or coincidence?. Fukushima Journal of Medical Sciences, 2019, 65, 76-98.	0.1	10
41	The effect of transportation modality to dialysis facilities on health-related quality of life among hemodialysis patients: results from the Japanese Dialysis Outcomes and Practice Pattern Study. CKJ: Clinical Kidney Journal, 2020, 13, 640-646.	1.4	9
42	Psychological Flexibility and Depression in Advanced CKD and Dialysis. Kidney Medicine, 2020, 2, 684-691.e1.	1.0	9
43	Crescentic glomerulonephritis in a patient with advanced lung cancer during erlotinib therapy. CKJ: Clinical Kidney Journal, 2009, 2, 512-513.	1.4	8
44	The Normalized Protein Catabolic Rate and Mortality Risk of Patients on Hemodialysis by Frailty Status: The Japanese Dialysis Outcomes and Practice Pattern Study. , 2020, 30, 535-539.		8
45	Validating careâ€needs level against selfâ€reported measures of functioning, disability and sarcopenia among Japanese patients receiving home medical care: The Zaitaku Evaluative Initiatives and Outcome Study. Geriatrics and Gerontology International, 2021, 21, 229-237.	0.7	8
46	Variations in actual practice patterns and their deviations from the clinical practice guidelines for nephrotic syndrome in Japan: certified nephrologists' questionnaire survey. Clinical and Experimental Nephrology, 2019, 23, 1288-1297.	0.7	7
47	Low rather than high mean corpuscular volume is associated with mortality in Japanese patients under hemodialysis. Scientific Reports, 2020, 10, 15663.	1.6	7
48	Fistula and Survival Outcomes after Fistula Creation among Predialysis Chronic Kidney Disease Stage 5 Patients. American Journal of Nephrology, 2017, 45, 356-364.	1.4	6
49	Implications of evaluating leg muscle mass and fat mass separately for quadriceps strength in knee osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2020, 39, 1655-1661.	1.0	6
50	Dialysis Amyloid Deposition in the Aortic Valve and Its Association with Aortic Stenosis. Blood Purification, 2015, 40, 146-154.	0.9	5
51	Association Between Accumulation of Advanced Glycation End-Products and Hearing Impairment in Community-Dwelling Older People: A Cross-Sectional Sukagawa Study. Journal of the American Medical Directors Association, 2018, 19, 235-239.e1.	1.2	5
52	Cohort profile: A super-elderly population-based cohort in Japan (the Sukagawa Study). International Journal of Epidemiology, 2021, 50, 727-727h.	0.9	5
53	Association of urinary C-megalin with albuminuria and renal function in diabetes: a cross-sectional study (Diabetes Distress and Care Registry at Tenri [DDCRT 21]). Journal of Nephrology, 2021, , 1.	0.9	5
54	Urinary C-megalin as a novel biomarker of progression to microalbuminuria: A cohort study based on the diabetes Distress and Care Registry at Tenri (DDCRT 22). Diabetes Research and Clinical Practice, 2022, 186, 109810.	1.1	5

#	Article	IF	CITATIONS
55	Glomerular capillary light chain thrombi in multiple myeloma. Kidney International, 2011, 80, 1378.	2.6	4
56	Fecalith Formation and Colonic Perforation After Lanthanum Carbonate Granules Administration. American Journal of Kidney Diseases, 2014, 63, 861-862.	2.1	4
57	Incidence and factors associated with prescribing reninâ€angiotensinâ€system inhibitors in adult idiopathic nephrotic syndrome: A nationwide cohort study. Journal of Clinical Hypertension, 2021, 23, 999-1007.	1.0	4
58	Diagnostic accuracy of the lumbar spinal stenosis-diagnosis support tool and the lumbar spinal stenosis-self-administered, self-reported history questionnaire. PLoS ONE, 2022, 17, e0267892.	1.1	4
59	Association between keeping home records of catheter exit-site and incidence of peritoneal dialysis-related infections. International Urology and Nephrology, 2018, 50, 763-769.	0.6	3
60	U-TEST, a simple decision support tool for the diagnosis of sarcopenia in orthopaedic patients: the Screening for People Suffering Sarcopenia in Orthopedic cohort of Kobe study (SPSS-OK). British Journal of Nutrition, 2021, 126, 1323-1330.	1.2	3
61	Significance of Overactive Bladder as a Predictor of Falls in Community Dwelling Older Adults: 1-Year Followup of the Sukagawa Study. Journal of Urology, 2021, 205, 219-225.	0.2	3
62	The associations of phase angle with the structural severity and quadriceps strength among patients with hip osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2021, 40, 1539-1546.	1.0	3
63	A simple four-grade score for aortic arch calcification by posteroanterior chest X-ray is associated with cardiovascular disease in haemodialysis patients. Nephrology Dialysis Transplantation, 2011, 26, 1747-1748.	0.4	2
64	Comparative Effectiveness of Multivessel Coronary Artery Bypass Graft Surgery and Multivessel Percutaneous Coronary Intervention. Annals of Internal Medicine, 2013, 159, 435.	2.0	2
65	Preferences of young physicians at community hospitals regarding academic research training through graduate school: a cross-sectional research. BMC Research Notes, 2016, 9, 227.	0.6	2
66	Vehicle configurations associated with anatomical-specific severe injuries resulting from traffic collisions. PLoS ONE, 2019, 14, e0223388.	1.1	2
67	Effectiveness of cinacalcet treatment for secondary hyperparathyroidism on hospitalization: Results from the MBD-5D study. PLoS ONE, 2019, 14, e0216399.	1.1	2
68	Association Between Musculoskeletal Pain and Psychological Stress Responses in High School Baseball Players: A Cross-sectional Study. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110544.	0.8	2
69	AP-VAS 2012 case report: two patients with rheumatoid arthritis suspected of relapsed microscopic polyangiitis after initiation of dialysis. CEN Case Reports, 2013, 2, 170-173.	0.5	1
70	Dose-response relationship between spino-pelvic alignment determined by sagittal modifiers and back pain-specific quality of life. European Spine Journal, 2021, 30, 3019-3027.	1.0	1
71	Stopped Extracorporeal Circulation without Alarm Call Due to Voltage Regulator Failure. Blood Purification, 2014, 38, 106-107.	0.9	0
72	Back Cover Image, Volume 38, Number 8, November 2019. Neurourology and Urodynamics, 2019, 38, ii.	0.8	0

#	Article	IF	CITATIONS
73	Association of advanced glycation end-product accumulation with overactive bladder in community-dwelling elderly: AÂcross-sectional Sukagawa study. Asian Journal of Urology, 2021, 8, 189-196.	0.5	0
74	400Overactive bladder with/without urinary incontinence and falls in the community-dwelling elderly. International Journal of Epidemiology, 2021, 50, .	0.9	0