Noriaki Kurita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9157625/publications.pdf

Version: 2024-02-01

74 papers

1,090 citations

16 h-index 28 g-index

81 all docs

81 docs citations

81 times ranked

1550 citing authors

#	Article	IF	CITATIONS
1	Association of Patients' Past Misdiagnosis Experiences with Trust in Their Current Physician Among Japanese Adults. Journal of General Internal Medicine, 2022, 37, 1115-1121.	2.6	13
2	Urinary C-megalin as a novel biomarker of progression to microalbuminuria: A cohort study based on the diabetes Distress and Care Registry at Tenri (DDCRT 22). Diabetes Research and Clinical Practice, 2022, 186, 109810.	2.8	5
3	Diagnostic accuracy of the lumbar spinal stenosis-diagnosis support tool and the lumbar spinal stenosis-self-administered, self-reported history questionnaire. PLoS ONE, 2022, 17, e0267892.	2.5	4
4	Association of advanced glycation end-product accumulation with overactive bladder in community-dwelling elderly: AÂcross-sectional Sukagawa study. Asian Journal of Urology, 2021, 8, 189-196.	1.2	0
5	Disentangling Associations Between Serum Muscle Biomarkers and Sarcopenia in the Presence of Pain and Inflammation Among Patients With Osteoarthritis. Journal of Clinical Rheumatology, 2021, 27, 56-63.	0.9	14
6	U-TEST, a simple decision support tool for the diagnosis of sarcopenia in orthopaedic patients: the Screening for People Suffering Sarcopenia in Orthopedic cohort of Kobe study (SPSS-OK). British Journal of Nutrition, 2021, 126, 1323-1330.	2.3	3
7	Significance of Overactive Bladder as a Predictor of Falls in Community Dwelling Older Adults: 1-Year Followup of the Sukagawa Study. Journal of Urology, 2021, 205, 219-225.	0.4	3
8	Cohort profile: A super-elderly population-based cohort in Japan (the Sukagawa Study). International Journal of Epidemiology, 2021, 50, 727-727h.	1.9	5
9	Association of urinary C-megalin with albuminuria and renal function in diabetes: a cross-sectional study (Diabetes Distress and Care Registry at Tenri [DDCRT 21]). Journal of Nephrology, 2021, , 1.	2.0	5
10	Incidence and factors associated with prescribing reninâ€angiotensinâ€system inhibitors in adult idiopathic nephrotic syndrome: A nationwide cohort study. Journal of Clinical Hypertension, 2021, 23, 999-1007.	2.0	4
11	Dose-response relationship between spino-pelvic alignment determined by sagittal modifiers and back pain-specific quality of life. European Spine Journal, 2021, 30, 3019-3027.	2.2	1
12	400Overactive bladder with/without urinary incontinence and falls in the community-dwelling elderly. International Journal of Epidemiology, 2021, 50, .	1.9	0
13	A digest of the Evidence-Based Clinical Practice Guideline for Nephrotic Syndrome 2020. Clinical and Experimental Nephrology, 2021, 25, 1277-1285.	1.6	21
14	Validating careâ€needs level against selfâ€reported measures of functioning, disability and sarcopenia among Japanese patients receiving home medical care: The Zaitaku Evaluative Initiatives and Outcome Study. Geriatrics and Gerontology International, 2021, 21, 229-237.	1.5	8
15	Hopelessness and Depression Predict Sarcopenia in Advanced CKD and Dialysis: A Multicenter Cohort Study. Journal of Nutrition, Health and Aging, 2021, 25, 593-599.	3.3	22
16	The impact that family members' health care experiences have on patients' trust in physicians. BMC Health Services Research, 2021, 21, 1122.	2.2	14
17	The associations of phase angle with the structural severity and quadriceps strength among patients with hip osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2021, 40, 1539-1546.	2.2	3
18	Association Between Musculoskeletal Pain and Psychological Stress Responses in High School Baseball Players: A Cross-sectional Study. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110544.	1.7	2

#	Article	IF	Citations
19	The effect of transportation modality to dialysis facilities on health-related quality of life among hemodialysis patients: results from the Japanese Dialysis Outcomes and Practice Pattern Study. CKJ: Clinical Kidney Journal, 2020, 13, 640-646.	2.9	9
20	Implications of evaluating leg muscle mass and fat mass separately for quadriceps strength in knee osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2020, 39, 1655-1661.	2.2	6
21	Low rather than high mean corpuscular volume is associated with mortality in Japanese patients under hemodialysis. Scientific Reports, 2020, 10, 15663.	3.3	7
22	Psychological Flexibility and Depression in Advanced CKD and Dialysis. Kidney Medicine, 2020, 2, 684-691.e1.	2.0	9
23	Association between health-related hope and adherence to prescribed treatment in CKD patients: multicenter cross-sectional study. BMC Nephrology, 2020, 21, 453.	1.8	12
24	The Normalized Protein Catabolic Rate and Mortality Risk of Patients on Hemodialysis by Frailty Status: The Japanese Dialysis Outcomes and Practice Pattern Study., 2020, 30, 535-539.		8
25	Structural severity, phase angle, and quadriceps strength among patients with knee osteoarthritis: the SPSS-OK study. Clinical Rheumatology, 2020, 39, 3049-3056.	2.2	15
26	Variations in actual practice patterns and their deviations from the clinical practice guidelines for nephrotic syndrome in Japan: certified nephrologists' questionnaire survey. Clinical and Experimental Nephrology, 2019, 23, 1288-1297.	1.6	7
27	Gait speed and overactive bladder in the healthy communityâ€dwelling super elderly: The Sukagawa Study. Neurourology and Urodynamics, 2019, 38, 2324-2332.	1.5	13
28	Salt intake and body weight correlate with higher blood pressure in the very elderly population: The Sukagawa study. Journal of Clinical Hypertension, 2019, 21, 942-949.	2.0	10
29	Vehicle configurations associated with anatomical-specific severe injuries resulting from traffic collisions. PLoS ONE, 2019, 14, e0223388.	2.5	2
30	Association of the Great East Japan Earthquake and the Daiichi Nuclear Disaster in Fukushima City, Japan, With Birth Rates. JAMA Network Open, 2019, 2, e187455.	5.9	13
31	SARC-F Validation and SARC-F+EBM Derivation in Musculoskeletal Disease: The SPSS-OK Study. Journal of Nutrition, Health and Aging, 2019, 23, 732-738.	3.3	51
32	Effectiveness of cinacalcet treatment for secondary hyperparathyroidism on hospitalization: Results from the MBD-5D study. PLoS ONE, 2019, 14, e0216399.	2.5	2
33	Cryptorchidism after the Fukushima Daiichi Nuclear Power Plant accident:causation or coincidence?. Fukushima Journal of Medical Sciences, 2019, 65, 76-98.	0.4	10
34	Back Cover Image, Volume 38, Number 8, November 2019. Neurourology and Urodynamics, 2019, 38, ii.	1.5	0
35	Vitality Measured as Self-reported Energy Level and Clinical Outcomes in Hemodialysis Patients: The Japanese Dialysis Outcomes and Practice Pattern Study (J-DOPPS). American Journal of Kidney Diseases, 2019, 73, 486-495.	1.9	18
36	Influence of the severity of knee osteoarthritis on the association between leg muscle mass and quadriceps strength: the SPSS-OK study. Clinical Rheumatology, 2019, 38, 719-725.	2.2	14

#	Article	IF	CITATIONS
37	Essential points from Evidence-based Clinical Practice Guidelines for Chronic Kidney Disease 2018. Clinical and Experimental Nephrology, 2019, 23, 1-15.	1.6	99
38	Longitudinal Association Between Subjective Fatigue and Future Falls in Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS). Journal of Aging and Health, 2019, 31, 67-84.	1.7	17
39	A scale for measuring health-related hope: its development and psychometric testing. Annals of Clinical Epidemiology, 2019, 1, 102-119.	1.2	12
40	Association between keeping home records of catheter exit-site and incidence of peritoneal dialysis-related infections. International Urology and Nephrology, 2018, 50, 763-769.	1.4	3
41	Impact of trajectories of abdominal aortic calcification over 2 years on subsequent mortality: a 10-year longitudinal study. Nephrology Dialysis Transplantation, 2018, 33, 676-683.	0.7	11
42	Effects of barbed suture during robot-assisted radical prostatectomy on postoperative tissue damage and longitudinal changes in lower urinary tract outcome. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 145-153.	2.4	11
43	Association Between Accumulation of Advanced Glycation End-Products and Hearing Impairment in Community-Dwelling Older People: A Cross-Sectional Sukagawa Study. Journal of the American Medical Directors Association, 2018, 19, 235-239.e1.	2.5	5
44	Resolution of Infliximab-Refractory Nivolumab-Induced Acute Severe Enterocolitis After Cyclosporine Treatment in a Patient with Non-Small Cell Lung Cancer. American Journal of Case Reports, 2018, 19, 360-364.	0.8	34
45	Fistula and Survival Outcomes after Fistula Creation among Predialysis Chronic Kidney Disease Stage 5 Patients. American Journal of Nephrology, 2017, 45, 356-364.	3.1	6
46	Revisiting Interdialytic Weight Gain and Mortality Association With Serum Albumin Interactions: The Japanese Dialysis Outcomes and Practice Pattern Study., 2017, 27, 421-429.		32
47	PTH-dependence of the effectiveness of cinacalcet in hemodialysis patients with secondary hyperparathyroidism. Scientific Reports, 2016, 6, 19612.	3.3	47
48	Low Testosterone Levels and Reduced Kidney Function in Japanese Adult Men: The Locomotive Syndrome and Health Outcome in Aizu Cohort Study. Journal of the American Medical Directors Association, 2016, 17, 371.e1-371.e6.	2.5	20
49	Preferences of young physicians at community hospitals regarding academic research training through graduate school: a cross-sectional research. BMC Research Notes, 2016, 9, 227.	1.4	2
50	Frequent monitoring of mineral metabolism in hemodialysis patients with secondary hyperparathyroidism: associations with achievement of treatment goals and with adjustments in therapy. Nephrology Dialysis Transplantation, 2016, 32, gfw020.	0.7	10
51	Contribution of dysregulated serum magnesium to mortality in hemodialysis patients with secondary hyperparathyroidism: a 3-year cohort study. CKJ: Clinical Kidney Journal, 2015, 8, 744-752.	2.9	18
52	Dialysis Amyloid Deposition in the Aortic Valve and Its Association with Aortic Stenosis. Blood Purification, 2015, 40, 146-154.	1.8	5
53	Risk Score to Predict 1-Year Mortality after Haemodialysis Initiation in Patients with Stage 5 Chronic Kidney Disease under Predialysis Nephrology Care. PLoS ONE, 2015, 10, e0129180.	2.5	26
54	Association of Serum Bicarbonate with Bone Fractures in Hemodialysis Patients: The Mineral and Bone Disorder Outcomes Study for Japanese CKD Stage 5D Patients (MBD-5D). Nephron Clinical Practice, 2014, 128, 79-87.	2.3	12

#	Article	IF	Citations
55	Idiosyncratic Liver Injury Induced by Vildagliptin With Successful Switch to Linagliptin in a Hemodialyzed Diabetic Patient. Diabetes Care, 2014, 37, e198-e199.	8.6	13
56	Incorporation of apical lymph node status into the seventh edition of the TNM classification improves prediction of prognosis in stage III colonic cancer. British Journal of Surgery, 2014, 101, 1143-1152.	0.3	26
57	Stopped Extracorporeal Circulation without Alarm Call Due to Voltage Regulator Failure. Blood Purification, 2014, 38, 106-107.	1.8	O
58	Low Testosterone Levels, Depressive Symptoms, and Falls in Older Men: A Cross-Sectional Study. Journal of the American Medical Directors Association, 2014, 15, 30-35.	2.5	16
59	Fecalith Formation and Colonic Perforation After Lanthanum Carbonate Granules Administration. American Journal of Kidney Diseases, 2014, 63, 861-862.	1.9	4
60	Abnormal Mineral Metabolism and Mortality in Hemodialysis Patients With Secondary Hyperparathyroidism: Evidence From Marginal Structural Models Used to Adjust for Time-Dependent Confounding. American Journal of Kidney Diseases, 2014, 63, 979-987.	1.9	64
61	AP-VAS 2012 case report: two patients with rheumatoid arthritis suspected of relapsed microscopic polyangiitis after initiation of dialysis. CEN Case Reports, 2013, 2, 170-173.	0.9	1
62	Overactive bladder symptom severity is associated with falls in community-dwelling adults: LOHAS study. BMJ Open, 2013, 3, e002413.	1.9	36
63	Impact of cinacalcet introduction on MBD management: the MBD-5D study in Japan. Kidney International Supplements, 2013, 3, 436-441.	14.2	15
64	Comparative Effectiveness of Multivessel Coronary Artery Bypass Graft Surgery and Multivessel Percutaneous Coronary Intervention. Annals of Internal Medicine, 2013, 159, 435.	3.9	2
65	AA amyloid nephropathy with predominant vascular deposition in CrohnÂ's disease. Clinical Nephrology, 2013, 79, 229-232.	0.7	12
66	Effectiveness of combined thoracoscopic–laparoscopic esophagectomy: comparison of postoperative complications and midterm oncological outcomes in patients with esophageal cancer. Surgical Endoscopy and Other Interventional Techniques, 2012, 26, 381-390.	2.4	91
67	Arteriovenous Access Closure in Hemodialysis Patients With Refractory Heart Failure: A Single Center Experience. Therapeutic Apheresis and Dialysis, 2011, 15, 195-202.	0.9	14
68	Effects of Combination Therapy with Peritoneal Dialysis and Hemodialysis on Left Ventricular Hypertrophy. Peritoneal Dialysis International, 2011, 31, 598-600.	2.3	17
69	A simple four-grade score for aortic arch calcification by posteroanterior chest X-ray is associated with cardiovascular disease in haemodialysis patients. Nephrology Dialysis Transplantation, 2011, 26, 1747-1748.	0.7	2
70	Glomerular capillary light chain thrombi in multiple myeloma. Kidney International, 2011, 80, 1378.	5.2	4
71	Myeloperoxidase-antineutrophil cytoplasmic antibody-associated crescentic glomerulonephritis with rheumatoid arthritis: a comparison of patients without rheumatoid arthritis. Clinical and Experimental Nephrology, 2010, 14, 325-332.	1.6	14
72	A Case of Churg-Strauss Syndrome With Necrotizing Crescentic Glomerulonephritis Accompanied by Acute Coronary Syndrome Due to Vasospasm. American Journal of Kidney Diseases, 2010, 56, e5-e9.	1.9	10

#	Article	IF	CITATIONS
73	Crescentic glomerulonephritis in a patient with advanced lung cancer during erlotinib therapy. CKJ: Clinical Kidney Journal, 2009, 2, 512-513.	2.9	8
74	Intramedullary Spinal Cord Abscess Treated With Antibiotic Therapy -Case Report and Review Neurologia Medico-Chirurgica, 2009, 49, 262-268.	2.2	38