Alan Jay Kaufman

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9158527/alan-jay-kaufman-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 108 | 11,831 | 52 | 108 |
|--------------------|-----------------------|-------------|-----------------|
| papers | citations | h-index | g-index |
| 114 ext. papers | 13,108 ext. citations | 8.2 avg, IF | 6.09 L-index |

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 108 | A transient peak in marine sulfate after the 635-Ma snowball Earth <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2117341119 | 11.5 | 1 |
| 107 | An authigenic response to Ediacaran surface oxidation: Remarkable micron-scale isotopic heterogeneity revealed by SIMS. <i>Precambrian Research</i> , 2022 , 377, 106676 | 3.9 | 0 |
| 106 | Deposition or diagenesis? Probing the Ediacaran Shuram excursion in South China by SIMS. <i>Global and Planetary Change</i> , 2021 , 206, 103591 | 4.2 | 8 |
| 105 | Primary or secondary? A dichotomy of the strontium isotope anomalies in the Ediacaran carbonates of Saudi Arabia. <i>Precambrian Research</i> , 2020 , 343, 105720 | 3.9 | 14 |
| 104 | Using SIMS to decode noisy stratigraphic 🛭 3C variations in Ediacaran carbonates. <i>Precambrian Research</i> , 2020 , 343, 105686 | 3.9 | 9 |
| 103 | Quo vadis, Tommotian?. <i>Geological Magazine</i> , 2020 , 157, 22-34 | 2 | 10 |
| 102 | Sedimentology and chemostratigraphy of the terminal Ediacaran Dengying Formation at the Gaojiashan section, South China. <i>Geological Magazine</i> , 2019 , n/a, | 2 | 34 |
| 101 | Uranium isotope evidence for limited euxinia in mid-Proterozoic oceans. <i>Earth and Planetary Science Letters</i> , 2019 , 521, 150-157 | 5.3 | 37 |
| 100 | Sedimentological and mineralogical records from drill core SKD1 in the Jianghan Basin, Central China, and their implications for late CretaceousBarly Eocene climate change. <i>Journal of Asian Earth Sciences</i> , 2019 , 182, 103936 | 2.8 | 9 |
| 99 | PROBING AN ATYPICAL SHURAM EXCURSION BY SIMS 2019 , | | 3 |
| 98 | Coupled isotopic evidence for elevated pCO2 and nitrogen limitation across the Santonian-Campanian transition. <i>Chemical Geology</i> , 2019 , 504, 136-150 | 4.2 | 5 |
| 97 | Proterozoic carbonates of the Vindhyan Basin, India: Chemostratigraphy and diagenesis. <i>Gondwana Research</i> , 2018 , 57, 10-25 | 5.1 | 23 |
| 96 | Preglacial palaeoenvironmental evolution of the Ediacaran Loma Negra Formation, far southwestern Gondwana, Argentina. <i>Precambrian Research</i> , 2018 , 315, 120-137 | 3.9 | 13 |
| 95 | Transient marine euxinia at the end of the terminal Cryogenian glaciation. <i>Nature Communications</i> , 2018 , 9, 3019 | 17.4 | 21 |
| 94 | Extensive marine anoxia during the terminal Ediacaran Period. Science Advances, 2018, 4, eaan8983 | 14.3 | 82 |
| 93 | The Ediacaran-Cambrian Transition. <i>Geophysical Monograph Series</i> , 2018 , 115-142 | 1.1 | 6 |
| 92 | Effects of bioturbation on carbon and sulfur cycling across the Ediacaran ambrian transition at the GSSP in Newfoundland, Canada. <i>Canadian Journal of Earth Sciences</i> , 2018 , 55, 1240-1252 | 1.5 | 12 |

| 91 | The Neoproterozoic Hiltenberg II3C anomaly: Genesis and global implications. <i>Precambrian Research</i> , 2018 , 313, 242-262 | 3.9 | 23 | |
|----|--|------|----|--|
| 90 | Southeastern Tanzania depositional environments, marine and terrestrial links, and exceptional microfossil preservation in the warm Turonian. <i>Bulletin of the Geological Society of America</i> , 2017 , 129, 515-533 | 3.9 | 7 | |
| 89 | Paleo-climatic and paleo-environmental evolution of the Neoproterozoic basal sedimentary cover on the RB de La Plata Craton, Argentina: Insights from the B 3 C chemostratigraphy. <i>Sedimentary Geology</i> , 2017 , 353, 139-157 | 2.8 | 15 | |
| 88 | Was the Ediacaran Shuram Excursion a globally synchronized early diagenetic event? Insights from methane-derived authigenic carbonates in the uppermost Doushantuo Formation, South China. <i>Chemical Geology</i> , 2017 , 450, 59-80 | 4.2 | 82 | |
| 87 | Field workshop on the Ediacaran Nama Group of southern Namibia. <i>Episodes</i> , 2017 , 40, 259-261 | 1.6 | 2 | |
| 86 | Redox-dependent distribution of early macro-organisms: Evidence from the terminal Ediacaran Khatyspyt Formation in Arctic Siberia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 461, 122-139 | 2.9 | 42 | |
| 85 | Compositional evolution of the upper continental crust through time, as constrained by ancient glacial diamictites. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 186, 316-343 | 5.5 | 62 | |
| 84 | Sulfur isotope constraints on marine transgression in the lacustrine Upper Cretaceous Songliao Basin, northeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 451, 152-163 | 2.9 | 27 | |
| 83 | Phosphogenesis associated with the Shuram Excursion: Petrographic and geochemical observations from the Ediacaran Doushantuo Formation of South China. <i>Sedimentary Geology</i> , 2016 , 341, 134-146 | 2.8 | 48 | |
| 82 | Magnesium isotopic compositions of the Mesoproterozoic dolostones: Implications for Mg isotopic systematics of marine carbonates. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 164, 333-351 | 5.5 | 51 | |
| 81 | Redox architecture of an Ediacaran ocean margin: Integrated chemostratigraphic (13CB4SB7Sr/86Sr1Ce/Ce*) correlation of the Doushantuo Formation, South China. <i>Chemical Geology</i> , 2015 , 405, 48-62 | 4.2 | 80 | |
| 80 | Extraction of Hydrocarbons from High-Maturity Marcellus Shale Using Supercritical Carbon Dioxide. <i>Energy & Energy & Ene</i> | 4.1 | 49 | |
| 79 | Large sulfur isotope fractionations associated with Neoarchean microbial sulfate reduction. <i>Science</i> , 2014 , 346, 742-4 | 33.3 | 67 | |
| 78 | Onset of oxidative weathering of continents recorded in the geochemistry of ancient glacial diamictites. <i>Earth and Planetary Science Letters</i> , 2014 , 408, 87-99 | 5.3 | 44 | |
| 77 | Paleoenvironmental implications of two phosphogenic events in Neoproterozoic sedimentary successions of the Tandilia System, Argentina. <i>Precambrian Research</i> , 2014 , 252, 88-106 | 3.9 | 15 | |
| 76 | Biostratigraphic and chemostratigraphic constraints on the age of early Neoproterozoic carbonate successions in North China. <i>Precambrian Research</i> , 2014 , 246, 208-225 | 3.9 | 59 | |
| 75 | Sulfur isotope and chemical compositions of the wet precipitation in two major urban areas, Seoul and Busan, Korea. <i>Journal of Asian Earth Sciences</i> , 2014 , 79, 415-425 | 2.8 | 15 | |
| 74 | Widespread contamination of carbonate-associated sulfate by present-day secondary atmospheric sulfate: Evidence from triple oxygen isotopes. <i>Geology</i> , 2014 , 42, 815-818 | 5 | 37 | |

| 73 | Strontium isotope stratigraphy of the Gabbs Formation (Nevada): implications for global NorianRhaetian correlations and faunal turnover. <i>Lethaia</i> , 2014 , 47, 500-511 | 1.3 | 11 |
|----|--|------|-----|
| 72 | A unifying model for Neoproterozoic-Palaeozoic exceptional fossil preservation through pyritization and carbonaceous compression. <i>Nature Communications</i> , 2014 , 5, 5754 | 17.4 | 97 |
| 71 | Corumba Meeting 2013: The Neoproterozoic Paraguay Fold Belt (Brazil): Glaciation, iron-manganese formation and biota, an IGCP Workshop and Field Excursion on the Ediacaran system. <i>Episodes</i> , 2014 , 37, 71-73 | 1.6 | 2 |
| 70 | Stratigraphy, palaeontology and geochemistry of the late Neoproterozoic Aar Member, southwest Namibia: Reflecting environmental controls on Ediacara fossil preservation during the terminal Proterozoic in African Gondwana. <i>Precambrian Research</i> , 2013 , 238, 214-232 | 3.9 | 37 |
| 69 | ReDs age constraints and new observations of Proterozoic glacial deposits in the Vazante Group, Brazil. <i>Precambrian Research</i> , 2013 , 238, 199-213 | 3.9 | 36 |
| 68 | Local B4S variability in ~580 Ma carbonates of northwestern Mexico and the Neoproterozoic marine sulfate reservoir. <i>Precambrian Research</i> , 2013 , 224, 551-569 | 3.9 | 27 |
| 67 | Integrated chemostratigraphy of the Doushantuo Formation at the northern Xiaofenghe section (Yangtze Gorges, South China) and its implication for Ediacaran stratigraphic correlation and ocean redox models. <i>Precambrian Research</i> , 2012 , 192-195, 125-141 | 3.9 | 85 |
| 66 | Sustained low marine sulfate concentrations from the Neoproterozoic to the Cambrian: Insights from carbonates of northwestern Mexico and eastern California. <i>Earth and Planetary Science Letters</i> , 2012 , 339-340, 79-94 | 5.3 | 85 |
| 65 | Sulfur, oxygen, and hydrogen isotope compositions of precipitation in Seoul, South Korea. <i>Geochemical Journal</i> , 2012 , 46, 443-457 | 0.9 | 7 |
| 64 | Carbon, sulfur, and oxygen isotope evidence for a strong depth gradient and oceanic oxidation after the Ediacaran Hankalchough glaciation. <i>Geochimica Et Cosmochimica Acta</i> , 2011 , 75, 1357-1373 | 5.5 | 32 |
| 63 | Stratigraphic and tectonic implications of field and isotopic constraints on depositional ages of Proterozoic Lesser Himalayan rocks in central Nepal. <i>Precambrian Research</i> , 2011 , 185, 1-17 | 3.9 | 50 |
| 62 | Chapter 48 Neoproterozoic successions of the SB Francisco Craton, Brazil: the BambuIUna, Vazante and Vaza Barris/Miaba groups and their glaciogenic deposits. <i>Geological Society Memoir</i> , 2011 , 36, 509-522 | 0.4 | 14 |
| 61 | Evidence of magnetic isotope effects during thermochemical sulfate reduction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 17635-8 | 11.5 | 71 |
| 60 | Pervasive oxygenation along late Archaean ocean margins. <i>Nature Geoscience</i> , 2010 , 3, 647-652 | 18.3 | 199 |
| 59 | Identification of sources and formation processes of atmospheric sulfate by sulfur isotope and scanning electron microscope measurements. <i>Journal of Geophysical Research</i> , 2010 , 115, | | 46 |
| 58 | Carbon and sulfur isotope chemostratigraphy of the Neoproterozoic Quanji Group of the Chaidam Basin, NW China: Basin stratification in the aftermath of an Ediacaran glaciation postdating the Shuram event?. <i>Precambrian Research</i> , 2010 , 177, 241-252 | 3.9 | 50 |
| 57 | Radiometric and stratigraphic constraints on terminal Ediacaran (post-Gaskiers) glaciation and metazoan evolution. <i>Precambrian Research</i> , 2010 , 182, 402-412 | 3.9 | 46 |
| 56 | Isotopic evidence for an aerobic nitrogen cycle in the latest Archean. <i>Science</i> , 2009 , 323, 1045-8 | 33.3 | 175 |

(2007-2009)

| 55 | Evaluating the role of microbial sulfate reduction in the early Archean using quadruple isotope systematics. <i>Earth and Planetary Science Letters</i> , 2009 , 279, 383-391 | 5.3 | 143 |
|----|---|----------------------------|-----|
| 54 | Re-evaluating boron speciation in biogenic calcite and aragonite using 11B MAS NMR. <i>Geochimica Et Cosmochimica Acta</i> , 2009 , 73, 1890-1900 | 5.5 | 100 |
| 53 | Lithofacies control on multiple-sulfur isotope records and Neoarchean sulfur cycles. <i>Precambrian Research</i> , 2009 , 169, 58-67 | 3.9 | 71 |
| 52 | Reconstructing Earth's surface oxidation across the Archean-Proterozoic transition. <i>Geology</i> , 2009 , 37, 399-402 | 5 | 210 |
| 51 | Stratification and mixing of a post-glacial Neoproterozoic ocean: Evidence from carbon and sulfur isotopes in a cap dolostone from northwest China. <i>Earth and Planetary Science Letters</i> , 2008 , 265, 209-2 | .2 5 8 ³ | 77 |
| 50 | Environmental and diagenetic variations in carbonate associated sulfate: An investigation of CAS in the Lower Triassic of the western USA. <i>Geochimica Et Cosmochimica Acta</i> , 2008 , 72, 1570-1582 | 5.5 | 65 |
| 49 | Sulfur isotope biogeochemistry of the Proterozoic McArthur Basin. <i>Geochimica Et Cosmochimica Acta</i> , 2008 , 72, 4278-4290 | 5.5 | 49 |
| 48 | Oxidation of pyrite during extraction of carbonate associated sulfate. Chemical Geology, 2008, 247, 124 | -432 | 94 |
| 47 | Pulsed oxidation and biological evolution in the Ediacaran Doushantuo Formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3197-202 | 11.5 | 435 |
| 46 | Ultrastructural and geochemical characterization of Archean-Paleoproterozoic graphite particles: implications for recognizing traces of life in highly metamorphosed rocks. <i>Astrobiology</i> , 2007 , 7, 684-70 | 4 ^{3.7} | 41 |
| 45 | Isotopic evidence for Mesoarchaean anoxia and changing atmospheric sulphur chemistry. <i>Nature</i> , 2007 , 449, 706-9 | 50.4 | 220 |
| 44 | A whiff of oxygen before the great oxidation event?. <i>Science</i> , 2007 , 317, 1903-6 | 33.3 | 658 |
| 43 | Carbon and nitrogen isotopic analysis of Pleistocene mammals from the Saltville Quarry (Virginia, USA): Implications for trophic relationships. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 249, 271-282 | 2.9 | 21 |
| 42 | Oxidative forcing of global climate change: A biogeochemical record across the oldest Paleoproterozoic ice age in North America. <i>Earth and Planetary Science Letters</i> , 2007 , 258, 486-499 | 5.3 | 69 |
| 41 | Carbon isotope variability across the Ediacaran Yangtze platform in South China: Implications for a large surface-to-deep ocean 🛮 3C gradient. <i>Earth and Planetary Science Letters</i> , 2007 , 261, 303-320 | 5.3 | 294 |
| 40 | Chemostratigraphic correlation of Neoproterozoic successions in South America. <i>Chemical Geology</i> , 2007 , 237, 143-167 | 4.2 | 93 |
| 39 | The effect of rising atmospheric oxygen on carbon and sulfur isotope anomalies in the Neoproterozoic Johnnie Formation, Death Valley, USA. <i>Chemical Geology</i> , 2007 , 237, 47-63 | 4.2 | 125 |
| 38 | Late Archean biospheric oxygenation and atmospheric evolution. <i>Science</i> , 2007 , 317, 1900-3 | 33.3 | 281 |

| 37 | Experimental measurement of boron isotope fractionation in seawater. <i>Earth and Planetary Science Letters</i> , 2006 , 248, 276-285 | 5.3 | 286 |
|----|--|------|-----|
| 36 | Experimental evaluation of the isotopic exchange equilibrium 10B(OH)3+11B(OH)4目11B(OH)3+10B(OH)4∏n aqueous solution. <i>Deep-Sea Research Part I:</i> Oceanographic Research Papers, 2006 , 53, 684-688 | 2.5 | 32 |
| 35 | Stable isotope record of the terminal Neoproterozoic Krol platform in the Lesser Himalayas of northern India. <i>Precambrian Research</i> , 2006 , 147, 156-185 | 3.9 | 111 |
| 34 | Isotope stratigraphy of the Lapa Formation, SB Francisco Basin, Brazil: Implications for Late Neoproterozoic glacial events in South America. <i>Precambrian Research</i> , 2006 , 149, 231-248 | 3.9 | 37 |
| 33 | The relationship between the Neoproterozoic Noonday Dolomite and the Ibex Formation: New observations and their bearing on Bnowball Earth <i>Earth-Science Reviews</i> , 2005 , 73, 63-78 | 10.2 | 17 |
| 32 | Biomarker evidence for photosynthesis during neoproterozoic glaciation. <i>Science</i> , 2005 , 310, 471-4 | 33.3 | 98 |
| 31 | Active microbial sulfur disproportionation in the Mesoproterozoic. <i>Science</i> , 2005 , 310, 1477-9 | 33.3 | 177 |
| 30 | Geology. The calibration of Ediacaran time. <i>Science</i> , 2005 , 308, 59-60 | 33.3 | 18 |
| 29 | The Neoproterozoic Quruqtagh Group in eastern Chinese Tianshan: evidence for a post-Marinoan glaciation. <i>Precambrian Research</i> , 2004 , 130, 1-26 | 3.9 | 178 |
| 28 | Integrated Ediacaran chronostratigraphy, Wernecke Mountains, northwestern Canada. <i>Precambrian Research</i> , 2004 , 132, 1-27 | 3.9 | 25 |
| 27 | Stratigraphic investigations of carbon isotope anomalies and Neoproterozoic ice ages in Death Valley, California. <i>Bulletin of the Geological Society of America</i> , 2003 , 115, 916-932 | 3.9 | 152 |
| 26 | Carbonate platform growth and cyclicity at a terminal Proterozoic passive margin, Infra Krol Formation and Krol Group, Lesser Himalaya, India. <i>Sedimentology</i> , 2003 , 50, 921-952 | 3.3 | 66 |
| 25 | High CO2 levels in the Proterozoic atmosphere estimated from analyses of individual microfossils. <i>Nature</i> , 2003 , 425, 279-82 | 50.4 | 132 |
| 24 | The sulfur isotopic composition of Neoproterozoic seawater sulfate: implications for a snowball Earth?. <i>Earth and Planetary Science Letters</i> , 2002 , 203, 413-429 | 5.3 | 197 |
| 23 | A major perturbation of the carbon cycle before the Ghaub glaciation (Neoproterozoic) in Namibia: Prelude to snowball Earth?. <i>Geochemistry, Geophysics, Geosystems</i> , 2002 , 3, 1-24 | 3.6 | 121 |
| 22 | Global events across the MesoproterozoicNeoproterozoic boundary: C and Sr isotopic evidence from Siberia. <i>Precambrian Research</i> , 2001 , 111, 165-202 | 3.9 | 137 |
| 21 | Using Chemostratigraphy to Correlate and Calibrate Unconformities in Neoproterozoic Strata from the Southern Great Basin of the United States. <i>International Geology Review</i> , 2000 , 42, 516-533 | 2.3 | 17 |
| 20 | 13C stratigraphy of the Proterozoic Bylot Supergroup, Baffin Island, Canada: implications for regional lithostratigraphic correlations. <i>Canadian Journal of Earth Sciences</i> , 1999 , 36, 313-332 | 1.5 | 152 |

| 19 | The Sr, C and O isotopic evolution of Neoproterozoic seawater. <i>Chemical Geology</i> , 1999 , 161, 37-57 | 4.2 | 518 |
|------------------|---|-----------------|--------------------------|
| 18 | The abundance of 13C in marine organic matter and isotopic fractionation in the global biogeochemical cycle of carbon during the past 800 Ma. <i>Chemical Geology</i> , 1999 , 161, 103-125 | 4.2 | 557 |
| 17 | A neoproterozoic snowball earth. <i>Science</i> , 1998 , 281, 1342-6 | 33.3 | 1690 |
| 16 | Neoproterozoic fossils in Mesoproterozoic rocks? Chemostratigraphic resolution of a biostratigraphic conundrum from the North China Platform. <i>Precambrian Research</i> , 1997 , 84, 197-220 | 3.9 | 151 |
| 15 | Evaluation of II3C chemostratigraphy for intrabasinal correlation: Vendian strata of northeast Siberia. <i>Bulletin of the Geological Society of America</i> , 1996 , 108, 0992 | 3.9 | 56 |
| 14 | Chemostratigraphy of Neoproterozoic-Cambrian Units, White-Inyo Region, Eastern California and Western Nevada: Implications for Global Correlation and Faunal Distribution. <i>Palaios</i> , 1996 , 11, 83 | 1.6 | 5 |
| 13 | Geochemical and mineralogic effects of contact metamorphism on banded iron-formation: an example from the Transvaal Basin, South Africa. <i>Precambrian Research</i> , 1996 , 79, 171-194 | 3.9 | 34 |
| 12 | Sizing up the sub-Tommotian unconformity in Siberia: Comment and Reply. <i>Geology</i> , 1996 , 24, 860 | 5 | 1 |
| 11 | Integrated chronostratigraphy of Proterozoic-Cambrian boundary beds in the western Anabar region, northern Siberia. <i>Geological Magazine</i> , 1996 , 133, 509-33 | 2 | 117 |
| 10 | Sizing up the sub-Tommotian unconformity in Siberia. <i>Geology</i> , 1995 , 23, 1139-43 | 5 | 57 |
| | | | |
| 9 | Chemostratigraphy of predominantly siliciclastic Neoproterozoic successions: a case study of the Pocatello Formation and Lower Brigham Group, Idaho, USA. <i>Geological Magazine</i> , 1994 , 131, 301-14 | 2 | 37 |
| 8 | | 3.9 | 206 |
| | Pocatello Formation and Lower Brigham Group, Idaho, USA. <i>Geological Magazine</i> , 1994 , 131, 301-14 Integrated chemostratigraphy and biostratigraphy of the Windermere Supergroup, northwestern Canada: implications for Neoproterozoic correlations and the early evolution of animals. <i>Bulletin of</i> | | |
| 8 | Pocatello Formation and Lower Brigham Group, Idaho, USA. <i>Geological Magazine</i> , 1994 , 131, 301-14 Integrated chemostratigraphy and biostratigraphy of the Windermere Supergroup, northwestern Canada: implications for Neoproterozoic correlations and the early evolution of animals. <i>Bulletin of the Geological Society of America</i> , 1994 , 106, 1281-92 The Vendian record of Sr and C isotopic variations in seawater: Implications for tectonics and | 3.9 | 206 |
| 7 | Pocatello Formation and Lower Brigham Group, Idaho, USA. <i>Geological Magazine</i> , 1994 , 131, 301-14 Integrated chemostratigraphy and biostratigraphy of the Windermere Supergroup, northwestern Canada: implications for Neoproterozoic correlations and the early evolution of animals. <i>Bulletin of the Geological Society of America</i> , 1994 , 106, 1281-92 The Vendian record of Sr and C isotopic variations in seawater: Implications for tectonics and paleoclimate. <i>Earth and Planetary Science Letters</i> , 1993 , 120, 409-430 Biostratigraphic and chemostratigraphic correlation of Neoproterozoic sedimentary successions: | 3·9 5·3 | 206 365 |
| 8 7 6 | Pocatello Formation and Lower Brigham Group, Idaho, USA. <i>Geological Magazine</i> , 1994 , 131, 301-14 Integrated chemostratigraphy and biostratigraphy of the Windermere Supergroup, northwestern Canada: implications for Neoproterozoic correlations and the early evolution of animals. <i>Bulletin of the Geological Society of America</i> , 1994 , 106, 1281-92 The Vendian record of Sr and C isotopic variations in seawater: Implications for tectonics and paleoclimate. <i>Earth and Planetary Science Letters</i> , 1993 , 120, 409-430 Biostratigraphic and chemostratigraphic correlation of Neoproterozoic sedimentary successions: upper Tindir Group, northwestern Canada, as a test case. <i>Geology</i> , 1992 , 20, 181-5 Sedimentary cycling and environmental change in the Late Proterozoic: Evidence from stable and | 3.9 5.3 5 | 206 365 107 |
| 8 7 6 5 | Pocatello Formation and Lower Brigham Group, Idaho, USA. <i>Geological Magazine</i> , 1994, 131, 301-14 Integrated chemostratigraphy and biostratigraphy of the Windermere Supergroup, northwestern Canada: implications for Neoproterozoic correlations and the early evolution of animals. <i>Bulletin of the Geological Society of America</i> , 1994, 106, 1281-92 The Vendian record of Sr and C isotopic variations in seawater: Implications for tectonics and paleoclimate. <i>Earth and Planetary Science Letters</i> , 1993, 120, 409-430 Biostratigraphic and chemostratigraphic correlation of Neoproterozoic sedimentary successions: upper Tindir Group, northwestern Canada, as a test case. <i>Geology</i> , 1992, 20, 181-5 Sedimentary cycling and environmental change in the Late Proterozoic: Evidence from stable and radiogenic isotopes. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 1317-1329 Isotopic compositions of carbonates and organic carbon from upper Proterozoic successions in Namibia: stratigraphic variation and the effects of diagenesis and metamorphism. <i>Precambrian</i> | 3.9 5.3 5 | 206 365 107 430 |

Dynamic interplay of biogeochemical C, S, and Ba cycles in response to Shuram oxygenation event. Journal of the Geological Society,jgs2021-081

2.7 4