

Marina G M Castor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9158635/publications.pdf>

Version: 2024-02-01

24
papers

481
citations

687220

13
h-index

677027

22
g-index

24
all docs

24
docs citations

24
times ranked

1080
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment with a Novel Chemokine-Binding Protein or Eosinophil Lineage-Ablation Protects Mice from Experimental Colitis. <i>American Journal of Pathology</i> , 2009, 175, 2382-2391.	1.9	85
2	Encapsulated mesenchymal stem cells for in vivo immunomodulation. <i>Leukemia</i> , 2013, 27, 500-503.	3.3	67
3	The CCL3/Macrophage Inflammatory Protein-1 α Binding Protein Evasin-1 Protects from Graft-versus-Host Disease but Does Not Modify Graft-versus-Leukemia in Mice. <i>Journal of Immunology</i> , 2010, 184, 2646-2654.	0.4	51
4	Control of murine Ly6Chigh monocyte traffic and immunosuppressive activities by atypical chemokine receptor D6. <i>Blood</i> , 2012, 119, 5250-5260.	0.6	33
5	The Role of Chemokines in Mediating Graft Versus Host Disease: Opportunities for Novel Therapeutics. <i>Frontiers in Pharmacology</i> , 2012, 3, 23.	1.6	30
6	PI3K β controls leukocyte recruitment, tissue injury, and lethality in a model of graft-versus-host disease in mice. <i>Journal of Leukocyte Biology</i> , 2011, 89, 955-964.	1.5	23
7	Serotonin induces peripheral mechanical antihyperalgesic effects in mice. <i>European Journal of Pharmacology</i> , 2015, 767, 94-97.	1.7	19
8	The Involvement of the Endocannabinoid System in the Peripheral Antinociceptive Action of Ketamine. <i>Journal of Pain</i> , 2018, 19, 487-495.	0.7	19
9	Platelet-activating factor receptor plays a role in the pathogenesis of graft-versus-host disease by regulating leukocyte recruitment, tissue injury, and lethality. <i>Journal of Leukocyte Biology</i> , 2012, 91, 629-639.	1.5	18
10	NSAIDs induce peripheral antinociception by interaction with the adrenergic system. <i>Life Sciences</i> , 2015, 130, 7-11.	2.0	17
11	μ -Opioid receptor participates of NSAIDs peripheral antinociception. <i>Neuroscience Letters</i> , 2016, 622, 6-9.	1.0	17
12	Inhibition of 5-lipoxygenase alleviates graft-versus-host disease. <i>Journal of Experimental Medicine</i> , 2017, 214, 3399-3415.	4.2	16
13	Serotonin induces peripheral antinociception via the opioidergic system. <i>Biomedicine and Pharmacotherapy</i> , 2018, 97, 1434-1437.	2.5	16
14	Lithothamnion muelleri Controls Inflammatory Responses, Target Organ Injury and Lethality Associated with Graft-versus-Host Disease in Mice. <i>Marine Drugs</i> , 2013, 11, 2595-2615.	2.2	12
15	Angiotensin-(1 α -7) through Mas receptor activation induces peripheral antinociception by interaction with adrenoceptors. <i>Peptides</i> , 2015, 69, 80-85.	1.2	10
16	Cannabidiol Enhances Intestinal Cannabinoid Receptor Type 2 Receptor Expression and Activation Increasing Regulatory T Cells and Reduces Murine Acute Graft-versus-Host Disease without Interfering with the Graft-versus-Leukemia Response. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 377, 273-283.	1.3	10
17	Nanocomposite Treatment Reduces Disease and Lethality in a Murine Model of Acute Graft-versus-Host Disease and Preserves Anti-Tumor Effects. <i>PLoS ONE</i> , 2015, 10, e0123004.	1.1	10
18	Evidence for the involvement of opioid and cannabinoid systems in the peripheral antinociception mediated by resveratrol. <i>Toxicology and Applied Pharmacology</i> , 2019, 369, 30-38.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Noradrenaline induces peripheral antinociception by endogenous opioid release. <i>Pharmacological Reports</i> , 2018, 70, 784-788.	1.5	8
20	Treatment with Apocynin Limits the Development of Acute Graft-versus-Host Disease in Mice. <i>Journal of Immunology Research</i> , 2019, 2019, 1-14.	0.9	6
21	Î±2-Adrenoceptor agonist induces peripheral antinociception via the endocannabinoid system. <i>Pharmacological Reports</i> , 2020, 72, 96-103.	1.5	2
22	Natural Diterpenes from Coffee, Cafestol, and Kahweol Induce Peripheral Antinociception by Adrenergic System Interaction. <i>Planta Medica</i> , 2016, 82, 106-112.	0.7	1
23	Kahweol, a natural diterpene from coffee, induces peripheral antinociception by endocannabinoid system activation. <i>Brazilian Journal of Medical and Biological Research</i> , 2021, 54, e11071.	0.7	1
24	Involvement of the cannabinoid system in chronic inflammatory intestinal diseases: opportunities for new therapies. <i>Intestinal Research</i> , 2022, 20, 392-417.	1.0	1