

Renxi Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9158863/publications.pdf>

Version: 2024-02-01

107
papers

3,419
citations

147566

31
h-index

168136

53
g-index

126
all docs

126
docs citations

126
times ranked

5283
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-cell atlas of splenocytes reveals a critical role of a novel plasma cell-specific marker Hspa13 in antibody class-switching recombination and somatic hypermutation. <i>Molecular Immunology</i> , 2022, 141, 79-86.	1.0	5
2	Genetic variation associated with COVID-19 is also associated with endometrial cancer. <i>Journal of Infection</i> , 2022, 84, e85-e86.	1.7	12
3	Genetic variation of allergic disease is associated with the susceptibility to COVID-19. <i>Journal of Infection</i> , 2022, 84, e92-e93.	1.7	9
4	Mendelian randomization study updates the effect of 25-hydroxyvitamin D levels on the risk of multiple sclerosis. <i>Journal of Translational Medicine</i> , 2022, 20, 3.	1.8	38
5	Mendelian randomization study on the causal effects of omega-3 fatty acids on rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2022, 41, 1305-1312.	1.0	24
6	Genetic variation of interleukin-1 receptor type 1 is associated with severity of COVID-19 disease. <i>Journal of Infection</i> , 2022, 84, e19-e21.	1.7	14
7	Mendelian Randomization Study on the Putative Causal Effects of Omega-3 Fatty Acids on Low Back Pain. <i>Frontiers in Nutrition</i> , 2022, 9, 819635.	1.6	13
8	Mendelian randomization study on the causal effects of COVID-19 on childhood intelligence. <i>Journal of Medical Virology</i> , 2022, 94, 3233-3239.	2.5	12
9	The E3 ubiquitin ligase Itch deficiency promotes antigen-driven B cell responses in mice. <i>European Journal of Immunology</i> , 2021, 51, 103-114.	1.6	2
10	T cell immunoglobulin and mucin domain protein 3 inhibits glycolysis in RAW 264.7 macrophages through Hexokinase 2. <i>Scandinavian Journal of Immunology</i> , 2021, 93, e12981.	1.3	11
11	Peripheral Injection of Tim-3 Antibody Attenuates VSV Encephalitis by Enhancing MHC-I Presentation. <i>Frontiers in Immunology</i> , 2021, 12, 667478.	2.2	1
12	Ubiquitination and degradation of NF90 by Tim-3 inhibits antiviral innate immunity. <i>ELife</i> , 2021, 10, .	2.8	7
13	Gm40600 promotes CD4 + T cell responses by interacting with Ahnak. <i>Immunology</i> , 2021, 164, 190-206.	2.0	4
14	Tim-3 Relieves Experimental Autoimmune Encephalomyelitis by Suppressing MHC-II. <i>Frontiers in Immunology</i> , 2021, 12, 770402.	2.2	5
15	Tim-3 Promotes <i>Listeria monocytogenes</i> Immune Evasion by Suppressing Major Histocompatibility Complex Class I. <i>Journal of Infectious Diseases</i> , 2020, 221, 830-840.	1.9	13
16	Coronary artery calcium score quantification using a deep-learning algorithm. <i>Clinical Radiology</i> , 2020, 75, 237.e11-237.e16.	0.5	40
17	Gm614 Protects Germinal Center B Cells From Death by Suppressing Caspase-1 Transcription in Lupus-Prone Mice. <i>Frontiers in Immunology</i> , 2020, 11, 585726.	2.2	3
18	Hemorrhagic patterns and their risk factors in patients with moyamoya disease. <i>European Journal of Neurology</i> , 2020, 27, 2499-2507.	1.7	9

#	ARTICLE	IF	CITATIONS
19	Hspa13 Promotes Plasma Cell Production and Antibody Secretion. <i>Frontiers in Immunology</i> , 2020, 11, 913.	2.2	7
20	Angiographic characteristics in Moyamoya disease with the p.R4810K variant: a propensity score-matched analysis. <i>European Journal of Neurology</i> , 2020, 27, 856-863.	1.7	4
21	Gm6377 suppressed SP 2/0 xenograft tumor by down-regulating Myc transcription. <i>Clinical and Translational Oncology</i> , 2020, 22, 1463-1471.	1.2	4
22	Post-transcriptional regulator Rbm47 elevates IL-10 production and promotes the immunosuppression of B cells. <i>Cellular and Molecular Immunology</i> , 2019, 16, 580-589.	4.8	19
23	Gm40600 suppressed SP 2/0 isograft tumor by reducing Blimp1 and Xbp1 proteins. <i>BMC Cancer</i> , 2019, 19, 700.	1.1	10
24	Spliceosome protein Eftud2 promotes colitis-associated tumorigenesis by modulating inflammatory response of macrophage. <i>Mucosal Immunology</i> , 2019, 12, 1164-1173.	2.7	39
25	Ebi3 promotes T- and B-cell division and differentiation via STAT3. <i>Molecular Immunology</i> , 2019, 107, 61-70.	1.0	22
26	The E3 ubiquitin ligase Itch is required for B-cell development. <i>Scientific Reports</i> , 2019, 9, 421.	1.6	15
27	Loc108167440 suppressed myeloma cell growth by P53-mediated apoptosis. <i>Leukemia and Lymphoma</i> , 2019, 60, 2541-2548.	0.6	10
28	Monoclonal antibody against human Tim-3 enhances antiviral immune response. <i>Scandinavian Journal of Immunology</i> , 2019, 89, e12738.	1.3	8
29	Anti-IL-39 (IL-23p19/Ebi3) polyclonal antibodies ameliorate autoimmune symptoms in lupus-like mice. <i>Molecular Medicine Reports</i> , 2018, 17, 1660-1666.	1.1	17
30	Increased mTOR cancels out the effect of reduced Xbp-1 on antibody secretion in IL-1 β -deficient B cells. <i>Cellular Immunology</i> , 2018, 328, 9-17.	1.4	14
31	Treatment of Paraquat-Induced Lung Injury With an Anti-C5a Antibody: Potential Clinical Application*. <i>Critical Care Medicine</i> , 2018, 46, e419-e425.	0.4	21
32	Negative regulation of Nod-like receptor protein 3 inflammasome activation by T cell Ig mucin-3 protects against peritonitis. <i>Immunology</i> , 2018, 153, 71-83.	2.0	30
33	BC094916 suppressed SP 2/0 xenograft tumor by down-regulating Creb1 and Bcl2 transcription. <i>Cancer Cell International</i> , 2018, 18, 138.	1.8	12
34	The protumorigenic potential of FTY720 by promoting extramedullary hematopoiesis and MDSC accumulation. <i>Oncogene</i> , 2017, 36, 3760-3771.	2.6	20
35	Tim-3 inhibits macrophage control of <i>Listeria monocytogenes</i> by inhibiting Nrf2. <i>Scientific Reports</i> , 2017, 7, 42095.	1.6	23
36	B cell activating factor (BAFF) selects IL-10 $^{\text{hi}}$ B cells over IL-10 $^{\text{lo}}$ B cells during inflammatory responses. <i>Molecular Immunology</i> , 2017, 85, 18-26.	1.0	11

#	ARTICLE	IF	CITATIONS
37	Diagnostic performance of 256-row detector coronary CT angiography in patients with high heart rates within a single cardiac cycle: a preliminary study. <i>Clinical Radiology</i> , 2017, 72, 694.e7-694.e14.	0.5	25
38	Foxd3 suppresses interleukin-10 expression in B cells. <i>Immunology</i> , 2017, 150, 478-488.	2.0	17
39	IL-12p35 induces expansion of IL-10 and IL-35-expressing regulatory B cells and ameliorates autoimmune disease. <i>Nature Communications</i> , 2017, 8, 719.	5.8	150
40	An epithelial-to-mesenchymal transition-inducing potential of granulocyte macrophage colony-stimulating factor in colon cancer. <i>Scientific Reports</i> , 2017, 7, 8265.	1.6	34
41	Both Notch1 and its ligands in B cells promote antibody production. <i>Molecular Immunology</i> , 2017, 91, 17-23.	1.0	16
42	CD19 regulates ADAM28-mediated Notch2 cleavage to control the differentiation of marginal zone precursors to MZ B cells. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 3658-3669.	1.6	9
43	LONG-TERM CALORIC RESTRICTION PREVENTS AGE-RELATED LEARNING IMPAIRMENT VIA SUPPRESSION OF APOPTOSIS. <i>Innovation in Aging</i> , 2017, 1, 156-156.	0.0	0
44	B cells regulate thymic CD8+T cell differentiation in lupus-prone mice. <i>Oncotarget</i> , 2017, 8, 89486-89499.	0.8	2
45	A novel IL-23p19/Ebi3 (IL-39) cytokine mediates inflammation in Lupus-like mice. <i>European Journal of Immunology</i> , 2016, 46, 1343-1350.	1.6	130
46	Tim-3 promotes tumor-promoting M2 macrophage polarization by binding to STAT1 and suppressing the STAT1-miR-155 signaling axis. <i>Oncolmmunology</i> , 2016, 5, e1211219.	2.1	67
47	Interleukin (IL)-39 [IL-23p19/Epstein-Barr virus-induced 3 (Ebi3)] induces differentiation/expansion of neutrophils in lupus-prone mice. <i>Clinical and Experimental Immunology</i> , 2016, 186, 144-156.	1.1	47
48	Metabotropic glutamate receptor 3 is involved in B-cell-related tumor apoptosis. <i>International Journal of Oncology</i> , 2016, 49, 1469-1478.	1.4	15
49	Overexpression of protein kinase C δ improves retention and survival of transplanted mesenchymal stem cells in rat acute myocardial infarction. <i>Cell Death and Disease</i> , 2016, 7, e2056-e2056.	2.7	32
50	Pre-existing CD19-independent GL7 ^{hi} Breg cells are expanded during inflammation and in mice with lupus-like disease. <i>Molecular Immunology</i> , 2016, 71, 54-63.	1.0	24
51	Novel IL-6-secreting $\gamma\delta$ T cells increased in patients with atherosclerotic cerebral infarction. <i>Molecular Medicine Reports</i> , 2015, 11, 1497-1503.	1.1	5
52	Experimental immunology Blockade of B-cell activating factor with TACI-IgG effectively reduced Th1 and Th17 cells but not memory T cells in experimental allergic encephalomyelitis mice. <i>Central-European Journal of Immunology</i> , 2015, 2, 142-148.	0.4	7
53	Complement activation promotes colitis-associated carcinogenesis through activating intestinal IL-1 β /IL-17A axis. <i>Mucosal Immunology</i> , 2015, 8, 1275-1284.	2.7	71
54	Critical role for thymic CD19+CD5+CD1dhiIL-10+regulatory B cells in immune homeostasis. <i>Journal of Leukocyte Biology</i> , 2015, 97, 547-556.	1.5	53

#	ARTICLE	IF	CITATIONS
55	Treatment With Anti-C5a Antibody Improves the Outcome of H7N9 Virus Infection in African Green Monkeys. <i>Clinical Infectious Diseases</i> , 2015, 60, 586-595.	2.9	67
56	Ligation of metabotropic glutamate receptor 3 (Grm3) ameliorates lupus-like disease by reducing B cells. <i>Clinical Immunology</i> , 2015, 160, 142-154.	1.4	22
57	Tim-3 promotes intestinal homeostasis in DSS colitis by inhibiting M1 polarization of macrophages. <i>Clinical Immunology</i> , 2015, 160, 328-335.	1.4	44
58	IL-15-secreting β 1T cells induce memory T cells in experimental allergic encephalomyelitis (EAE) mice. <i>Molecular Immunology</i> , 2015, 66, 402-408.	1.0	10
59	Interleukin 35: Critical regulator of immunity and lymphocyte-mediated diseases. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 587-593.	3.2	80
60	The role of C5a in acute lung injury induced by highly pathogenic viral infections. <i>Emerging Microbes and Infections</i> , 2015, 4, 1-7.	3.0	130
61	Blockade of the T cell immunoglobulin and mucin domain protein 3 pathway exacerbates sepsis-induced immune deviation and immunosuppression. <i>Clinical and Experimental Immunology</i> , 2014, 178, 279-291.	1.1	29
62	Tumor-Derived GM-CSF Promotes Inflammatory Colon Carcinogenesis via Stimulating Epithelial Release of VEGF. <i>Cancer Research</i> , 2014, 74, 716-726.	0.4	61
63	Interleukin-35 induces regulatory B cells that suppress autoimmune disease. <i>Nature Medicine</i> , 2014, 20, 633-641.	15.2	600
64	Interaction of CD5 and CD72 is involved in regulatory T and B cell homeostasis. <i>Immunological Investigations</i> , 2014, 43, 705-716.	1.0	34
65	Neutrophil infiltration favors colitis-associated tumorigenesis by activating the interleukin-1 (IL-1)/IL-6 axis. <i>Mucosal Immunology</i> , 2014, 7, 1106-1115.	2.7	118
66	BAFF Suppresses IL-15 Expression in B Cells. <i>Journal of Immunology</i> , 2014, 192, 4192-4201.	0.4	32
67	BAFF maintains T-cell survival by inducing OPN expression in B cells. <i>Molecular Immunology</i> , 2014, 57, 129-137.	1.0	17
68	Carotid Endarterectomy with Stent Removal in Management of In-stent Restenosis: A Safe, Feasible, and Effective Technique. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 8-12.	0.8	14
69	Combination of TACI-IgG and anti-IL-15 treats murine lupus by reducing mature and memory B cells. <i>Cellular Immunology</i> , 2014, 289, 140-144.	1.4	15
70	IL-17A Signaling in Colonic Epithelial Cells Inhibits Pro-Inflammatory Cytokine Production by Enhancing the Activity of ERK and PI3K. <i>PLoS ONE</i> , 2014, 9, e89714.	1.1	11
71	Protective role of tumor necrosis factor (TNF) receptors in chronic intestinal inflammation: TNFR1 ablation boosts systemic inflammatory response. <i>Laboratory Investigation</i> , 2013, 93, 1024-1035.	1.7	34
72	CT coronary angiography: Image quality with sinogram-affirmed iterative reconstruction compared with filtered back-projection. <i>Clinical Radiology</i> , 2013, 68, 272-278.	0.5	26

#	ARTICLE	IF	CITATIONS
73	Identify the key amino acid of BAFF binding with TACI. Cellular Immunology, 2013, 284, 84-90.	1.4	5
74	T Cell Ig Mucin-3 Promotes Homeostasis of Sepsis by Negatively Regulating the TLR Response. Journal of Immunology, 2013, 190, 2068-2079.	0.4	114
75	B cell activating factor (BAFF) induces the transcription of recombination-activating genes in transitional stage 1 B cells. Central-European Journal of Immunology, 2013, 3, 336-342.	0.4	1
76	C5a Regulates IL-12+DC Migration to Induce Pathogenic Th1 and Th17 Cells in Sepsis. PLoS ONE, 2013, 8, e69779.	1.1	20
77	Novel IL27p28/IL12p40 Cytokine Suppressed Experimental Autoimmune Uveitis by Inhibiting Autoreactive Th1/Th17 Cells and Promoting Expansion of Regulatory T Cells. Journal of Biological Chemistry, 2012, 287, 36012-36021.	1.6	78
78	Enhanced apoptosis in retinal pigment epithelium under inflammatory stimuli and oxidative stress. Apoptosis: an International Journal on Programmed Cell Death, 2012, 17, 1144-1155.	2.2	35
79	Dysregulated Tim-3 expression and its correlation with imbalanced CD4 helper T cell function in ulcerative colitis. Clinical Immunology, 2012, 145, 230-240.	1.4	35
80	Opposite Role of Tumor Necrosis Factor Receptors in Dextran Sulfate Sodium-Induced Colitis in Mice. PLoS ONE, 2012, 7, e52924.	1.1	33
81	Change of learning and memory ability and IGF-1 level in type 3 diabetes rats and effect of analog P165 of APP 5-mer peptide. European Psychiatry, 2011, 26, 503-503.	0.1	0
82	Colitogenic role of tumour necrosis factor (TNF) receptors in trinitrobenzene sulphonic acid colitis: TNF-R1 ablation does not affect systemic inflammatory response. Clinical and Experimental Immunology, 2011, 165, 372-382.	1.1	11
83	T cell function in sepsis is modulated by C5a receptor signalling. Immunology, 2011, 133, 340-349.	2.0	28
84	Blockade of complement activation product C5a activity using specific antibody attenuates intestinal damage in trinitrobenzene sulfonic acid induced model of colitis. Laboratory Investigation, 2011, 91, 472-483.	1.7	32
85	The N- and C-terminal carbohydrate recognition domains of galectin-9 contribute differently to its multiple functions in innate immunity and adaptive immunity. Molecular Immunology, 2011, 48, 670-677.	1.0	65
86	Involvement of T cell Ig Mucin-3 (Tim-3) in the negative regulation of inflammatory bowel disease. Clinical Immunology, 2010, 134, 169-177.	1.4	38
87	Regulation of IL-8 production by complement-activated product, C5a, in vitro and in vivo during sepsis. Clinical Immunology, 2010, 137, 157-165.	1.4	25
88	Complement C5a regulates IL-17 by affecting the crosstalk between DC and T cells in CLP-induced sepsis. European Journal of Immunology, 2010, 40, 1079-1088.	1.6	39
89	Interleukin-17-producing T cells protect NOD mice from type 1 diabetes through a mechanism involving transforming growth factor- β . Immunology, 2010, 129, 197-206.	2.0	33
90	Reply to Erlwein et al. and Martin: On detection of murine leukemia virus-related virus gene sequences in blood of patients with chronic fatigue syndrome and healthy blood donors. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, .	3.3	3

#	ARTICLE	IF	CITATIONS
91	CD8 ⁺ regulatory T cells are responsible for GAD-IgG gene-transferred tolerance induction in NOD mice. <i>Immunology</i> , 2009, 126, 123-131.	2.0	16
92	Natural Killer Cells Modulate Overt Autoimmunity to Homeostasis in Nonobese Diabetic Mice after Anti-CD3 F(ab) ² Antibody Treatment through Secreting Transforming Growth Factor- β . <i>American Journal of Pathology</i> , 2009, 175, 1086-1094.	1.9	8
93	Glutamic Acid Decarboxylase-Derived Epitopes with Specific Domains Expand CD4+CD25+ Regulatory T Cells. <i>PLoS ONE</i> , 2009, 4, e7034.	1.1	9
94	Foxp3-Mediated Immunity of Human Pancreatic Cancer Cell Line PANC-1. <i>American Journal of Immunology</i> , 2009, 5, 101-107.	0.1	2
95	The pathogenic role of interleukin-27 in autoimmune diabetes. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 3851-3860.	2.4	37
96	Gene delivery GAD500 autoantigen by AAV serotype 1 prevented diabetes in NOD mice: Transduction efficiency do not play important roles. <i>Immunology Letters</i> , 2008, 115, 110-116.	1.1	14
97	GAD-IgG-inducing CD4+Foxp3+Treg Cells Suppressing Diabetes Are Involved in the Increasing Ratio of CD80+:CD86+ Cells in NOD Mice. <i>Archives of Medical Research</i> , 2008, 39, 299-305.	1.5	2
98	Diabetes is not prevented by Foxp3-transduced CD4+T cells under the IL-12R β 2 promoter control. <i>Molecular Immunology</i> , 2008, 45, 3814-3817.	1.0	1
99	Induction of Active Tolerance and Involvement of CD1d-Restricted Natural Killer T Cells in Anti-CD3 F(ab) ² Treatment-Reversed New-Onset Diabetes in Nonobese Diabetic Mice. <i>American Journal of Pathology</i> , 2008, 172, 972-979.	1.9	8
100	Essential roles of TGF- β 2 in anti-CD3 antibody therapy: reversal of diabetes in nonobese diabetic mice independent of Foxp3+CD4+ regulatory T cells. <i>Journal of Leukocyte Biology</i> , 2008, 83, 280-287.	1.5	27
101	Foxp3-expressing CD4+T Cells Under the Control of IFN- γ Promoter Prevent Diabetes in NOD Mice. <i>Molecular Therapy</i> , 2007, 15, 1551-1557.	3.7	12
102	Mechanisms Underlying B-cell Tolerance Induction by Antigen-IgG Gene Transfer. <i>Journal of International Medical Research</i> , 2007, 35, 781-789.	0.4	0
103	Mechanisms of Regulatory T-cell Induction by Antigen-IgG-transduced Splenocytes. <i>Scandinavian Journal of Immunology</i> , 2007, 66, 515-522.	1.3	5
104	The role of STAT3 in antigen-IgG inducing regulatory CD4+Foxp3+T cells. <i>Cellular Immunology</i> , 2007, 246, 103-109.	1.4	11
105	Active Tolerance Induction and Prevention of Autoimmune Diabetes by Immunogene Therapy Using Recombinant Adenoassociated Virus Expressing Glutamic Acid Decarboxylase 65 Peptide GAD500 α 585. <i>Journal of Immunology</i> , 2005, 174, 4516-4524.	0.4	45
106	Retroviral delivery of GAD-IgG fusion construct induces tolerance and modulates diabetes: a role for CD4+ regulatory T cells and TGF- β 2?. <i>Gene Therapy</i> , 2004, 11, 1487-1496.	2.3	55
107	Targeted therapy of multiple myeloma. <i>Exploration of Targeted Anti-tumor Therapy</i> , 0, , .	0.5	0