

Dirk Jmk De Ridder

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/915992/dirk-jmk-de-ridder-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184
papers

9,547
citations

44
h-index

94
g-index

225
ext. papers

10,972
ext. citations

3.9
avg, IF

5.71
L-index

#	Paper	IF	Citations
184	Long-term outcomes and patient satisfaction after artificial urinary sphincter implantation. <i>World Journal of Urology</i> , 2021 , 1	4	1
183	A prospective, multicenter, international study to explore the effect of three different amplitude settings in female subjects with urinary urge incontinence receiving interstim therapy. <i>Neurourology and Urodynamics</i> , 2021 , 40, 920-928	2.3	1
182	Single-cell Transcriptomics Uncover a Novel Role of Myeloid Cells and T-lymphocytes in the Fibrotic Microenvironment in PeyronieQ Disease. <i>European Urology Focus</i> , 2021 ,	5.1	1
181	A novel tool to predict functional outcomes after robot-assisted radical prostatectomy and the value of additional surgery for incontinence. <i>BJU International</i> , 2021 , 127, 575-584	5.6	4
180	The potential of tumour microenvironment markers to stratify the risk of recurrence in prostate cancer patients. <i>PLoS ONE</i> , 2020 , 15, e0244663	3.7	6
179	TRPV4 Mediates Acute Bladder Responses to Bacterial Lipopolysaccharides. <i>Frontiers in Immunology</i> , 2020 , 11, 799	8.4	4
178	Evaluating Replenishment Systems for Disposable Supplies at the Operating Theater: A Simulation Case Study. <i>Springer Proceedings in Mathematics and Statistics</i> , 2020 , 147-162	0.2	1
177	Intratunical injection of autologous adipose stromal vascular fraction reduces collagen III expression in a rat model of chronic penile fibrosis. <i>International Journal of Impotence Research</i> , 2020 , 32, 281-288	2.3	5
176	Novel implantable pressure and acceleration sensor for bladder monitoring. <i>International Journal of Urology</i> , 2020 , 27, 543-550	2.3	4
175	Six years of measuring patient experiences in Belgium: Limited improvement and lack of association with improvement strategies 2020 , 15, e0241408		
174	Six years of measuring patient experiences in Belgium: Limited improvement and lack of association with improvement strategies 2020 , 15, e0241408		
173	Six years of measuring patient experiences in Belgium: Limited improvement and lack of association with improvement strategies 2020 , 15, e0241408		
172	Six years of measuring patient experiences in Belgium: Limited improvement and lack of association with improvement strategies 2020 , 15, e0241408		
171	Six years of measuring patient experiences in Belgium: Limited improvement and lack of association with improvement strategies 2020 , 15, e0241408		
170	Six years of measuring patient experiences in Belgium: Limited improvement and lack of association with improvement strategies 2020 , 15, e0241408		
169	Real-Life Data on Mirabegron in Neurogenic Bladder Dysfunction. <i>Urologia Internationalis</i> , 2019 , 103, 195-201	1.9	4
168	Drug utilization patterns and healthcare resource use and costs in patients with neurogenic bladder in the United Kingdom: A retrospective primary care database study. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1278-1289	2.3	2

167	Assessing quality of life in obstetric fistula patients: Validation of the urogenital distress inventory (UDI-6) and Incontinence Impact Questionnaire (IIQ-7) in Lingala and Kikongo in DR Congo. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1994-2000	2.3	
166	Standardised mortality ratios as a user-friendly performance metric and trigger for quality improvement in a Flemish hospital network: multicentre retrospective study. <i>BMJ Open</i> , 2019 , 9, e029857	3	
165	Performance indicator selection for operating room supply chains: An application of ANP. <i>Operations Research for Health Care</i> , 2019 , 23, 100229	1.8	7
164	Long-Term Assessment of a Prospective Cohort of Patients Undergoing Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2019 , 134, 323-332	4.9	16
163	Wireless intravesical device for real-time bladder pressure measurement: Study of consecutive voiding in awake minipigs. <i>PLoS ONE</i> , 2019 , 14, e0225821	3.7	4
162	Intratunical Injection of Human Adipose Tissue-Derived Stem Cells Restores Collagen III/I Ratio in a Rat Model of Chronic Peyronie's Disease. <i>Sexual Medicine</i> , 2019 , 7, 94-103	2.7	12
161	Simvastatin and the Rho-kinase inhibitor Y-27632 prevent myofibroblast transformation in Peyronie's disease-derived fibroblasts via inhibition of YAP/TAZ nuclear translocation. <i>BJU International</i> , 2019 , 123, 703-715	5.6	15
160	Functional and molecular characterisation of the bilateral pelvic nerve crush injury rat model for neurogenic detrusor underactivity. <i>BJU International</i> , 2019 , 123, E86-E96	5.6	7
159	Intratunical injection of stromal vascular fraction prevents fibrosis in a rat model of Peyronie's disease. <i>BJU International</i> , 2019 , 124, 342-348	5.6	9
158	Best practice in the management of storage symptoms in male lower urinary tract symptoms: a review of the evidence base. <i>Therapeutic Advances in Urology</i> , 2018 , 10, 79-92	3.2	18
157	Comparative immunohistochemical characterization of interstitial cells in the urinary bladder of human, guinea pig and pig. <i>Histochemistry and Cell Biology</i> , 2018 , 149, 491-501	2.4	6
156	Characterization of voiding function and structural bladder changes in a rat model of neurogenic underactive bladder disease. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1594-1604	2.3	4
155	Efficacy and Safety of Sacral and Percutaneous Tibial Neuromodulation in Non-neurogenic Lower Urinary Tract Dysfunction and Chronic Pelvic Pain: A Systematic Review of the Literature. <i>European Urology</i> , 2018 , 73, 406-418	10.2	42
154	Galanin Administration Partially Restores Erectile Function After Cavernous Nerve Injury and Mediates Endogenous Nitric Oxide Nerve Outgrowth In Vitro. <i>Journal of Sexual Medicine</i> , 2018 , 15, 480-491 ^{1.1}	2	
153	Genito-urinary genomics and emerging biomarkers for immunomodulatory cancer treatment. <i>Seminars in Cancer Biology</i> , 2018 , 52, 216-227	12.7	11
152	Effectiveness and Complications of the AMS AdVance Male Sling System for the Treatment of Stress Urinary Incontinence: A Prospective Multicenter Study. <i>Urology</i> , 2018 , 120, 197-204	1.6	8
151	Evaluating the Current Place of Radiotherapy as Treatment Option for Patients With Muscle Invasive Bladder Cancer in Belgium. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1159-e1169	3.3	4
150	6th International Consultation on Incontinence. Recommendations of the International Scientific Committee: EVALUATION AND TREATMENT OF URINARY INCONTINENCE, PELVIC ORGAN PROLAPSE AND FAECAL INCONTINENCE. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2271-2272	2.3	103

149	Intravesical Activation of the Cation Channel TRPV4 Improves Bladder Function in a Rat Model for Detrusor Underactivity. <i>European Urology</i> , 2018 , 74, 336-345	10.2	30
148	Comparing the expression profiles of steroid hormone receptors and stromal cell markers in prostate cancer at different Gleason scores. <i>Scientific Reports</i> , 2018 , 8, 14326	4.9	3
147	A minimum of 1-year follow-up for MiniArc single incision slings compared to Monarc transobturator slings: An analysis to evaluate durability of continence and medium-term outcomes. <i>Neurourology and Urodynamics</i> , 2017 , 36, 803-807	2.3	8
146	Addressing challenges in underactive bladder: recommendations and insights from the Congress on Underactive Bladder (CURE-UAB). <i>International Urology and Nephrology</i> , 2017 , 49, 777-785	2.3	28
145	The stem cell growth factor receptor KIT is not expressed on interstitial cells in bladder. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 1206-1216	5.6	11
144	A prospective randomized controlled multicentre trial comparing intravesical DMSO and chondroitin sulphate 2% for painful bladder syndrome/interstitial cystitis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017 , 43, 134-141	2	13
143	Pathophysiology and Contributing Factors in Postprostatectomy Incontinence: A Review. <i>European Urology</i> , 2017 , 71, 936-944	10.2	97
142	Comparative study of the organisation and phenotypes of bladder interstitial cells in human, mouse and rat. <i>Cell and Tissue Research</i> , 2017 , 370, 403-416	4.2	8
141	In-Vivo Implantable Sensor System for Measuring Bladder Wall Movements. <i>Proceedings (mdpi)</i> , 2017 , 1, 566	0.3	1
140	New Instrument to Measure Hospital Patient Experiences in Flanders. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	5
139	Surgical treatment of neurogenic stress urinary incontinence: A systematic review of quality assessment and surgical outcomes. <i>Neurourology and Urodynamics</i> , 2016 , 35, 21-5	2.3	32
138	Laparoscopic versus robotic-assisted sacrocolpopexy for pelvic organ prolapse: a systematic review. <i>Gynecological Surgery</i> , 2016 , 13, 115-123	1.7	28
137	Topographies and isoforms of the progesterone receptor in female human, rat and mouse bladder. <i>Cell and Tissue Research</i> , 2016 , 364, 385-94	4.2	2
136	The role of botulinum toxin A in treating neurogenic bladder. <i>Translational Andrology and Urology</i> , 2016 , 5, 63-71	2.3	15
135	An evidence-based laparoscopic simulation curriculum shortens the clinical learning curve and reduces surgical adverse events. <i>Advances in Medical Education and Practice</i> , 2016 , 7, 357-70	1.5	37
134	The N-shaped orthotopic ileal neobladder: functional outcomes and complication rates in 119 patients. <i>SpringerPlus</i> , 2016 , 5, 646		6
133	A Joint Mechanism of Action for Sacral Neuromodulation for Bladder and Bowel Dysfunction?. <i>Urology</i> , 2016 , 97, 13-19	1.6	8
132	Adipose-derived Stem Cells Counteract Urethral Stricture Formation in Rats. <i>European Urology</i> , 2016 , 70, 1032-1041	10.2	34

131	The use of imaging techniques in understanding lower urinary tract (dys)function. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2016 , 200, 11-20	2.4	1
130	Predictors of Recurrence and Successful Treatment Following Obstetric Fistula Surgery. <i>Urology</i> , 2016 , 97, 80-85	1.6	9
129	Essential role of transient receptor potential M8 (TRPM8) in a model of acute cold-induced urinary urgency. <i>European Urology</i> , 2015 , 68, 655-61	10.2	29
128	The use of sling vs sphincter in post-prostatectomy urinary incontinence. <i>BJU International</i> , 2015 , 116, 330-42	5.6	41
127	Slings for urinary incontinence and the application of cell-based therapy. <i>Advanced Drug Delivery Reviews</i> , 2015 , 82-83, 22-30	18.5	16
126	Transient receptor potential channel modulators as pharmacological treatments for lower urinary tract symptoms (LUTS): myth or reality?. <i>BJU International</i> , 2015 , 115, 686-97	5.6	19
125	(18F)FDG-PET brain imaging during the micturition cycle in rats detects regions involved in bladder afferent signalling. <i>EJNMMI Research</i> , 2015 , 5, 55	3.6	4
124	Obstetric fistula in a district hospital in DR Congo: Fistula still occur despite access to caesarean section. <i>Neurourology and Urodynamics</i> , 2015 , 34, 434-7	2.3	12
123	A 2-center comparative study on tonic versus burst spinal cord stimulation: amount of responders and amount of pain suppression. <i>Clinical Journal of Pain</i> , 2015 , 31, 433-7	3.5	98
122	The value of surgical release after obstructive anti-incontinence surgery: An aid for clinical decision making. <i>Neurourology and Urodynamics</i> , 2015 , 34, 736-40	2.3	11
121	Morphometric and quantitative immunohistochemical analysis of disease-related changes in the upper (suburothelial) lamina propria of the human bladder dome. <i>PLoS ONE</i> , 2015 , 10, e0127020	3.7	8
120	Calculation of membrane tension in selected sections of the pelvic floor. <i>International Urogynecology Journal</i> , 2014 , 25, 499-506	2	3
119	A randomized comparison of a single-incision midurethral sling and a transobturator midurethral sling in women with stress urinary incontinence: results of 12-mo follow-up. <i>European Urology</i> , 2014 , 66, 1179-85	10.2	27
118	Polyomavirus BK--a potential new therapeutic target for painful bladder syndrome/interstitial cystitis?. <i>Medical Hypotheses</i> , 2014 , 83, 317-20	3.8	12
117	Long-term follow-up of sacral neuromodulation for lower urinary tract dysfunction. <i>BJU International</i> , 2014 , 113, 789-94	5.6	74
116	Characterization of subepithelial interstitial cells in normal and pathological human prostate. <i>Histopathology</i> , 2014 , 65, 418-28	7.3	8
115	Identification of different phenotypes of interstitial cells in the upper and deep lamina propria of the human bladder dome. <i>Journal of Urology</i> , 2014 , 192, 1555-63	2.5	33
114	Pinpointing a highly specific pathological functional connection that turns phantom sound into distress. <i>Cerebral Cortex</i> , 2014 , 24, 2268-82	5.1	44

113	Validation of the bladder control self-assessment questionnaire (B-SAQ) in men. <i>BJU International</i> , 2014 , 113, 783-8	5.6	12
112	Cannabinoid receptor 1 also plays a role in healthy bladder. <i>BJU International</i> , 2014 , 113, 142-3	5.6	2
111	Administration of imatinib mesylate in rats impairs the neonatal development of intramuscular interstitial cells in bladder and results in altered contractile properties. <i>Neurourology and Urodynamics</i> , 2014 , 33, 461-8	2.3	12
110	A repeat mid-urethral sling as valuable treatment for persistent or recurrent stress urinary incontinence. <i>International Urogynecology Journal</i> , 2013 , 24, 999-1004	2	26
109	Intratumoral injection of human adipose tissue-derived stem cells prevents fibrosis and is associated with improved erectile function in a rat model of Peyronie's disease. <i>European Urology</i> , 2013 , 63, 551-60	10.2	120
108	Consensus guidelines on the neurologist's role in the management of neurogenic lower urinary tract dysfunction in multiple sclerosis. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 2033-40	2	37
107	Two-year evaluation of the MiniArc in obese versus non-obese patients for treatment of stress urinary incontinence. <i>International Journal of Urology</i> , 2013 , 20, 434-40	2.3	19
106	31 THE ROLE OF TRPA1 IN THE BLADDER COOLING REFLEX; A POSSIBLE NEW THERAPEUTIC TARGET. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
105	Re: Ferdinando Fusco, Roberta d'Ammanuele di Villa Bianca, Emma Mitidieri, et al. Sildenafil effect on the human bladder involves the L-cysteine/hydrogen sulfide pathway: a novel mechanism of action of phosphodiesterase type 5 inhibitors. <i>Eur Urol</i> 2012;62:1174-80. <i>European Urology</i> , 2013 , 63, e57-8	10.2	
104	Chronic administration of anticholinergics in rats induces a shift from muscarinic to purinergic transmission in the bladder wall. <i>European Urology</i> , 2013 , 64, 502-10	10.2	19
103	Chasing map plasticity in neuropathic pain. <i>World Neurosurgery</i> , 2013 , 80, 901.e1-5	2.1	20
102	The optimal frequency of endoscopic skill labs for training and skill retention on suturing: a randomized controlled trial. <i>Journal of Surgical Education</i> , 2013 , 70, 384-93	3.4	35
101	Laparoscopy training in surgical education: the utility of incorporating a structured preclinical laparoscopy course into the traditional apprenticeship method. <i>Journal of Surgical Education</i> , 2013 , 70, 596-605	3.4	26
100	Graft-related complications and biaxial tensiometry following experimental vaginal implantation of flat mesh of variable dimensions. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 244-250	3.7	52
99	Transient receptor potential channels in bladder function. <i>Acta Physiologica</i> , 2013 , 207, 110-22	5.6	34
98	Unravelling the underactive bladder: a role for TRPV4?. <i>BJU International</i> , 2013 , 111, 353-4	5.6	7
97	Nerve growth factor (NGF): a potential urinary biomarker for overactive bladder syndrome (OAB)?. <i>BJU International</i> , 2013 , 111, 372-80	5.6	55
96	Expression of a Distinct Set of Chemokine Receptors in Adipose Tissue-Derived Stem Cells is Responsible for In Vitro Migration Toward Chemokines Appearing in the Major Pelvic Ganglion Following Cavernous Nerve Injury. <i>Sexual Medicine</i> , 2013 , 1, 3-15	2.7	22

95	Overactive bladder symptoms, stress urinary incontinence and associated bother in women aged 40 and above; a Belgian epidemiological survey. <i>International Journal of Clinical Practice</i> , 2013 , 67, 198-204	2.9	19
94	Bladder dysfunction in a transgenic mouse model of multiple system atrophy. <i>Movement Disorders</i> , 2013 , 28, 347-55	7	44
93	Crucial role of TRPC1 and TRPC4 in cystitis-induced neuronal sprouting and bladder overactivity. <i>PLoS ONE</i> , 2013 , 8, e69550	3.7	18
92	Biomechanical effects of polyglycaprone fibers in a polypropylene mesh after abdominal and rectovaginal implantation in a rabbit. <i>International Urogynecology Journal</i> , 2012 , 23, 1397-402	2	17
91	EAU guidelines on assessment and nonsurgical management of urinary incontinence. <i>European Urology</i> , 2012 , 62, 1130-42	10.2	146
90	EAU guidelines on surgical treatment of urinary incontinence. <i>European Urology</i> , 2012 , 62, 1118-29	10.2	160
89	1956 LONG TERM INTERSTIM THERAPY EFFICACY IN A SINGLE TERTIARY CENTER COHORT OF 217 PATIENTS. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
88	The use of cystometry in small rodents: a study of bladder chemosensation. <i>Journal of Visualized Experiments</i> , 2012 , e3869	1.6	22
87	Identification of telocytes in the upper lamina propria of the human urinary tract. <i>Journal of Cellular and Molecular Medicine</i> , 2012 , 16, 2085-93	5.6	90
86	Developing evidence-based standards for diagnosis and management of lower urinary tract or pelvic floor dysfunction. <i>Neurourology and Urodynamics</i> , 2012 , 31, 621-4	2.3	19
85	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for reporting outcomes of surgical procedures for pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2012 , 31, 415-21	2.3	47
84	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for reporting outcomes of surgical procedures for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012 , 23, 527-35	2	84
83	Urothelial TRPV1: TRPV1-Reporter Mice, a Way to Clarify the Debate?. <i>Frontiers in Physiology</i> , 2012 , 3, 130	4.6	3
82	The AdVance [®] Male Sling: Anatomic Features in Relation to Mode of Action. <i>European Urology Supplements</i> , 2011 , 10, 383-389	0.9	26
81	Clinical Overview of the AdVance [®] Male Sling in Postprostatectomy Incontinence. <i>European Urology Supplements</i> , 2011 , 10, 401-406	0.9	5
80	An update on surgery for vesicovaginal and urethrovaginal fistulae. <i>Current Opinion in Urology</i> , 2011 , 21, 297-300	2.8	13
79	Persistence of polypropylene mesh anisotropy after implantation: an experimental study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1180-5	3.7	36
78	Characterization of upper lamina propria interstitial cells in bladders from patients with neurogenic detrusor overactivity and bladder pain syndrome. <i>Journal of Cellular and Molecular Medicine</i> , 2011 , 15, 2586-93	5.6	47

77	The capsaicin receptor TRPV1 is a crucial mediator of the noxious effects of mustard oil. <i>Current Biology</i> , 2011 , 21, 316-21	6.3	167
76	Pentoxifylline promotes recovery of erectile function in a rat model of postprostatectomy erectile dysfunction. <i>European Urology</i> , 2011 , 59, 286-96	10.2	46
75	Shrinkage and biomechanical evaluation of lightweight synthetics in a rabbit model for primary fascial repair. <i>International Urogynecology Journal</i> , 2011 , 22, 1099-108	2	40
74	Functional characterization of a chronic cyclophosphamide-induced overactive bladder model in mice. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1659-65	2.3	56
73	Extrusion of a ventriculoperitoneal shunt catheter through an appendicovesicostomy. <i>British Journal of Neurosurgery</i> , 2011 , 25, 115-6	1	11
72	Medium Term Anatomical and Functional Results of Laparoscopic Sacrocolpopexy Using Xenografts 2011 , 81-88		
71	TRP channels in human prostate. <i>Scientific World Journal, The</i> , 2010 , 10, 1597-611	2.2	28
70	Inhibition of the cation channel TRPV4 improves bladder function in mice and rats with cyclophosphamide-induced cystitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 19084-9	11.5	298
69	Functional characterization of transient receptor potential channels in mouse urothelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, F692-701	4.3	117
68	Clinicopathological study of patients requiring reintervention after sacrocolpopexy with xenogenic acellular collagen grafts. <i>Journal of Urology</i> , 2010 , 183, 2249-55	2.5	4
67	Randomized controlled trial of Sativex to treat detrusor overactivity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010 , 16, 1349-59	5	120
66	Extracellular matrix degradation and reduced neural density in children with intrinsic ureteropelvic junction obstruction. <i>Urology</i> , 2010 , 76, 185-9	1.6	12
65	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction. <i>International Urogynecology Journal</i> , 2010 , 21, 5-26	2	1323
64	Validity, reliability and responsiveness of a Dutch version of the prolapse quality-of-life (P-QoL) questionnaire. <i>International Urogynecology Journal</i> , 2010 , 21, 569-78	2	19
63	Prevalence of major levator abnormalities in symptomatic patients with an underactive pelvic floor contraction. <i>International Urogynecology Journal</i> , 2010 , 21, 861-7	2	48
62	Single incision mini-sling versus a transobutator sling: a comparative study on MiniArc and Monarc slings. <i>International Urogynecology Journal</i> , 2010 , 21, 773-8	2	59
61	Biomechanical findings in rats undergoing fascial reconstruction with graft materials suggested as an alternative to polypropylene. <i>Neurourology and Urodynamics</i> , 2010 , 29, 488-93	2.3	22
60	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction. <i>Neurourology and Urodynamics</i> , 2010 , 29, 4-20	2.3	1491

59	Sacrocolpopexy using xenogenic acellular collagen in patients at increased risk for graft-related complications. <i>Neurourology and Urodynamics</i> , 2010 , 29, 563-7	2.3	18
58	Fourth International Consultation on Incontinence Recommendations of the International Scientific Committee: Evaluation and treatment of urinary incontinence, pelvic organ prolapse, and fecal incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 213-40	2.3	764
57	Overactive bladder: Is there a link to the metabolic syndrome in men?. <i>Neurourology and Urodynamics</i> , 2010 , 29, 1360-4	2.3	48
56	Maturation of stretch-induced contractile activity and its muscarinic regulation in isolated whole bladder strips from rat. <i>Neurourology and Urodynamics</i> , 2010 , 29, 789-96	2.3	1
55	The Laparoscopic Approach to Pelvic Floor Surgery 2010 , 473-484		
54	Porous acellular porcine dermal collagen implants to repair fascial defects in a rat model: biomechanical evaluation up to 180 days. <i>Gynecologic and Obstetric Investigation</i> , 2009 , 68, 205-12	2.5	8
53	The loss and progressive recovery of voiding after spinal cord interruption in rats is associated with simultaneous changes in autonomous contractile bladder activity. <i>European Urology</i> , 2009 , 56, 168-76	10.2	5
52	Medium-term anatomic and functional results of laparoscopic sacrocolpopexy beyond the learning curve. <i>European Urology</i> , 2009 , 55, 1459-67	10.2	76
51	Editorial comment on: Tension-free vaginal tape in the management of recurrent urodynamic stress incontinence after previous failed midurethral tape. <i>European Urology</i> , 2009 , 55, 1455-6	10.2	3
50	Continent catheterizable vesicostomy in an adult population: success at high costs. <i>Neurourology and Urodynamics</i> , 2009 , 28, 487-91	2.3	27
49	Where is TRPV1 expressed in the bladder, do we see the real channel?. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009 , 379, 421-5	3.4	71
48	Experimental comparison of abdominal wall repair using different methods of enhancement by small intestinal submucosa graft. <i>International Urogynecology Journal</i> , 2009 , 20, 435-41	2	19
47	Implementation of laparoscopic sacrocolpopexy--a single centre experience. <i>International Urogynecology Journal</i> , 2009 , 20, 1119-25	2	46
46	The second-line management of idiopathic overactive bladder: what is the place of sacral neuromodulation and botulinum toxin-A in contemporary practice?. <i>BJU International</i> , 2009 , 104, 1188-90 ^{5,6}	5.6	11
45	The effect of extracellular adenosine triphosphate on the spontaneous contractility of human myometrial strips. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009 , 143, 79-83 ^{2,4}	2.4	10
44	Medium term outcome of laparoscopic sacrocolpopexy with xenografts compared to synthetic grafts. <i>Journal of Urology</i> , 2009 , 182, 2362-8	2.5	56
43	Vesicovaginal fistula: a major healthcare problem. <i>Current Opinion in Urology</i> , 2009 , 19, 358-61	2.8	21
42	Botulinum toxin: future developments. <i>BJU International</i> , 2008 , 102 Suppl 1, 20-2	5.6	9

41	Editorial comment on: does physiotherapist-guided pelvic floor muscle training reduce urinary incontinence after radical prostatectomy? A randomised clinical trial. <i>European Urology</i> , 2008 , 54, 448	10.2	
40	Immunohistochemistry using an antibody to unphosphorylated connexin 43 to identify human myometrial interstitial cells. <i>Reproductive Biology and Endocrinology</i> , 2008 , 6, 43	5	10
39	Should we use meshes in the management of vaginal prolapse?. <i>Current Opinion in Urology</i> , 2008 , 18, 377-82	2.8	28
38	On the origin of bladder sensing: Tr(i)ps in urology. <i>Neurourology and Urodynamics</i> , 2008 , 27, 264-73	2.3	99
37	Fate of collagen-based implants used in pelvic floor surgery: a 2-year follow-up study in a rabbit model. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 94.e1-6	6.4	37
36	Autonomous contractile activity in the isolated rat bladder is modulated by a TRPV1 dependent mechanism. <i>Neurourology and Urodynamics</i> , 2007 , 26, 424-32; discussion 451-3	2.3	18
35	Cytokine production following experimental implantation of xenogenic dermal collagen and polypropylene grafts in mice. <i>Neurourology and Urodynamics</i> , 2007 , 26, 280-9	2.3	18
34	TRPV1 is involved in stretch-evoked contractile changes in the rat autonomous bladder model: a study with piperine, a new TRPV1 agonist. <i>Neurourology and Urodynamics</i> , 2007 , 26, 440-50; discussion 451-3	2.3	31
33	Overactive bladder syndrome in older people. <i>BJU International</i> , 2007 , 99, 502-9	5.6	54
32	The presence of Fowler's syndrome predicts successful long-term outcome of sacral nerve stimulation in women with urinary retention. <i>European Urology</i> , 2007 , 51, 229-33; discussion 233-4	10.2	72
31	Design and validation of a new screening instrument for lower urinary tract dysfunction: the bladder control self-assessment questionnaire (B-SAQ). <i>European Urology</i> , 2007 , 52, 230-7	10.2	40
30	Tensile strength and host response towards different polypropylene implant materials used for augmentation of fascial repair in a rat model. <i>International Urogynecology Journal</i> , 2007 , 18, 619-26	2	37
29	Tinnitus in vascular conflict of the eighth cranial nerve: a surgical pathophysiological approach to ABR changes. <i>Progress in Brain Research</i> , 2007 , 166, 401-11	2.9	38
28	Tensile strength and host response towards silk and type i polypropylene implants used for augmentation of fascial repair in a rat model. <i>Gynecologic and Obstetric Investigation</i> , 2007 , 63, 155-62	2.5	17
27	Posterior intravaginal slingplasty with preservation of the uterus: a modified surgical technique in a young myelomeningocele patient. <i>Gynecologic and Obstetric Investigation</i> , 2007 , 63, 203-4	2.5	2
26	Deletion of the transient receptor potential cation channel TRPV4 impairs murine bladder voiding. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3453-62	15.9	250
25	Comparison study of autonomous activity in bladders from normal and paraplegic rats. <i>Neurourology and Urodynamics</i> , 2006 , 25, 368-78; discussion 379-80	2.3	15
24	The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. <i>International Urogynecology Journal</i> , 2006 , 17 Suppl 1, S16-25	2	86

23	Synthetic and biodegradable prostheses in pelvic floor surgery. <i>International Congress Series</i> , 2005 , 1279, 387-397		3
22	Gastrointestinal stromal tumor of the prostate. <i>Urology</i> , 2005 , 65, 388	1.6	39
21	Comparison of host response to polypropylene and non-cross-linked porcine small intestine serosal-derived collagen implants in a rat model. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 1554-60	3.7	96
20	Improved surgical outcome by modification of porcine dermal collagen implant in abdominal wall reconstruction in rats. <i>Neurourology and Urodynamics</i> , 2005 , 24, 362-8	2.3	27
19	Conservative bladder management in advanced multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2005 , 11, 694-9	5	22
18	Solifenacin appears effective and well tolerated in patients with symptomatic idiopathic detrusor overactivity in a placebo- and tolterodine-controlled phase 2 dose-finding study. <i>BJU International</i> , 2004 , 93, 71-7	5.6	137
17	Interstitial cells of the bladder: the missing link?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004 , 111, 57-60	3.7	12
16	The physical and antimicrobial effects of microwave heating and alcohol immersion on catheters that are reused for clean intermittent catheterisation. <i>European Urology</i> , 2004 , 46, 641-6	10.2	22
15	Host response after reconstruction of abdominal wall defects with porcine dermal collagen in a rat model. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1961-70	6.4	105
14	Identification of kit positive cells in the human urinary tract. <i>Journal of Urology</i> , 2004 , 171, 2492-6	2.5	64
13	Intravesical ethanol 10% in saline is not an inert vehicle. <i>Neurourology and Urodynamics</i> , 2003 , 22, 353-5	2.3	8
12	Interstitial cells in the human prostate: a new therapeutic target?. <i>Prostate</i> , 2003 , 56, 250-5	4.2	81
11	Potency after unilateral nerve sparing surgery: a report on functional and oncological results of unilateral nerve sparing surgery. <i>Prostate Cancer and Prostatic Diseases</i> , 2003 , 6, 61-5	6.2	20
10	The Use of Biomaterials in Reconstructive Urology. <i>European Urology Supplements</i> , 2002 , 1, 7-11	0.9	6
9	Topography of the Vanilloid Receptor in the Human Bladder: More Than Just the Nerve Fibers. <i>Journal of Urology</i> , 2002 , 168, 293-297	2.5	86
8	Topography of the vanilloid receptor in the human bladder: more than just the nerve fibers. <i>Journal of Urology</i> , 2002 , 168, 293-7	2.5	36
7	Vanilloids and the overactive bladder. <i>BJU International</i> , 2000 , 86, 172-80;quiz ii	5.6	38
6	Evaluation of the use of Urocath-Gel catheters for intermittent self-catheterization by male patients using conventional catheters for a long time. <i>Spinal Cord</i> , 2000 , 38, 97-9	2.7	16

5	Pelvic floor descent in females: comparative study of colpocystodefecography and dynamic fast MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 9, 373-7	5.6	127
4	BLADDER CANCER IN PATIENTS WITH MULTIPLE SCLEROSIS TREATED WITH CYCLOPHOSPHAMIDE. <i>Journal of Urology</i> , 1998 , 159, 1881-1884	2.5	55
3	Intravesical capsaicin as a treatment for refractory detrusor hyperreflexia: a dual center study with long-term followup. <i>Journal of Urology</i> , 1997 , 158, 2087-92	2.5	145
2	Neoadjuvant hormonal therapy before radical prostatectomy decreases the number of positive surgical margins in stage T2 prostate cancer: interim results of a prospective randomized trial. The Belgian Uro-Oncological Study Group. <i>Journal of Urology</i> , 1995 , 154, 429-34	2.5	47
1	Effect of alkalinization on calcium oxalate monohydrate calculi during extracorporeal shock wave lithotripsy: in vivo experiments. <i>Urologia Internationalis</i> , 1992 , 48, 203-5	1.9	