Sae Ochi

List of Publications by Year
in descending order

53 papers	1,675 citations	516710 16 h-index	289244 40 g-index
58 all docs	58 docs citations	58 times ranked	1988 citing authors

#	Article	IF	Citations
1	Association between COVID-19 vaccine hesitancy and generalized trust, depression, generalized anxiety, and fear of COVID-19. BMC Public Health, 2022, 22, 126.	2.9	60
2	Difficult-to-treat rheumatoid arthritis with respect to responsiveness to biologic/targeted synthetic DMARDs: a retrospective cohort study from the FIRST registry. Clinical and Experimental Rheumatology, 2022, 40, 86-96.	0.8	5
3	Preferable outcome of Janus kinase inhibitors for a group of difficult-to-treat rheumatoid arthritis patients: from the FIRST Registry. Arthritis Research and Therapy, 2022, 24, 61.	3.5	30
4	Similarity of Response to Biologics Between Elderly-onset Rheumatoid Arthritis (EORA) and Non-EORA Elderly Patients: From the FIRST Registry. Journal of Rheumatology, 2021, 48, 1655-1662.	2.0	10
5	â€˜Life communicationâ€™ after the 2011 Fukushima nuclear disaster: what experts need to learn from residential non-scientific rationality. Journal of Radiation Research, 2021, 62, i88-i94.	1.6	2
6	Prevention and Control of COVID-19 in Imperfect Condition: Practical Guidelines for Nursing Homes by Japan Environment and Health Safety Organization (JEHSO). International Journal of Environmental Research and Public Health, 2021, 18, 10188.	2.6	6
7	Establishment of a Rapid Detection System for ISG20-Dependent SARS-CoV-2 Subreplicon RNA Degradation Induced by Interferon-Î±. International Journal of Molecular Sciences, 2021, 22, 11641.	4.1	7
8	Behavioral Factors Associated with COVID-19 Risk: A Cross-Sectional Survey in Japan. International Journal of Environmental Research and Public Health, 2021, 18, 12184.	2.6	5
9	Difficult-to-treat rheumatoid arthritis with respect to responsiveness to biologic/targeted synthetic DMARDs: a retrospective cohort study from the FIRST registry. Clinical and Experimental Rheumatology, 2021, , .	0.8	0
10	The fasting 13C-glucose breath test is a more sensitive evaluation method for diagnosing hepatic insulin resistance as a cardiovascular risk factor than HOMA-IR. Clinica Chimica Acta, 2020, 500, 20-27.	1.1	1
11	Impacts of the 2011 Fukushima nuclear disaster on healthcare facilities: A systematic literature review. International Journal of Disaster Risk Reduction, 2020, 42, 101350.	3.9	11
12	Comprehensive gene expression profiling of human astrocytes treated with a hepatic encephalopathy-inducible factor, alpha 1-antichymotripsin. Biochemistry and Biophysics Reports, 2020, 24, 100855.	1.3	0
13	Insensitivity versus poor response to tumour necrosis factor inhibitors in rheumatoid arthritis: a retrospective cohort study. Arthritis Research and Therapy, 2020, 22, 41.	3.5	10
14	Health Care Information Delivery with Information and Communication Technology. World Scientific Series in Global Healthcare Economics and Public Policy, 2020, , 293-316.	0.1	0
15	Can a disaster affect rheumatoid arthritis status? A retrospective cohort study after the 2011 triple disaster in Fukushima, Japan. International Journal of Rheumatic Diseases, 2018, 21, 1254-1262.	1.9	1
16	The Great East Japan Earthquake: Analyses of Disaster Impacts on Health Care Clinics. Disaster Medicine and Public Health Preparedness, 2018, 12, 291-295.	1.3	7
17	Demographic transition and factors associated with remaining in place after the 2011 Fukushima nuclear disaster and related evacuation orders. PLoS ONE, 2018, 13, e0194134.	2.5	20
18	Pseudo-SLE by human immunodeficiency virus infection. Modern Rheumatology, 2017, 27, 533-535.	1.8	2

#	Article	IF	Citations
19	Communicating With Residents About Risks Following the Fukushima Nuclear Accident. Asia-Pacific Journal of Public Health, 2017, 29, 74S-89S.	1.0	75
20	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. Journal of Epidemiology and Community Health, 2017, 71, 974-980.	3.7	44
21	Breast cancer patient delay in Fukushima, Japan following the 2011 triple disaster: a long-term retrospective study. BMC Cancer, 2017, 17, 423.	2.6	45
22	Hypertrophic pachymeningitis in a patient with antiphospholipid syndrome and chronic hepatitis C virus infection. Modern Rheumatology Case Reports, 2017, 1, 99-103.	0.7	0
23	Hospital Staff Shortage after the 2011 Triple Disaster in Fukushima, Japan-An Earthquake, Tsunamis, and Nuclear Power Plant Accident: A Case of the Soso District. PLoS ONE, 2016, 11, e0164952.	2.5	52
24	Impacts of the 2011 Fukushima nuclear accident on emergency medical service times in Soma District, Japan: a retrospective observational study. BMJ Open, 2016, 6, e013205.	1.9	13
25	Living in Contaminated Radioactive Areas Is Not an Acute Risk Factor for Noncommunicable Disease Development: A Retrospective Observational Study. Disaster Medicine and Public Health Preparedness, 2016, 10, 34-37.	1.3	3
26	Voice from Fukushima: Responsibility of Epidemiologists to Avoid Irrational Stigmatization of Children in Fukushima. Thyroid, 2016, 26, 1332-1333.	4.5	6
27	Assessment of Nutritional Status of Iodine Through Urinary Iodine Screening Among Local Children and Adolescents After the Fukushima Daiichi Nuclear Power Plant Accident. Thyroid, 2016, 26, 1778-1785.	4.5	2
28	Sociodemographic patterning of long-term diabetes mellitus control following Japan's 3.11 triple disaster: a retrospective cohort study. BMJ Open, 2016, 6, e011455.	1.9	12
29	Non-communicable diseases in decontamination workers in areas affected by the Fukushima nuclear disaster: a retrospective observational study. BMJ Open, 2016, 6, e013885.	1.9	13
30	School restrictions on outdoor activities and weight status in adolescent children after Japanâ€™s 2011 Fukushima Nuclear Power Plant disaster: a mid-term to long-term retrospective analysis. BMJ Open, 2016, 6, e013145.	1.9	9
31	Disaster Vulnerability of Hospitals: A Nationwide Surveillance in Japan. Disaster Medicine and Public Health Preparedness, 2015, 9, 614-618.	1.3	5
32	Head-to-head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety (REAL) registry. Arthritis Research and Therapy, 2015, 17, 74.	3.5	53
33	Physical performance deterioration of temporary housing residents after the Great East Japan Earthquake. Preventive Medicine Reports, 2015, 2, 916-919.	1.8	27
34	Assessment of Risks of Pulmonary Infection During 12 Months Following Immunosuppressive Treatment for Active Connective Tissue Diseases: A Large-scale Prospective Cohort Study. Journal of Rheumatology, 2015, 42, 614-622.	2.0	8
35	Medication supply for people evacuated during disasters. Journal of Evidence-Based Medicine, 2015, 8, 39-41.	2.4	11
36	åŽŸç™ºäº‹æ•…ã®é¿é›£ã€ãŸã‚‰ã•ãŸå¥·è¢«å®³. Atomos, 2015, 57, 470-474.	0.0	1

#	Article	IF	Citations
37	Reliability of Telecommunications Systems Following a Major Disaster: Survey of Secondary and Tertiary Emergency Institutions in Miyagi Prefecture During the Acute Phase of the 2011 Great East Japan Earthquake. Prehospital and Disaster Medicine, 2014, 29, 204-208.	1.3	7
38	Streamlining of Medical Relief to Areas Affected by the Great East Japan Earthquake with the â€œArea-based/Line-linking Support Systemâ€• Prehospital and Disaster Medicine, 2014, 29, 614-622.	1.3	5
39	The Great East Japan Earthquake Disaster: Distribution of Hospital Damage in Miyagi Prefecture. Prehospital and Disaster Medicine, 2014, 29, 245-253.	1.3	15
40	Disaster-Driven Evacuation and Medication Loss: a Systematic Literature Review. PLOS Currents, 2014, 6, .	1.4	38
41	A report from Fukushima: an assessment of bone health in an area affected by the Fukushima nuclear plant incident. Journal of Bone and Mineral Metabolism, 2013, 31, 613-617.	2.7	7
42	The Great East Japan Earthquake Disaster: a Compilation of Published Literature on Health Needs and Relief Activities, March 2011-September 2012. PLOS Currents, 2013, 5, .	1.4	30
43	Leflunomide-induced polymyositis in a patient with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 443-446.	1.8	7
44	Leflunomide-induced polymyositis in a patient with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 443-446.	1.8	5
45	A case report of rheumatoid arthritis complicated with rapidly progressive interstitial pneumonia, multiple bullae and pneumomediastinum, which was successfully treated with tacrolimus. Japanese Journal of Clinical Immunology, 2008, 31, 62-67.	0.0	7
46	Pathological role of osteoclast costimulation in arthritis-induced bone loss. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 11394-11399.	7.1	102
47	Scientific basis for the efficacy of combined use of antirheumatic drugs against bone destruction in rheumatoid arthritis. Modern Rheumatology, 2007, 17, 17-23.	1.8	33
48	Scientific basis for the efficacy of combined use of antirheumatic drugs against bone destruction in rheumatoid arthritis. Modern Rheumatology, 2007, 17, 17-23.	1.8	29
49	Leflunomide-related acute interstitial pneumonia in two patients with rheumatoid arthritis: autopsy findings with a mosaic pattern of acute and organizing diffuse alveolar damage. Modern Rheumatology, 2006, 16, 316-320.	1.8	30
50	Leflunomide-related acute interstitial pneumonia in two patients with rheumatoid arthritis: autopsy findings with a mosaic pattern of acute and organizing diffuse alveolar damage. Modern Rheumatology, 2006, 16, 316-320.	1.8	15
51	Autoamplification of NFATc1 expression determines its essential role in bone homeostasis. Journal of Experimental Medicine, 2005, 202, 1261-1269.	8.5	758
52	A case of paraneoplastic syndrome mimicking adult-onset Stillâ€™s disease. Modern Rheumatology, 2004, 14, 410-413.	1.8	12
53	A case of paraneoplastic syndrome mimicking adult-onset Still?s disease. Modern Rheumatology, 2004, 14, 410-413.	1.8	6