Zainal Ahmad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9160775/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prediction of water quality index (WQI) using support vector machine (SVM) and least square-support vector machine (LS-SVM). International Journal of River Basin Management, 2021, 19, 149-156.	2.7	109
2	Prediction of air pollution index (API) using support vector machine (SVM). Journal of Environmental Chemical Engineering, 2020, 8, 103208.	6.7	100
3	Modelling and control of different types of polymerization processes using neural networks technique: A review. Canadian Journal of Chemical Engineering, 2010, 88, 1065-1084.	1.7	81
4	Multi-objective optimization of two alkali catalyzed processes for biodiesel from waste cooking oil. Energy Conversion and Management, 2014, 85, 361-372.	9.2	71
5	Unified View of Magnetic Nanoparticle Separation under Magnetophoresis. Langmuir, 2020, 36, 8033-8055.	3.5	63
6	Highly active alumina-supported Cs–Zr mixed oxide catalysts for low-temperature transesterification of waste cooking oil. Applied Catalysis A: General, 2014, 487, 16-25.	4.3	54
7	Transesterification of waste cooking palm oil by MnZr with supported alumina as a potential heterogeneous catalyst. Journal of Industrial and Engineering Chemistry, 2014, 20, 4437-4442.	5.8	53
8	Magnetophoresis of superparamagnetic nanoparticles at low field gradient: hydrodynamic effect. Soft Matter, 2015, 11, 6968-6980.	2.7	49
9	Supercritical fluid extraction of β-carotene from crude palm oil using CO2. Journal of Food Engineering, 2008, 89, 472-478.	5.2	45
10	Operator training simulators in the chemical industry: review, issues, and future directions. Reviews in Chemical Engineering, 2014, 30, .	4.4	44
11	Combination of multiple neural networks using data fusion techniques for enhanced nonlinear process modelling. Computers and Chemical Engineering, 2005, 30, 295-308.	3.8	43
12	Biodiesel production by non-catalytic supercritical methyl acetate: Thermal stability study. Applied Energy, 2013, 101, 198-202.	10.1	43
13	Computational intelligent strategies to predict energy conservation benefits in excess air controlled gas-fired systems. Applied Thermal Engineering, 2016, 102, 432-446.	6.0	40
14	Modeling of true vapor pressure of petroleum products using ANFIS algorithm. Petroleum Science and Technology, 2016, 34, 933-939.	1.5	40
15	MODEL PREDICTIVE CONTROL (MPC) AND ITS CURRENT ISSUES IN CHEMICAL ENGINEERING. Chemical Engineering Communications, 2012, 199, 472-511.	2.6	39
16	Estimation of natural gases water content using adaptive neuro-fuzzy inference system. Petroleum Science and Technology, 2016, 34, 891-897.	1.5	37
17	Improving water quality index prediction in Perak River basin Malaysia through a combination of multiple neural networks. International Journal of River Basin Management, 2017, 15, 79-87.	2.7	37
18	Bayesian selective combination of multiple neural networks for improving long-range predictions in nonlinear process modelling. Neural Computing and Applications, 2005, 14, 78-87.	5.6	31

#	Article	IF	CITATIONS
19	Synthesis of fatty acid methyl esters via the methanolysis of palm oil over Ca3.5Zr0.5Al O3 mixed oxide catalyst. Renewable Energy, 2014, 66, 680-685.	8.9	29
20	Evaluation of the ability of the hydrophobic nanoparticles of SiO ₂ in the EOR process through carbonate rock samples. Petroleum Science and Technology, 2016, 34, 1048-1054.	1.5	28
21	Optimum parameters for fault detection and diagnosis system of batch reaction using multiple neural networks. Journal of Loss Prevention in the Process Industries, 2012, 25, 138-141.	3.3	27
22	Kinetics of Low Field Gradient Magnetophoresis in the Presence of Magnetically Induced Convection. Journal of Physical Chemistry C, 2017, 121, 5389-5407.	3.1	25
23	Comparison and optimisation of biodiesel production from Jatropha curcas oil using supercritical methyl acetate and methanol. Chemical Papers, 2011, 65, .	2.2	24
24	Experimental investigation the effect of nanoparticles on micellization behavior of a surfactant: Application to EOR. Petroleum Science and Technology, 2016, 34, 1055-1061.	1.5	23
25	Effect of nano- and micro-alumina fillers on some properties of poly(methyl methacrylate) denture base composites. Journal of the Serbian Chemical Society, 2018, 83, 75-91.	0.8	23
26	Production of hydrogen and value-added carbon materials by catalytic methane decomposition: a review. Environmental Chemistry Letters, 2022, 20, 2339-2359.	16.2	23
27	Selective combination of multiple neural networks for improving model prediction in nonlinear systems modelling through forward selection and backward elimination. Neurocomputing, 2009, 72, 1198-1204.	5.9	22
28	Influence of impurities on biodiesel production from Jatropha curcas L. by supercritical methyl acetate process. Journal of Supercritical Fluids, 2013, 79, 73-75.	3.2	22
29	Operator training simulator for biodiesel synthesis from waste cooking oil. Chemical Engineering Research and Design, 2016, 99, 55-68.	5.6	22
30	Multiple neural networks modeling techniques in process control: a review. Asia-Pacific Journal of Chemical Engineering, 2009, 4, 403-419.	1.5	21
31	Extraction of Fish Oil by Fractionation through Supercritical Carbon Dioxide. Journal of Chemical & amp; Engineering Data, 2008, 53, 2128-2132.	1.9	19
32	Plantwide Control of Biodiesel Production from Waste Cooking Oil Using Integrated Framework of Simulation and Heuristics. Industrial & Engineering Chemistry Research, 2014, 53, 14408-14418.	3.7	19
33	Feedstocks, catalysts, processÂvariables and techniques for biodiesel production by one-pot extraction-transesterification: a review. Environmental Chemistry Letters, 2022, 20, 335-378.	16.2	18
34	Parameters optimization of rice husk ash (RHA)/CaO/CeO2 sorbent for predicting SO2/NO sorption capacity using response surface and neural network models. Journal of Hazardous Materials, 2010, 178, 249-257.	12.4	17
35	Estimation of oil and gas properties in petroleum production and processing operations using rigorous model. Petroleum Science and Technology, 2016, 34, 1129-1136.	1.5	15
36	Advanced catalysts and effect of operating parameters in ethanol dry reforming for hydrogen generation. A review. Environmental Chemistry Letters, 2022, 20, 1695-1718.	16.2	15

#	Article	lF	CITATIONS
37	A comparison of different methods for combining multiple neural networks models. , 0, , .		13
38	Nonlinear Modelling Application in Distillation Column. Chemical Product and Process Modeling, 2007, 2, .	0.9	13
39	Design and retrofitting of ultrasound intensified and ionic liquid catalyzed in situ algal biodiesel production. Chemical Engineering Research and Design, 2021, 171, 168-185.	5.6	13
40	Candida antarctica as catalyst for polycaprolactone synthesis: effect of temperature and solvents. Asia-Pacific Journal of Chemical Engineering, 2011, 6, 398-405.	1.5	10
41	Modeling and nonlinearity studies of low density polyethylene (LDPE) tubular reactor. Materials Today: Proceedings, 2018, 5, 21612-21619.	1.8	10
42	Solubility of β-Carotene from Crude Palm Oil in High-Temperature and High-Pressure Carbon Dioxide. Journal of Chemical & Engineering Data, 2009, 54, 2200-2207.	1.9	7
43	Mutual Solubility Study in Supercritical Fluid Extraction of Tocopherols from Crude Palm Oil Using CO2 Solvent. International Journal of Molecular Sciences, 2010, 11, 3649-3659.	4.1	7
44	Prediction of equilibrium water dew point of natural gas in TEG dehydration systems using Bayesian Feedforward Artificial Neural Network (FANN). Petroleum Science and Technology, 2018, 36, 1620-1626.	1.5	7
45	Nonlinear Process Modeling of "Shell―Heavy Oil Fractionator using Neural Network. Journal of Applied Sciences, 2011, 11, 2114-2124.	0.3	7
46	Process simulation and stochastic multiobjective optimisation of homogeneously acid-catalysed microalgal in-situ biodiesel production considering economic and environmental criteria. Fuel, 2022, 327, 125165.	6.4	7
47	Fabrication and Characterization of Crystalline Cupric Oxide (CuO) Films by Simple Immersion Method. Procedia Manufacturing, 2015, 2, 379-384.	1.9	6
48	Low density polyethylene tubular reactor control using state space model predictive control. Chemical Engineering Communications, 2021, 208, 500-516.	2.6	6
49	River Water Quality Prediction in Malaysia Based on Extra Tree Regression Model Coupled with Linear Discriminant Analysis (LDA). Computer Aided Chemical Engineering, 2021, 50, 1491-1496.	0.5	6
50	A Nonlinear Model Predictive Control Strategy Using Multiple Neural Network Models. Lecture Notes in Computer Science, 2006, , 943-948.	1.3	6
51	Phase equilibrium studying for the supercritical fluid extraction process using carbon dioxide solvent with 1.35 mole ratio of octane to ethanol mixture. Chemical Engineering Journal, 2008, 140, 173-182.	12.7	5
52	Estimation of water content of natural gases using particle swarm optimization method. Petroleum Science and Technology, 2016, 34, 595-600.	1.5	5
53	Modeling and Nonlinearity Studies of Industrial i-Butane/n-Butane Distillation Column. Journal of Applied Sciences, 2011, 11, 494-502.	0.3	5
54	Elevating Model Predictive Control Using Feedforward Artificial Neural Networks: A Review. Chemical Product and Process Modeling, 2009, 4, .	0.9	4

#	Article	IF	CITATIONS
55	Modeling and Optimisation of Xylose Production by Enzymatic Hydrolysis using Neural Network and Particle Swarm Optimization. Chemical Product and Process Modeling, 2015, 10, 173-178.	0.9	4
56	Optimization study on the CO2 and H2S removal in natural gas using primary, secondary, tertiary and mixed amine. AIP Conference Proceedings, 2019, , .	0.4	4
57	Modeling of low density polyethylene tubular reactor using nonlinear block-oriented model. Materials Today: Proceedings, 2021, 42, 39-44.	1.8	4
58	Lowâ€density polyethylene tubular reactor control using neural Wiener model predictive control. Asia-Pacific Journal of Chemical Engineering, 2021, 16, e2699.	1.5	4
59	Nonlinear process modeling of fructosyltransferase (FTase) using bootstrap re-sampling neural network model. Bioprocess and Biosystems Engineering, 2010, 33, 599-606.	3.4	3
60	Kinetics and modeling of pepsin soluble collagen (PSC) extraction from the skin of malaysian catfish (Hybrid Clarias sp.). Journal of the Korean Society for Applied Biological Chemistry, 2014, 57, 53-66.	0.9	3
61	Prediction of absorption and stripping factors in natural gas processing industries using feedforward artificial neural network. Petroleum Science and Technology, 2016, 34, 105-113.	1.5	3
62	Comparing Different Pre-processing Techniques and Machine Learning Models to Predict PM10 and PM2.5 Concentration in Malaysia. Lecture Notes in Mechanical Engineering, 2021, , 353-374.	0.4	3
63	Improving long range prediction for nonlinear process modelling through combining multiple neural networks. , 0, , .		2
64	Mutual solubility study for 94.2:5.8 of ethanol to octane with supercritical carbon dioxide solvent. Journal of the Taiwan Institute of Chemical Engineers, 2008, 39, 343-352.	1.4	2
65	Feedforward artificial neural network to improve model predictive control in biological processes. International Journal of Automation and Control, 2011, 5, 371.	0.5	2
66	Modeling of Polycaprolactone Production from Îμ-Caprolactone Using Neural Network. Lecture Notes in Computer Science, 2012, , 444-451.	1.3	2
67	Biodiesel Production using Heterogeneous Catalyst in CSTR: Sensitivity Analysis and Optimization. IOP Conference Series: Materials Science and Engineering, 2016, 121, 012007.	0.6	2
68	Designing real time model mobile monitoring system for model predictive control in a nonlinear continuous stirred tank reactor. Asia-Pacific Journal of Chemical Engineering, 2020, 15, e2430.	1.5	2
69	Improving data based nonlinear process modelling through bayesian combination of multiple neural networks. , 0, , .		1
70	MIMO Neural Network Model for Pilot Plant Distillation Column. Computer Aided Chemical Engineering, 2009, 27, 531-536.	0.5	1
71	Neural network based soft sensor for prediction of biopolycaprolactone molecular weight using bootstrap neural network technique. , 2011, , .		1
72	Multiple Input-Single Output (MISO) Feedforward Artificial Neural Network (FANN) Models for Pilot Plant Binary Distillation Column. , 2011, , .		1

5

#	Article	IF	CITATIONS
73	Compressive Strength Prediction of Concrete Recycled Aggregates made from Ceramic Tiles using Feedforward Artificial Neural Network (FANN). Computer Aided Chemical Engineering, 2012, 31, 320-324.	0.5	1
74	A hybrid of back propagation neural network and genetic algorithm for optimization of collagen extraction from Malaysian cultured catfish (Hybrid Clarias sp.). Biotechnology and Bioprocess Engineering, 2013, 18, 257-265.	2.6	1
75	Feed-forward neural network modeling and optimization using genetic algorithm: Enzymatic hydrolysis of xylose production. , 2013, , .		1
76	Techno-Economic Analysis of an Alkali Catalyzed Biodiesel Production Using Waste Palm Oil. Applied Mechanics and Materials, 0, 465-466, 120-124.	0.2	1
77	Hybrid Model for Biopolymerization Process (ε-Caprolactone to Polycaprolactone). Applied Mechanics and Materials, 0, 625, 77-80.	0.2	1
78	A new empirical correlation for prediction of carbon dioxide separation from different gas mixtures. Petroleum Science and Technology, 2016, 34, 562-569.	1.5	1
79	Multi input single output model predictive control of non-linear bio-polymerization process. AIP Conference Proceedings, 2015, , .	0.4	1
80	IMPROVING NONLINEAR PROCESS MODELING USING MULTIPLE NEURAL NETWORK COMBINATION THROUGH BAYESIAN MODEL AVERAGING (BMA). IIUM Engineering Journal, 2010, 9, 19-36.	0.8	1
81	Mechanistic model-based control of biodiesel production processes: a review of needs and scopes. Chemical Engineering Communications, 2023, 210, 274-290.	2.6	1
82	Improving multi step-ahead model prediction using multiple neural networks combination through forward selection (FS) technique. , 2006, , .		0
83	Inferential estimation of biopolymer (polyester) quality using bootstrap re-sampling neural network technique. , 2010, , .		0
84	Comparative Study between <i>Candida antarctica</i> Lipase B and <i>Pseudomonas floroscens</i> as Catalyst for Polycaprolactone Production. Advanced Materials Research, 2012, 626, 547-550.	0.3	0
85	Nonlinear process modeling using multiple neural network (MNN) combination based on modified Dempster-Shafer (DS) approach. , 2012, , .		0
86	Biopolycaprolactone molecular weight prediction based on neural network technique in a batch reactor. , 2012, , .		0
87	Multi-loop Control System Design for Biodiesel Process using Waste Cooking Oil. Journal of Physics: Conference Series, 2015, 622, 012011.	0.4	0
88	Quasi steady state approximation in enzymatic biopolymerization reactor. AlP Conference Proceedings, 2019, , .	0.4	0
89	Minimizing loop interaction in Multi Input Multi Output (MIMO) system using partial decoupler approach. IOP Conference Series: Materials Science and Engineering, 2019, 702, 012018.	0.6	0
90	Temperature control of low density polyethylene (LDPE) tubular reactor using Model Predictive Control (MPC). IOP Conference Series: Materials Science and Engineering, 2020, 736, 042014.	0.6	0

#	Article	IF	CITATIONS
91	Improving Multi Step-Ahead Model Prediction through Backward Elimination Method in Multiple Neural Networks Combination. Lecture Notes in Computer Science, 2009, , 469-476.	1.3	0