Thomas Lubli

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9162178/thomas-laubli-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54	1,363	2 O	35
papers	citations	h-index	g-index
68	1,495	2.9 avg, IF	4.11
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
54	Effect of Periodic Voluntary Interventions on Trapezius Activation and Fatigue During Light Upper Limb Activity. <i>Human Factors</i> , 2021 , 187208211050723	3.8	O
53	Physiological changes during prolonged standing and walking considering age, gender and standing work experience. <i>Ergonomics</i> , 2020 , 63, 579-592	2.9	8
52	Physiological and neuromotor changes induced by two different stand-walk-sit work rotations. <i>Ergonomics</i> , 2020 , 63, 163-174	2.9	6
51	Associations between low back muscle activity, pelvic movement and low back discomfort development during prolonged standing [An exploratory laboratory study. <i>International Journal of Industrial Ergonomics</i> , 2019 , 72, 380-389	2.9	9
50	Muscular and Vascular Issues Induced by Prolonged Standing With Different Work-Rest Cycles With Active or Passive Breaks. <i>Human Factors</i> , 2018 , 60, 806-821	3.8	17
49	Lower limb pain among workers: a cross-sectional analysis of the fifth European Working Conditions Survey. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 575-585	3.2	12
48	Trapezius muscle activity and body movement at the beginning and the end of a workday and during the lunch period in female office employees. <i>Industrial Health</i> , 2017 , 55, 162-172	2.5	2
47	Erhaltung der Leistungsffligkeit im Gerfltbau. <i>Arbeit</i> , 2016 , 25, 81-90	0.3	0
46	Long-Lasting Changes in Muscle Twitch Force During Simulated Work While Standing or Walking. <i>Human Factors</i> , 2016 , 58, 1117-1127	3.8	20
45	Long-Term Muscle Fatigue After Standing Work. <i>Human Factors</i> , 2015 , 57, 1162-73	3.8	34
44	Circadian rhythm of heart rate and physical activity in nurses during day and night shifts. <i>European Journal of Applied Physiology</i> , 2015 , 115, 1313-20	3.4	6
43	Relationship between sleep stages and nocturnal trapezius muscle activity. <i>Journal of Electromyography and Kinesiology</i> , 2015 , 25, 457-62	2.5	1
42	Physical workload, trapezius muscle activity, and neck pain in nursesWight and day shifts: a physiological evaluation. <i>Applied Ergonomics</i> , 2014 , 45, 741-6	4.2	24
41	Trapezius muscle load, heart rate and time pressure during day and night shift in Swiss and Japanese nurses. <i>Industrial Health</i> , 2014 , 52, 225-34	2.5	2
40	Normalisierung der EMG-Aktivitlides M. trapezius mithilfe submaximaler Referenzkontraktionen: Schwierigkeiten und L\(\bar{\textsq}\)ungsans\(\bar{\textsq}\)ee. Zentralblatt Fur Arbeitsmedizin, Arbeitsschutz Und Ergonomie, 2013, 63, 250-253	0.3	2
39	Evidence for repetitive load in the trapezius muscle during a tapping task. <i>European Journal of Applied Physiology</i> , 2012 , 112, 3053-9	3.4	1
38	Firing duration of masseter motor units during prolonged low-level contractions. <i>Clinical Neurophysiology</i> , 2011 , 122, 2433-40	4.3	12

(2004-2011)

37	Course of back pain across 5 years: a retrospective cohort study in the general population of Switzerland. <i>Spine</i> , 2011 , 36, E268-73	3.3	17
36	Work-life conflict and musculoskeletal disorders: a cross-sectional study of an unexplored association. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 60	2.8	56
35	Human-Centered Design in the Care of Immobile Patients. Lecture Notes in Computer Science, 2011, 321	-326	1
34	Correlates of short- and long-term absence due to musculoskeletal disorders. <i>Occupational Medicine</i> , 2010 , 60, 358-61	2.1	5
33	Muscular load and performance compared between a pen and a computer mouse as input devices. <i>International Journal of Industrial Ergonomics</i> , 2010 , 40, 607-617	2.9	19
32	Can the job demand control model explain back and neck pain? Cross-sectional study in a representative sample of Swiss working population. <i>International Journal of Industrial Ergonomics</i> , 2010 , 40, 663-668	2.9	17
31	Co-activation and maximal EMG activity of forearm muscles during key tapping. <i>International Journal of Industrial Ergonomics</i> , 2009 , 39, 749-755	2.9	9
30	Validity of pressure pain thresholds in female workers with and without recurrent low back pain. <i>European Spine Journal</i> , 2007 , 16, 267-75	2.7	41
29	Do MRI findings correlate with mobility tests? An explorative analysis of the test validity with regard to structure. <i>European Spine Journal</i> , 2007 , 16, 803-12	2.7	22
28	Symptomatology of recurrent low back pain in nursing and administrative professions. <i>European Spine Journal</i> , 2007 , 16, 1789-98	2.7	14
27	Magnetic resonance imaging of the lumbar spine: findings in female subjects from administrative and nursing professions. <i>Spine</i> , 2006 , 31, 2701-6	3.3	41
26	Single motor unit and spectral surface EMG analysis during low-force, sustained contractions of the upper trapezius muscle. <i>European Journal of Applied Physiology</i> , 2006 , 96, 157-64	3.4	24
25	The role of back muscle endurance, maximum force, balance and trunk rotation control regarding lifting capacity. <i>European Journal of Applied Physiology</i> , 2006 , 96, 146-56	3.4	20
24	Comparative assessment of study groups of elderly female computer users from four European countries: questionnaires used in the NEW study. <i>European Journal of Applied Physiology</i> , 2006 , 96, 122-	·6 ^{3·4}	18
23	Neuromuscular assessment in elderly workers with and without work related shoulder/neck trouble: the NEW-study design and physiological findings. <i>European Journal of Applied Physiology</i> , 2006 , 96, 110-21	3.4	71
22	Relationship between perceived exertion and mean power frequency of the EMG signal from the upper trapezius muscle during isometric shoulder elevation. <i>European Journal of Applied Physiology</i> , 2005 , 95, 321-6	3.4	61
21	Long-term effects of supervised physical training in secondary prevention of low back pain. <i>European Spine Journal</i> , 2005 , 14, 599-611	2.7	54
20	Trapezius muscle motor unit activity in symptomatic participants during finger tapping using properly and improperly adjusted desks. <i>Human Factors</i> , 2004 , 46, 252-66	3.8	20

Comment on the obesity issue. *International Journal of Public Health*, **2004**, 49, 8; author reply 9

18	Motor unit identification in two neighboring recording positions of the human trapezius muscle during prolonged computer work. <i>European Journal of Applied Physiology</i> , 2003 , 89, 526-35	3.4	12
17	Measures of low back function: a review of reproducibility studies. <i>Physical Therapy in Sport</i> , 2003 , 4, 137-151	3	2
16	A software package for the decomposition of long-term multichannel EMG signals using wavelet coefficients. <i>IEEE Transactions on Biomedical Engineering</i> , 2003 , 50, 58-69	5	63
15	Continuous, intermitted and sporadic motor unit activity in the trapezius muscle during prolonged computer work. <i>Journal of Electromyography and Kinesiology</i> , 2003 , 13, 113-24	2.5	53
14	Course of low back pain among nurses: a longitudinal study across eight years. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 497-503	2.1	124
13	A method to test reliability and accuracy of the decomposition of multi-channel long-term intramuscular EMG signal recordings. <i>International Journal of Industrial Ergonomics</i> , 2002 , 30, 211-224	2.9	9
12	Measures of low back function: a review of reproducibility studies. <i>Clinical Biomechanics</i> , 2002 , 17, 235-	4 9 .2	31
11	Experimental exposure to methylformate and its neurobehavioral effects. <i>International Archives of Occupational and Environmental Health</i> , 2000 , 73, 401-9	3.2	8
10	Urinary methanol and formic acid as indicators of occupational exposure to methyl formate. International Archives of Occupational and Environmental Health, 2000, 73, 410-4	3.2	12
9	Isopropanol and methylformate exposure in a foundry: exposure data and neurobehavioural measurements. <i>International Archives of Occupational and Environmental Health</i> , 2000 , 73, 528-36	3.2	9
8	Neurobehavioural effects of experimental isopropanol exposure. <i>International Archives of Occupational and Environmental Health</i> , 2000 , 73, 105-12	3.2	8
7	Motor-unit activity in the trapezius muscle during rest, while inputting data, and during fast finger tapping. <i>European Journal of Applied Physiology</i> , 2000 , 83, 181-9	3.4	21
6	Co-activity of the trapezius and upper arm muscles with finger tapping at different rates and trunk postures. <i>European Journal of Applied Physiology</i> , 2000 , 83, 207-14	3.4	20
5	Can some upper extremity disorders be defined as work-related?. <i>Journal of Hand Surgery</i> , 1996 , 21, 72	7 <i>2</i> 96	2
4	Effects of a low alcohol dose on static balance, fine motor activity, and mental performance. Neurotoxicology and Teratology, 1996 , 18, 547-54	3.9	16
3	Rheumatische Beschwerden und BEoarbeit. <i>International Journal of Public Health</i> , 1985 , 30, 278-279		О
2	Postural and visual loads at VDT workplaces. II. Lighting conditions and visual impairments. <i>Ergonomics</i> , 1981 , 24, 933-44	2.9	48

Postural and visual loads at VDT workplaces. I. Constrained postures. *Ergonomics*, **1981**, 24, 917-31

2.9 222