Jabed Iqbal

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9162188/jabed-iqbal-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

1,688
citations

h-index

40
g-index

62
ext. papers

2,173
ext. citations

5
avg, IF

L-index

#	Paper	IF	Citations
55	Immune Response in Myocardial Injury: Hybridization and Immunohistochemistry Techniques for SARS-CoV-2 Detection in COVID-19 Autopsies. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 658932	5.6	3
54	Pan-Cancer Analysis of Ligand-Receptor Cross-talk in the Tumor Microenvironment. <i>Cancer Research</i> , 2021 , 81, 1802-1812	10.1	14
53	Quantitative stain-free imaging and digital profiling of collagen structure reveal diverse survival of triple negative breast cancer patients. <i>Breast Cancer Research</i> , 2020 , 22, 42	8.3	7
52	Stabilized albumin coatings on engineered xenografts for attenuation of acute immune and inflammatory responses. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 6080-6091	7.3	5
51	Tertiary lymphoid structures and associated plasma cells play an important role in the biology of triple-negative breast cancers. <i>Breast Cancer Research and Treatment</i> , 2020 , 180, 369-377	4.4	19
50	SRSF1 mediates cytokine-induced impaired imatinib sensitivity in chronic myeloid leukemia. <i>Leukemia</i> , 2020 , 34, 1787-1798	10.7	4
49	Multiplex immunohistochemistry/immunofluorescence (mIHC/IF) for PD-L1 testing in triple-negative breast cancer: a translational assay compared with conventional IHC. <i>Journal of Clinical Pathology</i> , 2020 , 73, 557-562	3.9	21
48	Whole-genome sequencing identifies responders to Pembrolizumab in relapse/refractory natural-killer/T cell lymphoma. <i>Leukemia</i> , 2020 , 34, 3413-3419	10.7	13
47	Autologous cell membrane coatings on tissue engineering xenografts for suppression and alleviation of acute host immune responses. <i>Biomaterials</i> , 2020 , 258, 120310	15.6	12
46	Grit protects medical students from burnout: a longitudinal study. BMC Medical Education, 2020, 20, 26	63.3	10
45	Prognostic value of CD8 + PD-1+ immune infiltrates and PDCD1 gene expression in triple negative breast cancer 2019 , 7, 34		44
44	The role of Ki-67 in Asian triple negative breast cancers: a novel combinatory panel approach. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 475, 709-72	25 ^{.1}	7
43	Evaluation of phospho-histone H3 in Asian triple-negative breast cancer using multiplex immunofluorescence. <i>Breast Cancer Research and Treatment</i> , 2019 , 178, 295-305	4.4	7
42	An automated staining protocol for seven-colour immunofluorescence of human tissue sections for diagnostic and prognostic use. <i>Pathology</i> , 2018 , 50, 333-341	1.6	43
41	Monoclonal Antibodies against Specific p53 Hotspot Mutants as Potential Tools for Precision Medicine. <i>Cell Reports</i> , 2018 , 22, 299-312	10.6	28
40	Standing in the GAP: To formulate a novel radioimmunotherapy regime to improve the long-term outcome in breast cancer. <i>Immunotherapy</i> , 2018 , 10, 255-263	3.8	1
39	Caveolin-1 expression as a prognostic marker in triple negative breast cancers of Asian women. Journal of Clinical Pathology, 2018, 71, 161-167	3.9	10

(2015-2018)

38	Oncogenic activation of the STAT3 pathway drives PD-L1 expression in natural killer/T-cell lymphoma. <i>Blood</i> , 2018 , 132, 1146-1158	2.2	129
37	High Densities of Tumor-Associated Plasma Cells Predict Improved Prognosis in Triple Negative Breast Cancer. <i>Frontiers in Immunology</i> , 2018 , 9, 1209	8.4	64
36	Using computer assisted image analysis to determine the optimal Ki67 threshold for predicting outcome of invasive breast cancer. <i>Oncotarget</i> , 2018 , 9, 11619-11630	3.3	9
35	Whole-Genome Genomics Correlates of Response to Anti-PD1 Therapy in Relapsed/Refractory Natural Killer/T Cell Lymphoma. <i>Blood</i> , 2018 , 132, 2915-2915	2.2	
34	Higher densities of Foxp3 regulatory T cells are associated with better prognosis in triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017 , 163, 21-35	4.4	65
33	PD1 blockade with pembrolizumab is highly effective in relapsed or refractory NK/T-cell lymphoma failing l-asparaginase. <i>Blood</i> , 2017 , 129, 2437-2442	2.2	282
32	A mussel-inspired double-crosslinked tissue adhesive on rat mastectomy model: seroma prevention and in vivo biocompatibility. <i>Journal of Surgical Research</i> , 2017 , 215, 173-182	2.5	17
31	Identifying progression predictors of breast ductal carcinoma in situ. <i>Journal of Clinical Pathology</i> , 2017 , 70, 102-108	3.9	22
30	Analysis of T Cell Subsets in Adult Primary/Idiopathic Minimal Change Disease: A Pilot Study. <i>International Journal of Nephrology</i> , 2017 , 2017, 3095425	1.7	7
29	Histopathological analysis of infiltrating T cell subsets in acute T cell-mediated rejection in the kidney transplant. <i>World Journal of Transplantation</i> , 2017 , 7, 222-234	2.3	6
28	A novel DOPA-albumin based tissue adhesive for internal medical applications. <i>Biomaterials</i> , 2017 , 147, 99-115	15.6	53
27	Histological features of Cytomegalovirus-related corneal graft infections, its associated features and clinical significance. <i>British Journal of Ophthalmology</i> , 2016 , 100, 601-6	5.5	18
26	Increased CD4 and CD8-positive T cell infiltrate signifies good prognosis in a subset of triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2016 , 156, 237-47	4.4	70
25	Increased ID4 expression, accompanied by mutant p53 accumulation and loss of BRCA1/2 proteins in triple-negative breast cancer, adversely affects survival. <i>Histopathology</i> , 2016 , 68, 702-12	7.3	14
24	Characteristics and behaviour of screen-detected ductal carcinoma in situ of the breast: comparison with symptomatic patients. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 293-304	4.4	18
23	Role of epithelial-mesenchymal transition markers in triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 489-98	4.4	19
22	EGFR mutation testing practices within the Asia Pacific region: results of a multicenter diagnostic survey. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 438-45	8.9	115
21	Role of inflammatory infiltrates in triple negative breast cancer. <i>Journal of Clinical Pathology</i> , 2015 , 68, 506-10	3.9	74

20	Primary melanoma of the esophagus, a diagnostic challenge. <i>Asian Journal of Surgery</i> , 2015 , 38, 236-8	1.6	3
19	False negative rate for intraoperative sentinel lymph node frozen section in patients with breast cancer: a retrospective analysis of patients in a single Asian institution. <i>Journal of Clinical Pathology</i> , 2015 , 68, 536-40	3.9	24
18	MED12 is frequently mutated in breast phyllodes tumours: a study of 112 cases. <i>Journal of Clinical Pathology</i> , 2015 , 68, 685-91	3.9	50
17	Prognostic Value of Tumor-Infiltrating Lymphocytes in Triple-Negative Breast Cancer. <i>Current Breast Cancer Reports</i> , 2015 , 7, 232-241	0.8	
16	Sentinel lymph nodes with isolated tumour cells and micrometastases in breast cancer: clinical relevance and prognostic significance. <i>Journal of Clinical Pathology</i> , 2014 , 67, 243-50	3.9	10
15	Loss of androgen receptor expression predicts early recurrence in triple-negative and basal-like breast cancer. <i>Modern Pathology</i> , 2014 , 27, 352-60	9.8	102
14	Breast cancer stem cells: an update. Journal of Clinical Pathology, 2013, 66, 485-90	3.9	28
13	Ductal carcinoma in situ associated with triple negative invasive breast cancer: evidence for a precursor-product relationship. <i>Journal of Clinical Pathology</i> , 2013 , 66, 665-70	3.9	22
12	Role of Napsin A and TTF1 as a diagnostic marker for lung adenocarcinoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 155	5	5
11	Insulin growth factor receptor-1 expression and loss of PTEN protein predict early recurrence in triple-negative breast cancer. <i>Histopathology</i> , 2012 , 61, 652-9	7.3	31
10	HER2/neu revisited: quality and interpretive issues. <i>Journal of Clinical Pathology</i> , 2011 , 64, 120-4	3.9	10
9	Fanconi ® anemia in adulthood: chemoradiation-induced bone marrow failure and a novel FANCA mutation identified by targeted deep sequencing. <i>Journal of Clinical Oncology</i> , 2011 , 29, e591-4	2.2	12
8	Triple negative breast cancer: outcome correlation with immunohistochemical detection of basal markers. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 956-64	6.7	81
7	Importance of flow cytometric analysis of serous effusions in the diagnosis of hematopoietic neoplasms in patients with prior hematopoietic malignancies 2010 , 32, 161-5		2
6	Metanephric adenoma mimicking papillary carcinoma arising in a mixed epithelial and stromal tumor of the kidney. <i>Cancer Genetics and Cytogenetics</i> , 2006 , 170, 83-5		3
5	A functional module of yeast mediator that governs the dynamic range of heat-shock gene expression. <i>Genetics</i> , 2006 , 172, 2169-84	4	37
4	Increasing ciprofloxacin resistance among prevalent urinary tract bacterial isolates in Bangladesh. <i>Japanese Journal of Medical Science and Biology</i> , 1997 , 50, 241-50		17
3	A probable cis-regulatory element on yeast mitochondrial DNA responsible for cAMP-mediated transcription. <i>Current Genetics</i> , 1996 , 30, 493-501	2.9	10

An in vitro transcription assay for yeast mitochondria using organellar lysates. *Analytical Biochemistry*, **1996**, 243, 270-6

3.1 5

Recurrent PD-L1 Structural Rearrangements in Natural Killer/T Cell Lymphoma Patients with Complete Response to PD-1 Blockade Therapy

3