

Johan Herlitz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9163334/johan-herlitz-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

402
papers

14,871
citations

58
h-index

109
g-index

420
ext. papers

17,712
ext. citations

4.1
avg. IF

6.21
L-index

#	Paper	IF	Citations
402	Do-Not-Attempt-Cardiopulmonary-Resuscitation (DNACPR) decisions in patients admitted through the emergency department in a Swedish University Hospital - An observational study of outcome, patient characteristics and changes in DNACPR decisions.. <i>Resuscitation Plus</i> , 2022 , 9, 100209	1.4	0
401	Clinical characteristics and survival in patients with heart failure experiencing in hospital cardiac arrest.. <i>Scientific Reports</i> , 2022 , 12, 5685	4.9	0
400	The potential of new prediction models for emergency medical dispatch prioritisation of patients with chest pain: a cohort study.. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022 , 30, 34	3.6	0
399	Avoiding Routine Oxygen Therapy in Patients With Myocardial Infarction Saves Significant Expenditure for the Health Care System-Insights From the Randomized DETO2X-AMI Trial.. <i>Frontiers in Public Health</i> , 2021 , 9, 711222	6	
398	Cohort study of the characteristics and outcomes in patients with COVID-19 and in-hospital cardiac arrest. <i>BMJ Open</i> , 2021 , 11, e054943	3	3
397	Guideline adherence among prehospital emergency nurses when caring for patients with chest pain: a prospective cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021 , 29, 157	3.6	0
396	Development of a prehospital prediction model for risk stratification of patients with chest pain. <i>American Journal of Emergency Medicine</i> , 2021 , 51, 26-31	2.9	2
395	Discriminatory cardiac arrest care? Patients with low socioeconomic status receive delayed cardiopulmonary resuscitation and are less likely to survive an in-hospital cardiac arrest. <i>European Heart Journal</i> , 2021 , 42, 861-869	9.5	9
394	Routine Oxygen Therapy Does Not Improve Health-Related Quality of Life in Patients With Acute Myocardial Infarction-Insights From the Randomized DETO2X-AMI Trial. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 638829	5.4	2
393	Prediction of a time-sensitive condition among patients with dizziness assessed by the emergency medical services. <i>BMC Emergency Medicine</i> , 2021 , 21, 38	2.4	0
392	Characteristics and outcome after out-of-hospital cardiac arrest with the emphasis on workplaces: an observational study from the Swedish Registry of Cardiopulmonary Resuscitation. <i>Resuscitation Plus</i> , 2021 , 5, 100090	1.4	0
391	Plasma renin activity has a complex prognostic role in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2021 , 329, 198-204	3.2	
390	Prehospital stratification in acute chest pain patient into high risk and low risk by emergency medical service: a prospective cohort study. <i>BMJ Open</i> , 2021 , 11, e044938	3	4
389	European Resuscitation Council Guidelines 2021: Epidemiology of cardiac arrest in Europe. <i>Resuscitation</i> , 2021 , 161, 61-79	4	60
388	Evaluation and treatment of pain in the pre-hospital setting. A comparison between patients with a hip injury, chest pain and abdominal pain. <i>International Emergency Nursing</i> , 2021 , 56, 100999	2.4	0
387	Low adherence to legislation regarding Do-Not-Attempt-Cardiopulmonary-Resuscitation orders in a Swedish University Hospital. <i>Resuscitation Plus</i> , 2021 , 6, 100128	1.4	1
386	Epidemiologie des Kreislaufstillstands in Europa. <i>Notfall Und Rettungsmedizin</i> , 2021 , 24, 346-366	0.4	3

385	Outcome among patients who call the emergency medical service (EMS) due to dizziness. <i>Australasian Emergency Care</i> , 2021 , 24, 61-66	1.8	1
384	Learning Outcome After Different Combinations of Seven Learning Activities in Basic Life Support on Laypersons in Workplaces: a Cluster Randomised, Controlled Trial. <i>Medical Science Educator</i> , 2021 , 31, 161-173	0.7	1
383	The influence of age and gender on delay to treatment and its association with survival after out of hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2021 , 42, 198-202	2.9	
382	Difficulties in the prehospital assessment of patients with TIA/stroke. <i>Acta Neurologica Scandinavica</i> , 2021 , 143, 318-325	3.8	1
381	Prehospital lactate levels in blood as a seizure biomarker: A multi-center observational study. <i>Epilepsia</i> , 2021 , 62, 408-415	6.4	4
380	Cardiac arrest in COVID-19: characteristics and outcomes of in- and out-of-hospital cardiac arrest. A report from the Swedish Registry for Cardiopulmonary Resuscitation. <i>European Heart Journal</i> , 2021 , 42, 1094-1106	9.5	44
379	Handling time elements for in-hospital cardiac arrest. <i>European Heart Journal</i> , 2021 , 42, 1530-1531	9.5	2
378	Fascia iliaca compartment block (FICB) as pain treatment in older persons with suspected hip fractures in prehospital emergency care - A comparative pilot study. <i>International Emergency Nursing</i> , 2021 , 57, 101012	2.4	2
377	Randomized comparison of early supplemental oxygen versus ambient air in patients with confirmed myocardial infarction: Sex-related outcomes from DETO2X-AMI. <i>American Heart Journal</i> , 2021 , 237, 13-24	4.9	1
376	To ventilate or not to ventilate during bystander CPR - A EuReCa TWO analysis. <i>Resuscitation</i> , 2021 , 166, 101-109	4	2
375	Comorbidity and bystander cardiopulmonary resuscitation in out-of-hospital cardiac arrest. <i>Heart</i> , 2020 , 106, 1087-1093	5.1	2
374	Evaluation of the intensity and management of pain before arrival in hospital among patients with suspected hip fractures. <i>International Emergency Nursing</i> , 2020 , 49, 100825	2.4	4
373	ECG-monitoring of in-hospital cardiac arrest and factors associated with survival. <i>Resuscitation</i> , 2020 , 150, 130-138	4	7
372	Survival after out-of-hospital cardiac arrest in Europe - Results of the EuReCa TWO study. <i>Resuscitation</i> , 2020 , 148, 218-226	4	166
371	Percutaneous coronary intervention in the very elderly with NSTEMI-ACS: the randomized 80+ study. <i>Scandinavian Cardiovascular Journal</i> , 2020 , 54, 315-321	2	2
370	Identifying the relative importance of predictors of survival in out of hospital cardiac arrest: a machine learning study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020 , 28, 60	3.6	16
369	Patient characteristics, triage utilisation, level of care, and outcomes in an unselected adult patient population seen by the emergency medical services: a prospective observational study. <i>BMC Emergency Medicine</i> , 2020 , 20, 7	2.4	22
368	The association between duration of mechanical ventilation and survival in post cardiac arrest patients. <i>Resuscitation</i> , 2020 , 148, 145-151	4	

367	Out-of-hospital cardiac arrest across the World: First report from the International Liaison Committee on Resuscitation (ILCOR). <i>Resuscitation</i> , 2020 , 152, 39-49	4	104
366	Towards definitions of time-sensitive conditions in prehospital care. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020 , 28, 7	3.6	7
365	Effect of Oxygen Therapy on Cardiovascular Outcomes in Relation to Baseline Oxygen Saturation. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 502-513	5	9
364	Cardiac arrest after pulmonary aspiration in hospitalised patients: a national observational study. <i>BMJ Open</i> , 2020 , 10, e032264	3	0
363	Incidence and Predictors of Out-of-Hospital Cardiac Arrest Within 90 Days After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2926-2936	15.1	7
362	Pre-hospital predictors of an adverse outcome among patients with dyspnoea as the main symptom assessed by pre-hospital emergency nurses - a retrospective observational study. <i>BMC Emergency Medicine</i> , 2020 , 20, 89	2.4	2
361	Adherence to guidelines is associated with improved survival following in-hospital cardiac arrest. <i>Resuscitation</i> , 2020 , 155, 13-21	4	6
360	Shortening Ambulance Response Time Increases Survival in Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2020 , 9, e017048	6	24
359	Changes over time in 30-day survival and the incidence of shockable rhythms after in-hospital cardiac arrest - A population-based registry study of nearly 24,000 cases. <i>Resuscitation</i> , 2020 , 157, 135-140	4	4
358	Pre-hospital triage performance and emergency medical services nurse field assessment in an unselected patient population attended to by the emergency medical services: a prospective observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020 , 28, 81	3.6	10
357	PP13 Predicting high-risk conditions among ems patients with chest pain. <i>Emergency Medicine Journal</i> , 2020 , 37, e7-e7	1.5	
356	Oxygen therapy in suspected acute myocardial infarction and concurrent normoxemic chronic obstructive pulmonary disease: a prespecified subgroup analysis from the DETO2X-AMI trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 984-992	4.3	4
355	Health-related quality of life after surviving an out-of-hospital compared to an in-hospital cardiac arrest: A Swedish population-based registry study. <i>Resuscitation</i> , 2020 , 151, 77-84	4	10
354	Oxygen Therapy in Myocardial Infarction Patients With or Without Diabetes: A Predefined Subgroup Analysis From the DETO2X-AMI Trial. <i>Diabetes Care</i> , 2019 , 42, 2032-2041	14.6	5
353	Fascia iliaca compartment block as a preoperative analgesic in elderly patients with hip fractures - effects on cognition. <i>BMC Geriatrics</i> , 2019 , 19, 252	4.1	12
352	Adverse events in prehospital emergency care: a trigger tool study. <i>BMC Emergency Medicine</i> , 2019 , 19, 14	2.4	22
351	Adrenaline, ROSC and survival in patients resuscitated from in-hospital cardiac arrest. <i>Resuscitation</i> , 2019 , 140, 64-71	4	5
350	The prehospital assessment of patients with a final hospital diagnosis of sepsis: Results of an observational study. <i>Australasian Emergency Care</i> , 2019 , 22, 187-192	1.8	5

349	Prehospital assessment of suspected stroke and TIA: An observational study. <i>Acta Neurologica Scandinavica</i> , 2019 , 140, 93-99	3.8	5
348	International variation in survival after out-of-hospital cardiac arrest: A validation study of the Utstein template. <i>Resuscitation</i> , 2019 , 138, 168-181	4	38
347	Interrupted transport by the emergency medical service in stroke/transitory ischemic attack: A consequence of changed treatment routines in prehospital emergency care. <i>Brain and Behavior</i> , 2019 , 9, e01266	3.4	7
346	Self-learning training versus instructor-led training for basic life support: A cluster randomised trial. <i>Resuscitation</i> , 2019 , 139, 122-132	4	13
345	Survival in Out-of-Hospital Cardiac Arrest After Standard Cardiopulmonary Resuscitation or Chest Compressions Only Before Arrival of Emergency Medical Services: Nationwide Study During Three Guideline Periods. <i>Circulation</i> , 2019 ,	16.7	61
344	Symptom description in patients with chest pain-A qualitative analysis of emergency medical calls involving high-risk conditions. <i>Journal of Clinical Nursing</i> , 2019 , 28, 2844-2857	3.2	3
343	The intensity of pain in the prehospital setting is most strongly reflected in the respiratory rate among physiological parameters. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 2125-2131	2.9	5
342	Prearrest prediction of favourable neurological survival following in-hospital cardiac arrest: The Prediction of outcome for In-Hospital Cardiac Arrest (PIHCA) score. <i>Resuscitation</i> , 2019 , 143, 92-99	4	6
341	Effectiveness of web-based education in addition to basic life support learning activities: A cluster randomised controlled trial. <i>PLoS ONE</i> , 2019 , 14, e0219341	3.7	4
340	Supplementary dataset to self-learning training compared with instructor-led training in basic life support. <i>Data in Brief</i> , 2019 , 25, 104064	1.2	2
339	Patient trust and patient safety for low-priority patients: A randomized controlled trial pilot study in the prehospital chain of care. <i>International Emergency Nursing</i> , 2019 , 46, 100778	2.4	3
338	Outcome of exercise-related out-of-hospital cardiac arrest is dependent on location: Sports arenas vs outside of arenas. <i>PLoS ONE</i> , 2019 , 14, e0211723	3.7	5
337	Passive leg raising in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2019 , 137, 94-101	4	2
336	One-year longitudinal study of psychological distress and self-assessed health in survivors of out-of-hospital cardiac arrest. <i>BMJ Open</i> , 2019 , 9, e029756	3	10
335	The performance of the EMS triage (RETTs-p) and the agreement between the field assessment and final hospital diagnosis: a prospective observational study among children. <i>BMC Pediatrics</i> , 2019 , 19, 500	2.6	5
334	Pre-operative pain management with nerve block in patients with hip fractures: a randomized, controlled trial. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2019 , 33, 35-43	1.1	8
333	Survival after out-of-hospital cardiac arrest is associated with area-level socioeconomic status. <i>Heart</i> , 2019 , 105, 632-638	5.1	15
332	The early chain of care in bacteraemia patients: Early suspicion, treatment and survival in prehospital emergency care. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 2211-2218	2.9	5

331	Prehospital Identification of Patients with a Final Hospital Diagnosis of Stroke. <i>Prehospital and Disaster Medicine</i> , 2018 , 33, 63-70	0.8	10
330	Factors of importance to 30-day survival after in-hospital cardiac arrest in Sweden - A population-based register study of more than 18,000 cases. <i>International Journal of Cardiology</i> , 2018 , 255, 237-242	3.2	27
329	Predicting neurologically intact survival after in-hospital cardiac arrest-external validation of the Good Outcome Following Attempted Resuscitation score. <i>Resuscitation</i> , 2018 , 128, 63-69	4	12
328	Coronary angiography in out-of-hospital cardiac arrest without ST elevation on ECG-Short- and long-term survival. <i>American Heart Journal</i> , 2018 , 200, 90-95	4.9	19
327	Oxygen therapy in ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2018 , 39, 2730-2739	9.5	25
326	Different defibrillation strategies in survivors after out-of-hospital cardiac arrest. <i>Heart</i> , 2018 , 104, 1929-1936	5.13	13
325	Well-being among survivors of out-of-hospital cardiac arrest: a cross-sectional retrospective study in Sweden. <i>BMJ Open</i> , 2018 , 8, e021729	3	13
324	Analysis of data for comorbidity and survival in out-of-hospital cardiac arrest. <i>Data in Brief</i> , 2018 , 21, 1541-1551	1.2	2
323	Association between the reported intensity of an acute symptom at first prehospital assessment and the subsequent outcome: a study on patients with acute chest pain and presumed acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 216	2.3	4
322	Long-Term Effects of Oxygen Therapy on Death or Hospitalization for Heart Failure in Patients With Suspected Acute Myocardial Infarction. <i>Circulation</i> , 2018 , 138, 2754-2762	16.7	14
321	Initial assessment, level of care and outcome among children who were seen by emergency medical services: a prospective observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018 , 26, 88	3.6	5
320	The final assessment and its association with field assessment in patients who were transported by the emergency medical service. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018 , 26, 111	3.6	9
319	Comorbidity and survival in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2018 , 133, 118-123	4	45
318	Pulseless electrical activity is associated with improved survival in out-of-hospital cardiac arrest with initial non-shockable rhythm. <i>Resuscitation</i> , 2018 , 133, 147-152	4	12
317	Immediate coronary intervention in prehospital cardiac arrest-Aiming to save lives. <i>American Heart Journal</i> , 2018 , 202, 144-147	4.9	0
316	Prehospital identification of factors associated with death during one-year follow-up after acute stroke. <i>Brain and Behavior</i> , 2018 , 8, e00987	3.4	4
315	Emergency medical dispatch priority in chest pain patients due to life threatening conditions: A cohort study examining circadian variations and impact of the education. <i>International Journal of Cardiology</i> , 2017 , 236, 43-48	3.2	5
314	Health status and psychological distress among in-hospital cardiac arrest survivors in relation to gender. <i>Resuscitation</i> , 2017 , 114, 27-33	4	21

313	Survival in ventricular fibrillation with emphasis on the number of defibrillations in relation to other factors at resuscitation. <i>Resuscitation</i> , 2017 , 113, 33-38	4	22
312	Effect of CPAP on diastolic function in coronary artery disease patients with nonsleepy obstructive sleep apnea: A randomized controlled trial. <i>International Journal of Cardiology</i> , 2017 , 241, 12-18	3.2	11
311	Early predictors of poor outcome after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2017 , 21, 96	10.8	98
310	The early chain of care and risk of death in acute stroke in relation to the priority given at the dispatch centre: A multicentre observational study. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 623-631	3.3	6
309	Mild induced hypothermia and survival after out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 1595-1600	2.9	2
308	On-Scene and Final Assessments and Their Interrelationship Among Patients Who Use the EMS on Multiple Occasions. <i>Prehospital and Disaster Medicine</i> , 2017 , 32, 528-535	0.8	8
307	Acute coronary syndrome in relation to the occurrence of associated symptoms: A quantitative study in prehospital emergency care. <i>International Emergency Nursing</i> , 2017 , 33, 43-47	2.4	6
306	Characteristics and outcome among 14,933 adult cases of in-hospital cardiac arrest: A nationwide study with the emphasis on gender and age. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 1839-1844	2.9	28
305	Outcome among VF/VT patients in the LINC (LUCAS IN cardiac arrest) trial-A randomised, controlled trial. <i>Resuscitation</i> , 2017 , 115, 155-162	4	9
304	Increased survival from out-of-hospital cardiac arrest when off duty medically educated personnel perform CPR compared with laymen. <i>Resuscitation</i> , 2017 , 120, 88-94	4	16
303	Use of automated chest compression devices after out-of-hospital cardiac arrest in Sweden. <i>Resuscitation</i> , 2017 , 120, 95-102	4	5
302	Dispatch of Firefighters and Police Officers in Out-of-Hospital Cardiac Arrest: A Nationwide Prospective Cohort Trial Using Propensity Score Analysis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	29
301	Association between use of pre-hospital ECG and 30-day mortality: A large cohort study of patients experiencing chest pain. <i>International Journal of Cardiology</i> , 2017 , 248, 77-81	3.2	3
300	Higher survival rates in exercise-related out-of-hospital cardiac arrests, compared to non-exercise-related - a study from the Swedish Register of Cardiopulmonary Resuscitation. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1673-1679	3.9	9
299	Effect of two additional interventions, test and reflection, added to standard cardiopulmonary resuscitation training on seventh grade students Practical skills and willingness to act: a cluster randomised trial. <i>BMJ Open</i> , 2017 , 7, e014230	3	8
298	Oxygen Therapy in Suspected Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017 , 377, 1240-1249	59.2	186
297	Could prioritisation by emergency medicine dispatchers be improved by using computer-based decision support? A cohort of patients with chest pain. <i>International Journal of Cardiology</i> , 2016 , 220, 734-8	3.2	12
296	Kinesiophobia mediates the influences on attendance at exercise-based cardiac rehabilitation in patients with coronary artery disease. <i>Physiotherapy Theory and Practice</i> , 2016 , 32, 571-580	1.5	17

295	Possible effects of a course in cardiovascular nursing on prehospital care of patients experiencing suspected acute coronary syndrome: a cluster randomised controlled trial. <i>BMC Nursing</i> , 2016 , 15, 52	3.2	3
294	Patient safety and patient assessment in pre-hospital care: a study protocol. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 14	3.6	8
293	EuReCa ONE-27 Nations, ONE Europe, ONE Registry: A prospective one month analysis of out-of-hospital cardiac arrest outcomes in 27 countries in Europe. <i>Resuscitation</i> , 2016 , 105, 188-95	4	422
292	Drug therapy in cardiac arrest: a review of the literature. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016 , 2, 54-75	6.4	20
291	Pre-hospital assessment by a single responder: The Swedish ambulance nurse in a new role: A pilot study. <i>International Emergency Nursing</i> , 2016 , 26, 32-7	2.4	26
290	Could ten questions asked by the dispatch center predict the outcome for patients with chest discomfort?. <i>International Journal of Cardiology</i> , 2016 , 209, 223-5	3.2	11
289	Effect of Positive Airway Pressure on Cardiovascular Outcomes in Coronary Artery Disease Patients with Nonsleepy Obstructive Sleep Apnea. The RICCADSA Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 613-20	10.2	293
288	Use of the emergency medical services by patients with suspected acute primary healthcare problems: developing a questionnaire to measure patient trust in healthcare. <i>European Journal for Person Centered Healthcare</i> , 2016 , 4, 444	1.3	3
287	Characteristics of and outcomes for elderly patients with acute myocardial infarction: differences between females and males. <i>Clinical Interventions in Aging</i> , 2016 , 11, 1309-1316	4	5
286	Prehospital factors associated with an acute life-threatening condition in non-traumatic chest pain patients - A systematic review. <i>International Journal of Cardiology</i> , 2016 , 219, 373-9	3.2	11
285	The Early Chain of Care in Patients with Bacteraemia with the Emphasis on the Prehospital Setting. <i>Prehospital and Disaster Medicine</i> , 2016 , 31, 272-7	0.8	9
284	Representativity and co-morbidity: Two factors of importance when reporting health status among survivors of cardiac arrest. <i>Resuscitation</i> , 2016 , 101, 44-9	4	2
283	A 20-year perspective of in hospital cardiac arrest: Experiences from a university hospital with focus on wards with and without monitoring facilities. <i>International Journal of Cardiology</i> , 2016 , 216, 194-9	3.2	11
282	Value of the QRS-T area angle in improving the prediction of sudden cardiac death after acute coronary syndromes. <i>International Journal of Cardiology</i> , 2016 , 218, 1-11	3.2	16
281	Angiographic findings and survival in patients undergoing coronary angiography due to sudden cardiac arrest in western Sweden. <i>Resuscitation</i> , 2015 , 90, 13-20	4	22
280	Out-of-hospital cardiac arrest in the elderly: A large-scale population-based study. <i>Resuscitation</i> , 2015 , 94, 28-32	4	49
279	Pre-hospital prediction of death or cardiovascular complications during hospitalisation and death within one year in suspected acute coronary syndrome patients. <i>International Journal of Cardiology</i> , 2015 , 185, 308-12	3.2	6
278	EuReCa ONE - 27 Nations, ONE Europe, ONE Registry: a prospective observational analysis over one month in 27 resuscitation registries in Europe - the EuReCa ONE study protocol. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015 , 23, 7	3.6	30

277	A description of the prehospital phase of aortic dissection in terms of early suspicion and treatment. <i>Prehospital and Disaster Medicine</i> , 2015 , 30, 155-62	0.8	2
276	Early CPR in Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2015 , 373, 1573-4	59.2	5
275	Improved outcome in Sweden after out-of-hospital cardiac arrest and possible association with improvements in every link in the chain of survival. <i>European Heart Journal</i> , 2015 , 36, 863-71	9.5	100
274	Comparison of the university hospital and county hospitals in western Sweden to identify potential weak links in the early chain of care for acute stroke: results of an observational study. <i>BMJ Open</i> , 2015 , 5, e008228	3	13
273	Swedish emergency medical services identification of potential candidates for primary healthcare: Retrospective patient record study. <i>Scandinavian Journal of Primary Health Care</i> , 2015 , 33, 311-7	2.7	28
272	Determinants of pre-hospital pharmacological intervention and its association with outcome in acute myocardial infarction. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015 , 23, 105	3.6	3
271	Improving Survival and Neurologic Function for Younger Age Groups After Out-of-Hospital Cardiac Arrest in Sweden: A 20-Year Comparison. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 750-7	3	30
270	Elderly patients with myocardial infarction selected for conservative or invasive treatment strategy. <i>Clinical Interventions in Aging</i> , 2015 , 10, 321-7	4	12
269	Early cardiopulmonary resuscitation in out-of-hospital cardiac arrest. <i>New England Journal of Medicine</i> , 2015 , 372, 2307-15	59.2	480
268	Per-Protocol and Pre-Defined population analysis of the LINC study. <i>Resuscitation</i> , 2015 , 96, 92-9	4	4
267	Impact of an information campaign on delays and ambulance use in acute coronary syndrome. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 297-8	2.9	5
266	DETermination of the role of OXYgen in suspected Acute Myocardial Infarction trial. <i>American Heart Journal</i> , 2014 , 167, 322-8	4.9	43
265	Cardiac arrest due to drowning--changes over time and factors of importance for survival. <i>Resuscitation</i> , 2014 , 85, 644-8	4	38
264	Delay and inequality in treatment of the elderly with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2014 , 176, 946-50	3.2	9
263	Characteristics and outcome among patients who dial for the EMS due to chest pain. <i>International Journal of Cardiology</i> , 2014 , 176, 859-65	3.2	33
262	PCI-de-Lucs: A safety and feasibility study on a pathway to the cathlab for patients with out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014 , 85, S21	4	
261	Transient repolarization alterations dominate the initial phase of an acute anterior infarction--a vectorcardiography study. <i>Journal of Electrocardiology</i> , 2014 , 47, 478-85	1.4	7
260	The impact of direct admission to a catheterisation lab/CCU in patients with ST-elevation myocardial infarction on the delay to reperfusion and early risk of death: results of a systematic review including meta-analysis. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014 , 22, 67	3.6	23

259	Influence of health-related quality of life on time from symptom onset to hospital arrival and the risk of readmission in patients with myocardial infarction. <i>Open Heart</i> , 2014 , 1, e000051	3	4
258	Apples to apples or apples to oranges? International variation in reporting of process and outcome of care for out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014 , 85, 1599-609	4	48
257	A pathway care model allowing low-risk patients to gain direct admission to a hospital medical ward--a pilot study on ambulance nurses and Emergency Department physicians. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014 , 22, 72	3.6	2
256	The implementation of a dual dispatch system in out-of-hospital cardiac arrest is associated with improved short and long term survival. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 293-303	4.3	28
255	Mechanical chest compressions and simultaneous defibrillation vs conventional cardiopulmonary resuscitation in out-of-hospital cardiac arrest: the LINC randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 53-61	27.4	248
254	Clinical decision support system (CDSS)--effects on care quality. <i>International Journal of Health Care Quality Assurance</i> , 2014 , 27, 707-18	1.3	15
253	ECG signs of acute myocardial ischemia in the prehospital setting of a suspected acute coronary syndrome and its association with outcomes. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 601-5	2.9	10
252	Physical activity in relation to cardiac risk markers in secondary prevention of coronary artery disease. <i>International Journal of Cardiology</i> , 2013 , 168, 478-83	3.2	14
251	Cardiac disease and probable intent after drowning. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1073-7	2.9	5
250	Implementation of mechanical chest compression in out-of-hospital cardiac arrest in an emergency medical service system. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1196-200	2.9	9
249	The impact on kinesiophobia (fear of movement) by clinical variables for patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2013 , 167, 391-7	3.2	38
248	Patients admitted to hospital with chest pain--changes in a 20-year perspective. <i>International Journal of Cardiology</i> , 2013 , 166, 141-6	3.2	10
247	IgM-phosphorylcholine autoantibodies and outcome in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2013 , 167, 464-9	3.2	34
246	Anxiolytics in patients suffering a suspected acute coronary syndrome: multi-centre randomised controlled trial in Emergency Medical Service. <i>International Journal of Cardiology</i> , 2013 , 168, 3580-7	3.2	8
245	Prehospital ECG signs of acute coronary occlusion are associated with reduced one-year mortality. <i>International Journal of Cardiology</i> , 2013 , 168, 3594-8	3.2	7
244	International comparison of treatment and long-term outcomes for acute myocardial infarction in the elderly: Minneapolis/St. Paul, MN, USA and Goteborg, Sweden. <i>European Heart Journal</i> , 2013 , 34, 3191-7	9.5	27
243	Prevalence and severity of abnormal glucose regulation and its relation to long-term prognosis after coronary artery bypass grafting. <i>Coronary Artery Disease</i> , 2013 , 24, 577-82	1.4	11
242	Occurrence and predictors of obstructive sleep apnea in a revascularized coronary artery disease cohort. <i>Annals of the American Thoracic Society</i> , 2013 , 10, 350-6	4.7	43

241	Is early treatment of acute chest pain provided sooner to patients who speak the national language?. <i>International Journal for Quality in Health Care</i> , 2013 , 25, 582-9	1.9	2
240	Esomeprazole for prevention and resolution of upper gastrointestinal symptoms in patients treated with low-dose acetylsalicylic acid for cardiovascular protection: the OBERON trial. <i>Journal of Cardiovascular Pharmacology</i> , 2013 , 61, 250-7	3.1	11
239	Outcome after out-of-hospital cardiac arrest witnessed by EMS: changes over time and factors of importance for outcome in Sweden. <i>Resuscitation</i> , 2012 , 83, 1253-8	4	32
238	General self-efficacy and health-related quality of life after myocardial infarction. <i>Psychology, Health and Medicine</i> , 2012 , 17, 346-55	2.1	40
237	Guidance for ambulance personnel on decisions and situations related to out-of-hospital CPR. <i>Resuscitation</i> , 2012 , 83, 27-31	4	18
236	A 14-year follow-up study of chest pain patients including stress hormones and mental stress at index event. <i>International Journal of Cardiology</i> , 2012 , 154, 306-11	3.2	1
235	Secondary prevention in coronary artery disease. Achieved goals and possibilities for improvements. <i>International Journal of Cardiology</i> , 2012 , 161, 18-24	3.2	12
234	The impact of CPR and AED training on healthcare professionals self-perceived attitudes to performing resuscitation. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 26	3.6	10
233	Suspicion and treatment of severe sepsis. An overview of the prehospital chain of care. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 42	3.6	24
232	The clinical consequences of a pre-hospital diagnosis of stroke by the emergency medical service system. A pilot study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 48	3.6	14
231	Role of the CHADS2 score in acute coronary syndromes: risk of subsequent death or stroke in patients with and without atrial fibrillation. <i>Chest</i> , 2012 , 141, 1431-1440	5.3	97
230	Characteristics of lifesaving from drowning as reported by the Swedish Fire and Rescue Services 1996-2010. <i>Resuscitation</i> , 2012 , 83, 1072-7	4	29
229	Inequalities in the early treatment of women and men with acute chest pain?. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 1515-21	2.9	14
228	In-hospital cardiac arrest characteristics and outcome after defibrillator implementation and education: from 1 single hospital in Sweden. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 1712-8	2.9	6
227	Characteristics of and outcome for patients with chest pain in relation to transport by the emergency medical services in a 20-year perspective. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 1788-95	2.9	23
226	Multimarker risk assessment including osteoprotegerin and CXCL16 in acute coronary syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 3041-9	9.4	13
225	Evaluation of 2 different instruments for exposing the chest in conjunction with a cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 549-53	2.9	2
224	Delay and performance of cardiopulmonary resuscitation in surf lifeguards after simulated cardiac arrest due to drowning. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 1044-50	2.9	24

223	The impact of hypertension and diabetes on outcome in patients undergoing percutaneous coronary intervention. <i>American Journal of Medicine</i> , 2011 , 124, 265-75	2.4	19
222	Knowledge and attitudes toward seeking medical care for AMI-symptoms. <i>International Journal of Cardiology</i> , 2011 , 147, 224-7	3.2	20
221	Hypothermia after cardiac arrest should be further evaluated--a systematic review of randomised trials with meta-analysis and trial sequential analysis. <i>International Journal of Cardiology</i> , 2011 , 151, 333-41	3.7	109
220	Is pre-hospital treatment of chest pain optimal in acute coronary syndrome? The relief of both pain and anxiety is needed. <i>International Journal of Cardiology</i> , 2011 , 149, 147-151	3.2	11
219	The VLDL receptor promotes lipotoxicity and increases mortality in mice following an acute myocardial infarction. <i>Journal of Clinical Investigation</i> , 2011 , 121, 2625-40	15.9	104
218	Interleukin-18 as a predictor of future events in patients with acute coronary syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2039-46	9.4	43
217	Symptoms of chest pain and dyspnoea during a period of 15 years after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 112-8	3	7
216	Compression-only CPR or standard CPR in out-of-hospital cardiac arrest. <i>New England Journal of Medicine</i> , 2010 , 363, 434-42	59.2	183
215	Cardiac arrest outside and inside hospital in a community: mechanisms behind the differences in outcome and outcome in relation to time of arrest. <i>American Heart Journal</i> , 2010 , 159, 749-56	4.9	44
214	Cost and health outcome of primary percutaneous coronary intervention versus thrombolysis in acute ST-segment elevation myocardial infarction-Results of the Swedish Early Decision reperfusion Study (SWEDES) trial. <i>American Heart Journal</i> , 2010 , 160, 322-8	4.9	30
213	Survival in out-of-hospital cardiac arrest before and after use of advanced postresuscitation care: a survey focusing on incidence, patient characteristics, survival, and estimated cerebral function after postresuscitation care. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 543-51	2.9	21
212	Does sex influence the allocation of life support level by dispatchers in acute chest pain?. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 922-7	2.9	4
211	Low-dose aspirin therapy for cardiovascular prevention: quantification and consequences of poor compliance or discontinuation. <i>American Journal of Cardiovascular Drugs</i> , 2010 , 10, 125-41	4	55
210	Costs and consequences of clopidogrel versus aspirin for secondary prevention of ischaemic events in (high-risk) atherosclerotic patients in Sweden: a lifetime model based on the CAPRIE trial and high-risk CAPRIE subpopulations. <i>Applied Health Economics and Health Policy</i> , 2010 , 8, 251-65	3.4	8
209	Aspects on the intensity and the relief of pain in the prehospital phase of acute coronary syndrome: experiences from a randomized clinical trial. <i>Coronary Artery Disease</i> , 2010 , 21, 113-20	1.4	7
208	Dispatch codes of out-of-hospital cardiac arrest should be diagnosis related rather than symptom related. <i>European Journal of Emergency Medicine</i> , 2010 , 17, 265-9	2.3	10
207	Risk reduction for cardiac events after primary coronary intervention compared with thrombolysis for acute ST-elevation myocardial infarction (five-year results of the Swedish early decision reperfusion strategy [SWEDES] trial). <i>American Journal of Cardiology</i> , 2010 , 106, 1685-91	3	1
206	Early identification and delay to treatment in myocardial infarction and stroke: differences and similarities. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010 , 18, 48	3.6	43

205	Dual dispatch early defibrillation in out-of-hospital cardiac arrest: the SALSA-pilot. <i>European Heart Journal</i> , 2009 , 30, 1781-9	9.5	40
204	Rationale and design of the Randomized Intervention with CPAP in Coronary Artery Disease and Sleep Apnoea--RICCADSA trial. <i>Scandinavian Cardiovascular Journal</i> , 2009 , 43, 24-31	2	36
203	Physical activity six months after a myocardial infarction. <i>International Journal of Nursing Practice</i> , 2009 , 15, 191-7	2.3	11
202	Treatment and outcome in acute myocardial infarction in a community in relation to gender. <i>International Journal of Cardiology</i> , 2009 , 135, 315-22	3.2	18
201	The relative influence of age, previous history and therapeutic strategies prior to hospital admission among ambulance transported patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2009 , 136, 213-4	3.2	2
200	Acute coronary syndromes--the prognostic impact of hypertension, diabetes and its combination on long-term outcome. <i>International Journal of Cardiology</i> , 2009 , 137, 29-36	3.2	20
199	Does ambulance use differ between geographic areas? A survey of ambulance use in sparsely and densely populated areas. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 202-11	2.9	21
198	Quality of life 15 years after coronary artery bypass grafting. <i>Coronary Artery Disease</i> , 2009 , 20, 363-9	1.4	16
197	Illness consequences after myocardial infarction: problems with physical functioning and return to work. <i>Journal of Advanced Nursing</i> , 2008 , 64, 587-94	3.1	20
196	Circulating osteoprotegerin levels and long-term prognosis in patients with acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 627-33	15.1	161
195	On the waiting list for possible coronary revascularisation. Symptoms relief during the first year and association between quality of life and the very long-term mortality risk. <i>International Journal of Cardiology</i> , 2008 , 123, 271-6	3.2	1
194	Epidemiology of acute myocardial infarction with the emphasis on patients who did not reach the coronary care unit and non-AMI admissions. <i>International Journal of Cardiology</i> , 2008 , 128, 342-9	3.2	15
193	Lower mortality after prehospital recognition and treatment followed by fast tracking to coronary care compared with admittance via emergency department in patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2008 , 129, 325-32	3.2	42
192	Factors that influence the use of ambulance in acute coronary syndrome. <i>American Heart Journal</i> , 2008 , 156, 170-6	4.9	43
191	Symptoms of chest pain and dyspnea and factors associated with chest pain and dyspnea 10 years after coronary artery bypass grafting. <i>American Heart Journal</i> , 2008 , 156, 580-7	4.9	7
190	Development of a reliable questionnaire in resuscitation knowledge. <i>American Journal of Emergency Medicine</i> , 2008 , 26, 723-8	2.9	2
189	Sex difference and factors associated with outcome in patients with sustained ventricular arrhythmias. <i>Scandinavian Cardiovascular Journal</i> , 2008 , 42, 182-91	2	0
188	Improved survival after out-of-hospital cardiac arrest is associated with an increase in proportion of emergency crew--witnessed cases and bystander cardiopulmonary resuscitation. <i>Circulation</i> , 2008 , 118, 389-96	16.7	190

187	Characteristics and outcome among patients suffering out-of-hospital cardiac arrest due to drowning. <i>Resuscitation</i> , 2008 , 76, 381-7	4	58
186	Are patients who are found deeply unconscious, without having suffered a cardiac arrest, always breathing normally?. <i>Resuscitation</i> , 2008 , 78, 116-8	4	2
185	DVD-based or instructor-led CPR education - a comparison. <i>Resuscitation</i> , 2007 , 72, 333-4	4	12
184	Post resuscitation care. <i>Resuscitation</i> , 2007 , 73, 163-164	4	
183	Survival is similar after standard treatment and chest compression only in out-of-hospital bystander cardiopulmonary resuscitation. <i>Circulation</i> , 2007 , 116, 2908-12	16.7	145
182	Dimensions of the Somatic Health Complaints Questionnaire (SHCQ) in a sample of myocardial infarction patients. <i>European Journal of Cardiovascular Nursing</i> , 2007 , 6, 27-31	3.3	13
181	Initial emergency medical dispatching and prehospital needs assessment: a prospective study of the Swedish ambulance service. <i>European Journal of Emergency Medicine</i> , 2007 , 14, 134-41	2.3	37
180	Why are people without medical needs transported by ambulance? A study of indications for pre-hospital care. <i>European Journal of Emergency Medicine</i> , 2007 , 14, 151-6	2.3	63
179	Impact of diagnosis and sex on long-term prognosis in acute coronary syndromes. <i>American Heart Journal</i> , 2007 , 154, 482-8	4.9	10
178	Characteristics of cardiac arrest and resuscitation by age group: an analysis from the Swedish Cardiac Arrest Registry. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 1025-31	2.9	88
177	Thoughts, actions, and factors associated with prehospital delay in patients with acute coronary syndrome. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2007 , 36, 398-409	2.6	56
176	The influence of a history of diabetes on treatment and outcome in acute myocardial infarction, during two time periods and in two different countries. <i>International Journal of Cardiology</i> , 2007 , 119, 319-25	3.2	13
175	A nationwide survey of CPR training in Sweden: foreign born and unemployed are not reached by training programmes. <i>Resuscitation</i> , 2006 , 70, 90-7	4	37
174	Characteristics and outcome of patients with acute chest pain in relation to the use of ambulances in an urban and a rural area. <i>American Journal of Emergency Medicine</i> , 2006 , 24, 775-81	2.9	12
173	CRP, interleukin-6, secretory phospholipase A2 group IIA, and intercellular adhesion molecule-1 during the early phase of acute coronary syndromes and long-term follow-up. <i>International Journal of Cardiology</i> , 2006 , 108, 55-62	3.2	50
172	Low risk is associated with poorer quality of life than high risk following acute coronary syndrome. <i>Coronary Artery Disease</i> , 2006 , 17, 501-10	1.4	3
171	Could a computer-based system including a prevalence function support emergency medical systems and improve the allocation of life support level?. <i>European Journal of Emergency Medicine</i> , 2006 , 13, 290-4	2.3	15
170	Post-discharge survival following pre-hospital cardiopulmonary arrest owing to cardiac aetiology. <i>European Heart Journal</i> , 2006 , 27, 377-8	9.5	

169	Prehospital evaluation and treatment of a presumed acute coronary syndrome: what are the options?. <i>European Journal of Emergency Medicine</i> , 2006 , 13, 308-12	2.3	3
168	Resuscitation Great. Stig Holmberg--a visionary giant in cardiopulmonary resuscitation. <i>Resuscitation</i> , 2006 , 68, 5-7	4	
167	In-hospital cardiac arrest--an Utstein style report of seven years experience from the Sahlgrenska University Hospital. <i>Resuscitation</i> , 2006 , 68, 351-8	4	30
166	Characteristics and outcome of false cardiac arrests in hospital. <i>Resuscitation</i> , 2006 , 69, 191-7	4	9
165	Clinical consequences of the introduction of mechanical chest compression in the EMS system for treatment of out-of-hospital cardiac arrest-a pilot study. <i>Resuscitation</i> , 2006 , 71, 47-55	4	84
164	Rate of admission and long-term prognosis among patients with acute chest pain in the 1990s compared with the 1980s. <i>Cardiology</i> , 2005 , 104, 51-6	1.6	1
163	Prehospital identification of acute coronary syndrome/myocardial infarction in relation to ST elevation. <i>International Journal of Cardiology</i> , 2005 , 98, 237-44	3.2	9
162	Determinants for an impaired quality of life 10 years after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 2005 , 98, 447-52	3.2	32
161	Treatment and short-term outcome in women and men with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2005 , 103, 120-7	3.2	34
160	Experiences and concerns among patients being treated for atypical chest pain. <i>European Journal of Internal Medicine</i> , 2005 , 16, 339-44	3.9	6
159	Efficacy, safety and tolerability of metoprolol CR/XL in patients with diabetes and chronic heart failure: experiences from MERIT-HF. <i>American Heart Journal</i> , 2005 , 149, 159-67	4.9	109
158	Factors associated with an increased chance of survival among patients suffering from an out-of-hospital cardiac arrest in a national perspective in Sweden. <i>American Heart Journal</i> , 2005 , 149, 61-6	4.9	152
157	Symptoms and type of symptom onset in acute coronary syndrome in relation to ST elevation, sex, age, and a history of diabetes. <i>American Heart Journal</i> , 2005 , 150, 234-42	4.9	61
156	Changes in demographic factors and mortality after out-of-hospital cardiac arrest in Sweden. <i>Coronary Artery Disease</i> , 2005 , 16, 51-7	1.4	20
155	Localization of out-of-hospital cardiac arrest in Goteborg 1994-2002 and implications for public access defibrillation. <i>Resuscitation</i> , 2005 , 64, 171-5	4	55
154	Characteristics of patients who die in hospital with no attempt at resuscitation. <i>Resuscitation</i> , 2005 , 65, 291-9	4	43
153	Possibilities for, and obstacles to, CPR training among cardiac care patients and their co-habitants. <i>Resuscitation</i> , 2005 , 65, 337-43	4	13
152	A history of diabetes is associated with an adverse outcome among patients admitted to hospital alive after an out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2005 , 66, 303-7	4	26

151	Very high survival among patients defibrillated at an early stage after in-hospital ventricular fibrillation on wards with and without monitoring facilities. <i>Resuscitation</i> , 2005 , 66, 159-66	4	62
150	Incidence of EMS-treated out-of-hospital cardiac arrest in Europe. <i>Resuscitation</i> , 2005 , 67, 75-80	4	578
149	Efficacy of bystander CPR: intervention by lay people and by health care professionals. <i>Resuscitation</i> , 2005 , 66, 291-5	4	98
148	Recommended guidelines for reviewing, reporting, and conducting research on post-resuscitation care: the Utstein style. <i>Resuscitation</i> , 2005 , 66, 271-83	4	202
147	Intrusion and confusion--the impact of medication and health professionals after acute myocardial infarction. <i>European Journal of Cardiovascular Nursing</i> , 2005 , 4, 153-9	3.3	17
146	Cardiac arrest and cardiopulmonary resuscitation outcome reports: update and simplification of the Utstein templates for resuscitation registries: a statement for healthcare professionals from a task force of the International Liaison Committee on Resuscitation (American Heart Association, European Resuscitation Council, Australian Resuscitation Council, New Zealand Resuscitation Council). <i>Resuscitation</i> , 2005 , 66, 177-300	16.7	1141
145	Smoking habits and predictors of continued smoking in patients with acute coronary syndromes. <i>Journal of Advanced Nursing</i> , 2004 , 46, 614-23	3.1	35
144	Is female sex associated with increased survival after out-of-hospital cardiac arrest?. <i>Resuscitation</i> , 2004 , 60, 197-203	4	77
143	Decrease in the occurrence of ventricular fibrillation as the initially observed arrhythmia after out-of-hospital cardiac arrest during 11 years in Sweden. <i>Resuscitation</i> , 2004 , 60, 283-90	4	51
142	The attitude of cardiac care patients towards CPR and CPR education. <i>Resuscitation</i> , 2004 , 61, 163-71	4	14
141	Cardiac arrest and cardiopulmonary resuscitation outcome reports: update and simplification of the Utstein templates for resuscitation registries. A statement for healthcare professionals from a task force of the international liaison committee on resuscitation (American Heart Association, European Resuscitation Council, Australian Resuscitation Council, New Zealand Resuscitation Council). <i>Resuscitation</i> , 2005 , 66, 177-300	4	574
140	Cause of death during 13 years after coronary artery bypass grafting with emphasis on cardiac death. <i>Scandinavian Cardiovascular Journal</i> , 2004 , 38, 283-6	2	15
139	Secondary prevention after coronary artery bypass grafting--what do we know?. <i>Scandinavian Cardiovascular Journal</i> , 2004 , 38, 69-74	2	8
138	Timing of regional left ventricular lengthening by pulsed tissue Doppler. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 307-12	5.8	6
137	When is a patient with heart failure adequately informed? A study of patients' knowledge of and attitudes toward medical information. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2004 , 33, 219-26	2.6	35
136	Effect of fixed low-dose warfarin added to aspirin in the long term after acute myocardial infarction; the LoWASA Study. <i>European Heart Journal</i> , 2004 , 25, 232-9	9.5	38
135	Predictors of death during 10 years after coronary artery bypass grafting with particular emphasis on age. <i>Coronary Artery Disease</i> , 2004 , 15, 163-70	1.4	7
134	A short delay from out of hospital cardiac arrest to call for ambulance increases survival. <i>European Heart Journal</i> , 2003 , 24, 1750-5	9.5	29

133	Improvement and factors associated with improvement in quality of life during 10 years after coronary artery bypass grafting. <i>Coronary Artery Disease</i> , 2003 , 14, 509-17	1.4	15
132	Predictors of myocardial damage prior to hospital admission among patients with acute chest pain or other symptoms raising a suspicion of acute coronary syndrome. <i>Coronary Artery Disease</i> , 2003 , 14, 225-31	1.4	18
131	Characteristics and outcome of patients with ST-elevation infarction in relation to whether they received thrombolysis or underwent acute coronary angiography: are we selecting the right patients for coronary angiography?. <i>Clinical Cardiology</i> , 2003 , 26, 78-84	3.3	1
130	Interaction between emergency medical dispatcher and caller in suspected out-of-hospital cardiac arrest calls with focus on agonal breathing. A review of 100 tape recordings of true cardiac arrest cases. <i>Resuscitation</i> , 2003 , 56, 25-34	4	116
129	Characteristics and outcome among patients suffering from out of hospital cardiac arrest of non-cardiac aetiology. <i>Resuscitation</i> , 2003 , 57, 33-41	4	79
128	The epidemiology of cardiac arrest in children and young adults. <i>Resuscitation</i> , 2003 , 58, 131-8	4	47
127	Nineteen years experience of out-of-hospital cardiac arrest in Gothenburg--reported in Utstein style. <i>Resuscitation</i> , 2003 , 58, 37-47	4	33
126	Factors at resuscitation and outcome among patients suffering from out of hospital cardiac arrest in relation to age. <i>Resuscitation</i> , 2003 , 58, 309-17	4	68
125	Time trends in long-term mortality after out-of-hospital cardiac arrest, 1980 to 1998, and predictors for death. <i>American Heart Journal</i> , 2003 , 145, 826-33	4.9	47
124	Metoprolol CR/XL in postmyocardial infarction patients with chronic heart failure: experiences from MERIT-HF. <i>American Heart Journal</i> , 2003 , 146, 721-8	4.9	49
123	Comparison of treatment and outcomes for patients with acute myocardial infarction in Minneapolis/St. Paul, Minnesota, and Göteborg, Sweden. <i>American Heart Journal</i> , 2003 , 146, 1023-9	4.9	13
122	Implementation of prehospital thrombolysis in Sweden: components of delay until delivery of treatment and examination of treatment feasibility. <i>International Journal of Cardiology</i> , 2003 , 88, 247-56 ³⁻²		9
121	Safety and delay time in prehospital thrombolysis of acute myocardial infarction in urban and rural areas in Sweden. <i>American Journal of Emergency Medicine</i> , 2003 , 21, 263-70	2.9	19
120	Can we change patients behaviour in the early phase of an acute coronary syndrome?. <i>Scandinavian Cardiovascular Journal</i> , 2003 , 37, 181-2	2	0
119	Long-term morbidity in patients with acute chest pain. A comparison between a city university hospital and a county hospital. <i>Acta Cardiologica</i> , 2003 , 58, 397-402	0.9	1
118	Subjective symptoms and well-being 30 months after acute chest pain in a county hospital and a city university hospital in Sweden. <i>Acta Cardiologica</i> , 2003 , 58, 547-53	0.9	1
117	Characteristics and outcome among patients suffering from in hospital cardiac arrest in relation to the interval between collapse and start of CPR. <i>Resuscitation</i> , 2002 , 53, 21-7	4	56
116	Dispatcher-assisted telephone CPR: a qualitative study exploring how dispatchers perceive their experiences. <i>Resuscitation</i> , 2002 , 53, 135-51	4	27

115	Characteristics and outcome among patients suffering from in hospital cardiac arrest in relation to whether the arrest took place during office hours. <i>Resuscitation</i> , 2002 , 53, 127-33	4	41
114	Low chance of survival among patients requiring adrenaline (epinephrine) or intubation after out-of-hospital cardiac arrest in Sweden. <i>Resuscitation</i> , 2002 , 54, 37-45	4	115
113	Diurnal, weekly and seasonal rhythm of out of hospital cardiac arrest in Sweden. <i>Resuscitation</i> , 2002 , 54, 133-8	4	37
112	Consent for research in emergency situations. <i>Resuscitation</i> , 2002 , 53, 239	4	6
111	Characteristics and long-term outcome of patients with acute chest pain or other symptoms raising suspicion of acute myocardial infarction in relation to whether they were hospitalized or directly discharged from the emergency department. <i>Coronary Artery Disease</i> , 2002 , 13, 37-43	1.4	6
110	Effects of metoprolol CR/XL on mortality and hospitalizations in patients with heart failure and history of hypertension. <i>Journal of Cardiac Failure</i> , 2002 , 8, 8-14	3.3	18
109	Use of medical resources, complications and long-term outcome in patients hospitalized with acute chest pain. A comparison between a city university hospital and a county hospital. <i>International Journal of Cardiology</i> , 2002 , 85, 229-38; discussion 239-41	3.2	7
108	Prognosis after acute myocardial infarction continues to improve in the reperfusion era in the community of GÖteborg. <i>American Heart Journal</i> , 2002 , 144, 89-94	4.9	22
107	Early identification of patients with an acute coronary syndrome as assessed by dispatchers and the ambulance crew. <i>American Journal of Emergency Medicine</i> , 2002 , 20, 196-201	2.9	8
106	Predicting a life-threatening disease and death among ambulance-transported patients with chest pain or other symptoms raising suspicion of an acute coronary syndrome. <i>American Journal of Emergency Medicine</i> , 2002 , 20, 588-94	2.9	19
105	Prognosis and risk indicators of death during a period of 10 years for women admitted to the emergency department with a suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2002 , 82, 259-68	3.2	4
104	A description of the characteristics and outcome of patients hospitalized for acute chest pain in relation to whether they were admitted to the coronary care unit or not in the thrombolytic era. <i>International Journal of Cardiology</i> , 2002 , 82, 279-87	3.2	13
103	Sleep habits and their association with mortality during 5-year follow-up after coronary artery bypass surgery. <i>Acta Cardiologica</i> , 2002 , 57, 341-8	0.9	9
102	Characteristics and outcome among women and men transported by ambulance due to symptoms arousing suspicion of acute coronary syndrome. <i>Medical Science Monitor</i> , 2002 , 8, CR251-6	3.2	8
101	An alternative estimate of the disappearance rate of ventricular fibrillation in out-of-hospital cardiac arrest in Sweden. <i>Resuscitation</i> , 2001 , 49, 219-20	4	17
100	Factors affecting short- and long-term prognosis among 1069 patients with out-of-hospital cardiac arrest and pulseless electrical activity. <i>Resuscitation</i> , 2001 , 51, 17-25	4	105
99	Relief of symptoms and improvement of health-related quality of life five years after coronary artery bypass graft in women and men. <i>Clinical Cardiology</i> , 2001 , 24, 385-92	3.3	28
98	Cardiopulmonary resuscitation and emergency cardiovascular care. Acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2001 , 37, S163-81	2.1	3

97	Ten-year mortality rate in relation to observations at a bicycle exercise test in patients with a suspected or confirmed ischemic event but no or only minor myocardial damage: influence of subsequent revascularization. <i>American Heart Journal</i> , 2001 , 141, 977-84	4.9	14
96	Important factors for the 10-year mortality rate in patients with acute chest pain or other symptoms consistent with acute myocardial infarction with particular emphasis on the influence of age. <i>American Heart Journal</i> , 2001 , 142, 624-32	4.9	9
95	Characteristics and outcomes among patients undergoing coronary artery bypass grafting in western Sweden and Minneapolis-St Paul, Minnesota. <i>American Heart Journal</i> , 2001 , 142, 1080-7	4.9	6
94	Which factors determine the long-term outcome among patients with a very small or unconfirmed AMI. <i>International Journal of Cardiology</i> , 2001 , 78, 265-75	3.2	5
93	Changes in the use of medications after acute myocardial infarction: possible impact on mortality after myocardial infarction and long-term outcome. <i>Coronary Artery Disease</i> , 2001 , 12, 61-7	1.4	5
92	Impact of a History of Hypertension on Symptoms and Quality of Life Prior to and at Five Years after Coronary Artery Bypass Grafting. <i>Blood Pressure</i> , 2000 , 9, 52-63	1.7	3
91	Mortality, mode of death and risk indicators for death during 5 years after coronary artery bypass grafting among patients with and without a history of diabetes mellitus. <i>Coronary Artery Disease</i> , 2000 , 11, 339-46	1.4	41
90	Differences between men and women on the waiting list for coronary revascularization. <i>Journal of Advanced Nursing</i> , 2000 , 31, 1361-7	3.1	20
89	Long-term prognosis among survivors after in-hospital cardiac arrest. <i>Resuscitation</i> , 2000 , 45, 167-71	4	26
88	How bystanders perceive their cardiopulmonary resuscitation intervention; a qualitative study. <i>Resuscitation</i> , 2000 , 47, 71-81	4	49
87	Is hospital care of major importance for outcome after out-of-hospital cardiac arrest? Experience acquired from patients with out-of-hospital cardiac arrest resuscitated by the same Emergency Medical Service and admitted to one of two hospitals over a 16-year period in the municipality of Gøteborg. <i>Resuscitation</i> , 2000 , 43, 201-11	4	100
86	Incidence, duration and survival of ventricular fibrillation in out-of-hospital cardiac arrest patients in sweden. <i>Resuscitation</i> , 2000 , 44, 7-17	4	155
85	Attitudes of trained Swedish lay rescuers toward CPR performance in an emergency. A survey of 1012 recently trained CPR rescuers. <i>Resuscitation</i> , 2000 , 44, 27-36	4	51
84	Possibilities of implementing dispatcher-assisted cardiopulmonary resuscitation in the community. An evaluation of 99 consecutive out-of-hospital cardiac arrests. <i>Resuscitation</i> , 2000 , 44, 19-26	4	23
83	Impact of a history of diabetes on the improvement of symptoms and quality of life during 5 years after coronary artery bypass grafting. <i>Journal of Diabetes and Its Complications</i> , 2000 , 14, 314-21	3.2	16
82	Can we define patients with no and those with some chance of survival when found in asystole out of hospital?. <i>American Journal of Cardiology</i> , 2000 , 86, 610-4	3	73
81	Long-term mortality after acute myocardial infarction in relation to prescribed dosages of a beta-blocker at hospital discharge. <i>Cardiovascular Drugs and Therapy</i> , 2000 , 14, 589-95	3.9	5
80	Five-year mortality in patients with acute chest pain in relation to smoking habits. <i>Clinical Cardiology</i> , 2000 , 23, 84-90	3.3	7

79	Mortality, risk indicators for death, and mode of death in younger and elderly patients during five years after coronary artery bypass graft. <i>Clinical Cardiology</i> , 2000 , 23, 421-6	3.3	4
78	Effects of controlled-release metoprolol on total mortality, hospitalizations, and well-being in patients with heart failure: the Metoprolol CR/XL Randomized Intervention Trial in congestive heart failure (MERIT-HF). MERIT-HF Study Group. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 1295-302	27.4	935
77	Long term prognosis after CABG in relation to preoperative left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2000 , 72, 163-71; discussion 173-4	3.2	13
76	There is a difference in characteristics and outcome between women and men who suffer out of hospital cardiac arrest. <i>Resuscitation</i> , 1999 , 40, 133-40	4	70
75	Similar risk reduction of death of extended-release metoprolol once daily and immediate-release metoprolol twice daily during 5 years after myocardial infarction. <i>Cardiovascular Drugs and Therapy</i> , 1999 , 13, 127-35	3.9	9
74	Predictors of death and mode of death during long-term follow-up among patients with unconfirmed acute myocardial infarction. <i>Clinical Cardiology</i> , 1999 , 22, 179-83	3.3	4
73	The problem of out-of-hospital cardiac-arrest prevalence of sudden death in Europe today. <i>American Journal of Cardiology</i> , 1999 , 83, 88D-90D	3	41
72	Mortality, risk indicators, mode and place of death and symptoms of angina pectoris in the five years after coronary artery bypass grafting in patients with and without a history of hypertension. <i>Blood Pressure</i> , 1999 , 8, 200-6	1.7	6
71	Comparison of diabetic and non-diabetic patients referred for coronary angiography. <i>International Journal of Cardiology</i> , 1999 , 70, 33-42	3.2	15
70	Effect of intravenous metoprolol before hospital admission on chest pain in suspected acute myocardial infarction. <i>American Heart Journal</i> , 1999 , 137, 821-9	4.9	20
69	Differences in the treatment of acute myocardial infarction between regions of countries and the impact on prognosis. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999 , 6, 77-87		
68	Outcomes of patients hospitalized after out-of-hospital cardiac arrest in relation to sex. <i>Coronary Artery Disease</i> , 1999 , 10, 509-14	1.4	14
67	Occurrence, characteristics, and outcome of patients hospitalized with a diagnosis of acute myocardial infarction who do not fulfill traditional criteria. <i>Clinical Cardiology</i> , 1998 , 21, 405-9	3.3	6
66	Survival after cardiac arrest outside hospital in Sweden. Swedish Cardiac Arrest Registry. <i>Resuscitation</i> , 1998 , 36, 29-36	4	143
65	Factors surrounding cardiopulmonary resuscitation influencing bystanders' psychological reactions. <i>Resuscitation</i> , 1998 , 37, 13-20	4	38
64	Experience with the use of automated external defibrillators in out of hospital cardiac arrest. <i>Resuscitation</i> , 1998 , 37, 3-7	4	38
63	Characteristics and outcome among patients with a suspected in-hospital cardiac arrest. <i>Resuscitation</i> , 1998 , 39, 23-31	4	59
62	Predictors of death during 5 years after coronary artery bypass grafting. <i>International Journal of Cardiology</i> , 1998 , 64, 15-23	3.2	31

61	Predictors of death during 5 years after hospital discharge among patients with a suspected acute coronary syndrome with particular emphasis on whether an infarction was developed. <i>International Journal of Cardiology</i> , 1998 , 66, 73-80	3.2	28
60	Improvement in quality of life during 5 years after coronary artery bypass grafting. <i>Coronary Artery Disease</i> , 1998 , 9, 519-26	1.4	8
59	Mode and risk indicators for death during 5 year follow-up of survivors of acute myocardial infarction. An evaluation with particular emphasis on congestive heart failure and age. <i>Coronary Artery Disease</i> , 1997 , 8, 455-62	1.4	13
58	Predictors of death and mode of death among patients with acute chest pain in various age groups. <i>Coronary Artery Disease</i> , 1997 , 8, 719-26	1.4	
57	Improvement of ED prediction of cardiac mortality among patients with symptoms suggestive of acute myocardial infarction. <i>American Journal of Emergency Medicine</i> , 1997 , 15, 1-7	2.9	10
56	Limitation of physical activity, dyspnea and chest pain before and two years after coronary artery bypass grafting in relation to sex. <i>International Journal of Cardiology</i> , 1997 , 61, 123-33	3.2	23
55	Comparison of medical care and one- and 12-month mortality of hospitalized patients with acute myocardial infarction in Minneapolis-St. Paul, Minnesota, United States of America and G�teborg, Sweden. <i>American Journal of Cardiology</i> , 1997 , 80, 557-62	3	26
54	Effect of metoprolol on the prognosis for patients with suspected acute myocardial infarction and indirect signs of congestive heart failure (a subgroup analysis of the G�teborg Metoprolol Trial). <i>American Journal of Cardiology</i> , 1997 , 80, 40J-44J	3	39
53	Morbidity and use of medical resources in patients with chest pain and normal or near-normal coronary arteries. <i>American Journal of Cardiology</i> , 1997 , 79, 299-304	3	21
52	Lidocaine in out-of-hospital ventricular fibrillation. Does it improve survival?. <i>Resuscitation</i> , 1997 , 33, 199-205	4	72
51	Rhythm changes during resuscitation from ventricular fibrillation in relation to delay until defibrillation, number of shocks delivered and survival. <i>Resuscitation</i> , 1997 , 34, 17-22	4	59
50	Survivors of out of hospital cardiac arrest: their prognosis, longevity and functional status. <i>Resuscitation</i> , 1997 , 35, 117-21	4	86
49	Localization of pain in suspected acute myocardial infarction in relation to final diagnosis, age and sex, and site and type of infarction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 1996 , 25, 430-7	2.6	100
48	Type of arrhythmia at EMS arrival on scene in out-of-hospital cardiac arrest in relation to interval from collapse and whether a bystander initiated CPR. <i>American Journal of Emergency Medicine</i> , 1996 , 14, 119-23	2.9	19
47	Death, mode of death, morbidity and requirement for rehospitalization during 2 years after coronary artery bypass grafting in relation to preoperative ejection fraction. <i>Coronary Artery Disease</i> , 1996 , 7, 807-12	1.4	9
46	Life after cardiac arrest; a retrospective study. <i>Resuscitation</i> , 1996 , 31, 135-40	4	61
45	Bystander-initiated cardiopulmonary resuscitation out-of-hospital. A first description of the bystanders and their experiences. <i>Resuscitation</i> , 1996 , 33, 3-11	4	67
44	Five-year mortality after acute myocardial infarction in relation to previous history, level of initial care, complications in hospital, and medication at discharge. <i>Cardiovascular Drugs and Therapy</i> , 1996 , 10, 485-90	3.9	12

43	Survival among patients with out-of-hospital cardiac arrest found in electromechanical dissociation. <i>Resuscitation</i> , 1995 , 29, 97-106	4	35
42	Adrenaline in out-of-hospital ventricular fibrillation. Does it make any difference?. <i>Resuscitation</i> , 1995 , 29, 195-201	4	90
41	In consecutive patients hospitalized with acute myocardial infarction, infarct location according to routine electrocardiogram is of minor importance for the outcome. <i>Clinical Cardiology</i> , 1995 , 18, 385-91	3.3	2
40	Relationship between quality of life and exercise test findings after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 1995 , 51, 221-32	3.2	19
39	Prognosis and gender differences in chest pain patients discharged from an ED. <i>American Journal of Emergency Medicine</i> , 1995 , 13, 127-32	2.9	24
38	Optimal treatment after acute myocardial infarction in the elderly. <i>Drugs and Aging</i> , 1995 , 6, 181-91	4.7	3
37	Prodromal symptoms in subsets of patients hospitalized for suspected acute myocardial infarction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 1995 , 24, 3-10	2.6	39
36	Does a history of diabetes mellitus adversely affect the outcome in hypertensive patients with acute chest pain?. <i>Coronary Artery Disease</i> , 1995 , 6, 49-56	1.4	2
35	Survival after cardiac arrest outside hospital over a 12-year period in Gothenburg. <i>Resuscitation</i> , 1994 , 27, 181-7	4	59
34	Prognosis during one year of follow-up after acute myocardial infarction with emphasis on morbidity. <i>Clinical Cardiology</i> , 1994 , 17, 15-20	3.3	24
33	Impact of clinical trials on the use of beta blockers after acute myocardial infarction and its relation to other risk indicators for death and 1-year mortality rate. <i>Clinical Cardiology</i> , 1994 , 17, 311-6	3.3	20
32	Prognosis, severity of symptoms, and aspects of well-being among patients in whom myocardial infarction was ruled out. <i>Clinical Cardiology</i> , 1994 , 17, 427-31	3.3	32
31	Does a history of hypertension influence the prognosis among diabetics with acute chest pain?. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 773-7	5.7	1
30	Prognosis in myocardial infarction in relation to gender. <i>American Heart Journal</i> , 1994 , 128, 477-83	4.9	81
29	Prognosis and symptoms one year after discharge from the emergency department in patients with acute chest pain. <i>Chest</i> , 1994 , 105, 1442-7	5.3	23
28	Risk indicators for, and symptoms associated with, death among patients hospitalized after out-of-hospital cardiac arrest. <i>Coronary Artery Disease</i> , 1994 , 5, 407-14	1.4	17
27	Impact of early thrombolysis on chest pain score reflecting myocardial ischemia in relation to various markers of ischemic damage. TEAHAT Study Group. <i>International Journal of Cardiology</i> , 1993 , 41, 123-31	3.2	2
26	Electrocardiographic assessment of infarct size: comparison between QRS scoring of 12-lead electrocardiography and dynamic vectorcardiography. <i>International Journal of Cardiology</i> , 1993 , 40, 167-72	3.2	9

25	Prognosis in men and women coming to the emergency room with chest pain or other symptoms suggestive of acute myocardial infarction. <i>Coronary Artery Disease</i> , 1993 , 4, 761-7	1.4	63
24	Ten-year mortality rate after development of acute myocardial infarction in relation to clinical history and observations during hospital stay: experience from the GÖteborg metoprolol trial. <i>Coronary Artery Disease</i> , 1993 , 4, 1077-83	1.4	8
23	Occurrence of hypotension during streptokinase infusion in suspected acute myocardial infarction, and its relation to prognosis and metoprolol therapy. <i>American Journal of Cardiology</i> , 1993 , 71, 1021-4	3	14
22	One-year prognosis in patients hospitalized with a history of unstable angina pectoris. <i>Clinical Cardiology</i> , 1993 , 16, 397-402	3.3	33
21	Prognosis in diabetics in whom the initial suspicion of acute myocardial infarction was not confirmed. <i>Clinical Cardiology</i> , 1993 , 16, 559-64	3.3	7
20	Risk factors for death and mode of death after acute myocardial infarction in relation to age. <i>Coronary Artery Disease</i> , 1992 , 3, 1055-1064	1.4	2
19	Early identification of acute myocardial infarction and prognosis in relation to mode of transport to hospital. <i>American Journal of Emergency Medicine</i> , 1992 , 10, 406-12	2.9	22
18	Consequences of a media campaign focusing on delay in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 69, 411-3	3	39
17	Prognosis for patients with initially suspected acute myocardial infarction in relation to presence of chest pain. <i>Clinical Cardiology</i> , 1992 , 15, 570-6	3.3	17
16	Early prediction of acute myocardial infarction from clinical history, examination and electrocardiogram in the emergency room. <i>American Journal of Cardiology</i> , 1991 , 68, 171-5	3	128
15	Prognosis in acute myocardial infarction in relation to development of Q waves. <i>Clinical Cardiology</i> , 1991 , 14, 875-80	3.3	7
14	Long-term follow-up of health-related quality of life in patients with suspected acute myocardial infarction when the diagnosis was not confirmed. <i>Scandinavian Journal of Primary Health Care</i> , 1991 , 9, 47-52	2.7	7
13	The prognosis of patients suspected of having acute myocardial infarction subsequent to its exclusion as the diagnosis. <i>International Journal of Cardiology</i> , 1990 , 26, 251-7	3.2	2
12	Clinical factors associated with delay time in suspected acute myocardial infarction. <i>American Heart Journal</i> , 1990 , 120, 1213-5	4.9	17
11	Effect of a media campaign on delay times and ambulance use in suspected acute myocardial infarction. <i>American Journal of Cardiology</i> , 1989 , 64, 90-3	3	105
10	Analgesia in myocardial infarction. <i>Drugs</i> , 1989 , 37, 939-44	12.1	3
9	Quality of life in postmyocardial infarction patients in relation to drug therapy. <i>Scandinavian Journal of Primary Health Care</i> , 1989 , 7, 13-8	2.7	15
8	Effects on mortality during five years after early intervention with metoprolol in suspected acute myocardial infarction. <i>Acta Medica Scandinavica</i> , 1988 , 223, 227-31		11

7	Mortality and morbidity during a five-year follow-up of diabetics with myocardial infarction. <i>Acta Medica Scandinavica</i> , 1988 , 224, 31-8		87
6	Five-year mortality rate in relation to enzyme-estimated infarct size in acute myocardial infarction. <i>American Heart Journal</i> , 1987 , 114, 731-7	4.9	21
5	Experiences from the use of twenty-four precordial chest leads in suspected acute myocardial infarction. <i>Journal of Electrocardiology</i> , 1986 , 19, 381-8	1.4	3
4	Effect of metoprolol on indirect signs of the size and severity of acute myocardial infarction. <i>American Journal of Cardiology</i> , 1983 , 51, 1282-8	3	81
3	Factors of importance for QRS complex recovery after acute myocardial infarction. <i>Acta Medica Scandinavica</i> , 1982 , 211, 157-62		8
2	In-hospital resuscitation 782-791		1
1	The methodology of clinical resuscitation research 206-215		