

Natchimuthu N

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9163716/publications.pdf>

Version: 2024-02-01

13
papers

178
citations

1307594

7
h-index

1125743

13
g-index

13
all docs

13
docs citations

13
times ranked

195
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of performance properties of poly(styrene-co-butadiene) rubber reinforced with N,N-Dimethylacetamide/lithium chloride treated precipitated silica. Journal of Applied Polymer Science, 2022, 139, .	2.6	2
2	Dispersion and vulcanization characteristics of nitrile rubber reinforced with N,N-Dimethylacetamide/lithium chloride treated silica. Journal of Applied Polymer Science, 2021, 138, 50611.	2.6	1
3	Decrystallization of cellulose under the influence of elastomer-assisted mechanical and mechanochemical shear. Bulletin of Materials Science, 2019, 42, 1.	1.7	5
4	Hydrogels of sodium alginate based copolymers grafted with sodium-2-acrylamido-2-methyl-1-propane sulfonate and methacrylic acid for controlled drug delivery applications. Journal of Macromolecular Science - Pure and Applied Chemistry, 2018, 55, 168-175.	2.2	3
5	Complete replacement of carbon black filler in rubber sole with CaO embedded activated carbon derived from tannery solid waste. Journal of Cleaner Production, 2018, 170, 446-450.	9.3	39
6	Shear-induced morphology changes in N,N-Dimethylacetamide/lithium chloride pretreated cellulose. Journal of Applied Polymer Science, 2017, 134, .	2.6	1
7	Hydrogels based on starch-g-poly(sodium-2-acrylamido-2-methyl-1-propane sulfonate-methacrylic acid) as controlled drug delivery systems. Starch/Staerke, 2017, 69, 1600177.	2.1	8
8	pH and temperature responsive hydrogels of poly(2-acrylamido-2-methyl-1-propanesulfonic) - Pure and Applied Chemistry, 2016, 53, 492-499.	2.2	30
9	AFM Studies on Silica Dispersion in EPDM Rubber. Rubber Chemistry and Technology, 2010, 83, 123-132.	1.2	12
10	Vulcanization characteristics and mechanical properties of natural rubber-scrap rubber compositions filled with leather particles. Polymer International, 2005, 54, 553-559.	3.1	30
11	Vulcanization characteristics and mechanical properties of nitrile rubber filled with short leather fibres. Polymer International, 1994, 33, 329-333.	3.1	11
12	Cellulose nitrate-poly(vinyl chloride-co-vinyl acetate)-polyurethane ternary IPNs: FT-IR and morphological studies. Journal of Applied Polymer Science, 1992, 44, 981-986.	2.6	7
13	Interpenetrating polymer networks of cellulose nitrate and castor oil based polyurethanes development and characterization. Journal of Applied Polymer Science, 1990, 41, 3059-3068.	2.6	29