

# Yinghui Guo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9165029/publications.pdf>

Version: 2024-02-01

82  
papers

2,943  
citations

186265

28  
h-index

175258

52  
g-index

86  
all docs

86  
docs citations

86  
times ranked

1961  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multispectral Scattering Imaging Based on Metasurface Diffuser and Deep Learning. Physica Status Solidi - Rapid Research Letters, 2022, 16, .	2.4	8
2	Transmission-Reflection-Integrated Quadratic Phase Metasurface for Multifunctional Electromagnetic Manipulation in Full Space. Advanced Optical Materials, 2022, 10, .	7.3	20
3	Emerging Long-Range Order from a Freeform Disordered Metasurface. Advanced Materials, 2022, 34, e2108709.	21.0	33
4	All-metallic high-efficiency generalized Pancharatnam-Berry phase metasurface with chiral meta-atoms. Nanophotonics, 2022, 11, 1961-1968.	6.0	9
5	Single-layer metalens for achromatic focusing with wide field of view in the visible range. Journal Physics D: Applied Physics, 2022, 55, 235106.	2.8	3
6	Synthetic vector optical fields with spatial and temporal tunability. Science China: Physics, Mechanics and Astronomy, 2022, 65, 1.	5.1	25
7	Generation of A Space-Variant Vector Beam with Catenary-Shaped Polarization States. Materials, 2022, 15, 2940.	2.9	1
8	Vector optical field manipulation via structural functional materials: Tutorial. Journal of Applied Physics, 2022, 131, .	2.5	13
9	Designing high-efficiency extended depth-of-focus metalens via topology-shape optimization. Nanophotonics, 2022, 11, 2967-2975.	6.0	19
10	Large-Area Low-Cost Multiscale-Hierarchical Metasurfaces for Multispectral Compatible Camouflage of Dual-Band Lasers, Infrared and Microwave. Advanced Functional Materials, 2022, 32, .	14.9	41
11	Monolithic-Integrated Multiplexed Devices Based on Metasurface-Driven Guided Waves. Advanced Theory and Simulations, 2021, 4, 2000239.	2.8	22
12	Broadband Achromatic Transmission-Reflection-Integrated Metasurface Based on Frequency Multiplexing and Dispersion Engineering. Advanced Optical Materials, 2021, 9, 2001736.	7.3	7
13	Quasi-Continuous Metasurface Beam Splitters Enabled by Vector Iterative Fourier Transform Algorithm. Materials, 2021, 14, 1022.	2.9	3
14	Angular-multiplexed multichannel optical vortex arrays generators based on geometric metasurface. IScience, 2021, 24, 102107.	4.1	23
15	Extreme-Angle Silicon Infrared Optics Enabled by Streamlined Surfaces. Advanced Materials, 2021, 33, e2008157.	21.0	84
16	Metasurface spatiotemporal dynamics and asymmetric photonic spin-orbit interactions mediated vector-polarization optical chaos. Physical Review Research, 2021, 3, .	3.6	13
17	Spin-decoupled metasurface for simultaneous detection of spin and orbital angular momenta via momentum transformation. Light: Science and Applications, 2021, 10, 63.	16.6	196
18	Generalized Pancharatnam-Berry Phase in Rotationally Symmetric Meta-Atoms. Physical Review Letters, 2021, 126, 183902.	7.8	95

#	ARTICLE	IF	CITATIONS
19	Electromagnetic Architectures: Structures, Properties, Functions and Their Intrinsic Relationships in Subwavelength Optics and Electromagnetics. <i>Advanced Photonics Research</i> , 2021, 2, 2100023.	3.6	9
20	Symmetric and asymmetric photonic spin-orbit interaction in metasurfaces. <i>Progress in Quantum Electronics</i> , 2021, 79, 100344.	7.0	16
21	Recent advances of wide-angle metalenses: principle, design, and applications. <i>Nanophotonics</i> , 2021, 11, 1-20.	6.0	44
22	Simultaneous thermal infrared camouflage and laser scattering with thermal management based on an ultra-thin metasurface. , 2021, , .		1
23	High-efficiency mid-infrared catenary metasurface for chiral spectrometer. , 2021, , .		2
24	Infrared multispectral imaging system based on metasurfaces for two infrared atmospheric windows. , 2021, , .		0
25	Broadband high-efficiency reflective metasurfaces for sub-diffraction focusing in the visible. , 2021, , .		0
26	Broadband achromatic multilevel diffractive lens at visible frequency. , 2021, , .		0
27	Flexible and Tunable Dielectric Color Meta-hologram. <i>Plasmonics</i> , 2020, 15, 217-223.	3.4	10
28	Plasmonic lithography for the fabrication of surface nanostructures with a feature size down to 9 nm. <i>Nanoscale</i> , 2020, 12, 2415-2421.	5.6	31
29	Tunable Optical Hooks in the Visible Band Based on Ultra-Thin Metalenses. <i>Annalen Der Physik</i> , 2020, 532, 1900396.	2.4	7
30	All-metallic geometric metasurfaces for broadband and high-efficiency wavefront manipulation. <i>Nanophotonics</i> , 2020, 9, 3209-3215.	6.0	28
31	Catenary Functions Meet Electromagnetic Waves: Opportunities and Promises. <i>Advanced Optical Materials</i> , 2020, 8, 2001194.	7.3	42
32	Multistate Switching of Photonic Angular Momentum Coupling in Phase-Change Metadevices. <i>Advanced Materials</i> , 2020, 32, e1908194.	21.0	88
33	Dual-Functional Metasurface toward Giant Linear and Circular Dichroism. <i>Advanced Optical Materials</i> , 2020, 8, 1902061.	7.3	24
34	Crosstalk reduction of integrated optical waveguides with nonuniform subwavelength silicon strips. <i>Scientific Reports</i> , 2020, 10, 4491.	3.3	21
35	Full Stokes Polarimetry for Wide-Angle Incident Light. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 2000044.	2.4	14
36	High-Performance Multilayer Radiative Cooling Films Designed with Flexible Hybrid Optimization Strategy. <i>Materials</i> , 2020, 13, 2885.	2.9	21

#	ARTICLE	IF	CITATIONS
37	Broadband and high-efficiency accelerating beam generation by dielectric catenary metasurfaces. <i>Nanophotonics</i> , 2020, 9, 2829-2837.	6.0	23
38	Large-Area and Low-Cost Nanoslit-Based Flexible Metasurfaces for Multispectral Electromagnetic Wave Manipulation. <i>Advanced Optical Materials</i> , 2019, 7, 1900657.	7.3	19
39	Experimental demonstration of a continuous varifocal metalens with large zoom range and high imaging resolution. <i>Applied Physics Letters</i> , 2019, 115, .	3.3	29
40	Spoof Plasmonic Metasurfaces with Catenary Dispersion for Two-Dimensional Wide-Angle Focusing and Imaging. <i>IScience</i> , 2019, 21, 145-156.	4.1	41
41	Asymmetric Transmission and Wavefront Manipulation toward Dual-Frequency Meta-Holograms. <i>ACS Photonics</i> , 2019, 6, 1541-1546.	6.6	47
42	Polarization-Controlled Broadband Accelerating Beams Generation by Single Catenary-Shaped Metasurface. <i>Advanced Optical Materials</i> , 2019, 7, 1900503.	7.3	42
43	A Tunable Metasurface Deflector Based on MIM Waveguide Filled with Phase-Change Material. <i>Plasmonics</i> , 2019, 14, 1735-1741.	3.4	13
44	Methodologies for On-Demand Dispersion Engineering of Waves in Metasurfaces. <i>Advanced Optical Materials</i> , 2019, 7, 1801376.	7.3	23
45	Catenary Optics: Heat Resisting Metallic Meta-Skin for Simultaneous Microwave Broadband Scattering and Infrared Invisibility Based on Catenary Optical Field ( <i>Adv. Mater. Technol.</i> 2/2019). <i>Advanced Materials Technologies</i> , 2019, 4, 1970012.	5.8	0
46	Colorful Metahologram with Independently Controlled Images in Transmission and Reflection Spaces. <i>Advanced Functional Materials</i> , 2019, 29, 1809145.	14.9	65
47	Catenary Optics: Catenary Electromagnetics for Ultra-Broadband Lightweight Absorbers and Large-Scale Flat Antennas ( <i>Adv. Sci.</i> 7/2019). <i>Advanced Science</i> , 2019, 6, 1970038.	11.2	2
48	Heat Resisting Metallic Meta-Skin for Simultaneous Microwave Broadband Scattering and Infrared Invisibility Based on Catenary Optical Field. <i>Advanced Materials Technologies</i> , 2019, 4, 1800612.	5.8	32
49	Directional Coupling and Spin Routing in Catenary-Shaped SOI Waveguide. <i>IEEE Photonics Technology Letters</i> , 2019, 31, 415-418.	2.5	5
50	Generation of Polarization-Sensitive Modulated Optical Vortices with All-Dielectric Metasurfaces. <i>ACS Photonics</i> , 2019, 6, 628-633.	6.6	24
51	Refined Model for Plasmon Ruler Based on Catenary-Shaped Optical Fields. <i>Plasmonics</i> , 2019, 14, 845-850.	3.4	6
52	Ultra-wideband manipulation of electromagnetic waves by bilayer scattering engineered gradient metasurface. <i>RSC Advances</i> , 2018, 8, 13061-13066.	3.6	10
53	Plasmonic Metasurfaces for Simultaneous Thermal Infrared Invisibility and Holographic Illusion. <i>Advanced Functional Materials</i> , 2018, 28, 1706673.	14.9	151
54	Functional metasurfaces based on metallic and dielectric subwavelength slits and stripes array. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 144003.	1.8	11

#	ARTICLE	IF	CITATIONS
55	Chip-Integrated Geometric Metasurface As a Novel Platform for Directional Coupling and Polarization Sorting by Spin-Orbit Interaction. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-7.	2.9	50
56	Superresolution Focusing Using Metasurface with Circularly Arranged Nanoantennas. Plasmonics, 2018, 13, 147-153.	3.4	9
57	Color display and encryption with a plasmonic polarizing metamirror. Nanophotonics, 2018, 7, 323-331.	6.0	63
58	Photonic Devices: Plasmonic Metasurfaces for Switchable Photonic Spin-Orbit Interactions Based on Phase Change Materials (Adv. Sci. 10/2018). Advanced Science, 2018, 5, 1870063.	11.2	5
59	High-Efficiency and Wide-Angle Beam Steering Based on Catenary Optical Fields in Ultrathin Metalens. Advanced Optical Materials, 2018, 6, 1800592.	7.3	131
60	Revisitation of Extraordinary Young's Interference: from Catenary Optical Fields to Spin-Orbit Interaction in Metasurfaces. ACS Photonics, 2018, 5, 3198-3204.	6.6	112
61	Optimization on Plasmonic Lenses Based on Generation Efficiency of Surface Plasmon Polaritons at Metallic Nanoslit. Plasmonics, 2017, 12, 545-551.	3.4	0
62	Wide Field-of-view and Broadband Terahertz Beam Steering Based on Gap Plasmon Geodesic Antennas. Scientific Reports, 2017, 7, 41642.	3.3	5
63	Merging plasmonics and metamaterials by two-dimensional subwavelength structures. Journal of Materials Chemistry C, 2017, 5, 4361-4378.	5.5	75
64	Meta-holograms based on evanescent waves for encryption. RSC Advances, 2017, 7, 53611-53616.	3.6	2
65	Nanoapertures with ordered rotations: symmetry transformation and wide-angle flat lensing. Optics Express, 2017, 25, 31471.	3.4	114
66	Meta-Chirality: Fundamentals, Construction and Applications. Nanomaterials, 2017, 7, 116.	4.1	49
67	Merging Geometric Phase and Plasmon Retardation Phase in Continuously Shaped Metasurfaces for Arbitrary Orbital Angular Momentum Generation. ACS Photonics, 2016, 3, 2022-2029.	6.6	189
68	Dynamical manipulation of electromagnetic polarization using anisotropic meta-mirror. Scientific Reports, 2016, 6, 30771.	3.3	38
69	Scattering engineering in continuously shaped metasurface: An approach for electromagnetic illusion. Scientific Reports, 2016, 6, 30154.	3.3	34
70	Generation and Manipulation of Orbital Angular Momentum by All-Dielectric Metasurfaces. Plasmonics, 2016, 11, 337-344.	3.4	22
71	Enhanced Far-Field Focusing by Plasmonic Lens Under Radially Polarized Beam Illumination. Plasmonics, 2016, 11, 109-115.	3.4	14
72	Dispersion management of anisotropic metamirror for super-octave bandwidth polarization conversion. Scientific Reports, 2015, 5, 8434.	3.3	147

#	ARTICLE	IF	CITATIONS
73	Transmission and demodulation of multi-polarization-multiplexed signals. Science Bulletin, 2014, 59, 3943-3948.	1.7	0
74	Misalignments among stacked layers of metamaterial terahertz absorbers. Frontiers of Optoelectronics, 2014, 7, 53-58.	3.7	2
75	Electromagnetically Induced Transparency-Like Transmission in a Compact Side-Coupled T-Shaped Resonator. Journal of Lightwave Technology, 2014, 32, 1701-1707.	4.6	75
76	Ultra-Broadband Terahertz Absorbers Based on 4 Cascaded Metal-Dielectric Pairs. Plasmonics, 2014, 9, 951-957.	3.4	43
77	Characteristics of Plasmonic Filters with a Notch Located Along Rectangular Resonators. Plasmonics, 2013, 8, 167-171.	3.4	26
78	Design of Plasmonic Comb-Like Filters Using Loop-Based Resonators. Plasmonics, 2013, 8, 1017-1022.	3.4	20
79	Electromagnetically induced transparency (EIT)-like transmission in side-coupled complementary split-ring resonators. Optics Express, 2012, 20, 24348.	3.4	70
80	SEPARATION OF RESONANCE MODES IN NANORING RESONATOR BY A CASCADED SLOT CAVITY. Modern Physics Letters B, 2012, 26, 1250150.	1.9	3
81	One-to-Nine Multicasting of RZ-DPSK Based on Cascaded Four-Wave Mixing in a Highly Nonlinear Fiber Without Stimulated Brillouin Scattering Suppression. IEEE Photonics Technology Letters, 2012, 24, 1882-1885.	2.5	9
82	A plasmonic splitter based on slot cavity. Optics Express, 2011, 19, 13831.	3.4	117