

# William Yeo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9165279/publications.pdf>

Version: 2024-02-01

43  
papers

1,368  
citations

777949

13  
h-index

388640

36  
g-index

48  
all docs

48  
docs citations

48  
times ranked

1445  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validity and Reliability of the American Orthopaedic Foot and Ankle Society Score for the English-Literate Singapore Population With Hallux Valgus. Foot and Ankle Specialist, 2022, , 193864002210794.	0.5	3
2	Measurement properties of Pain Catastrophizing Scale in patients with knee osteoarthritis. Clinical Rheumatology, 2021, 40, 295-301.	1.0	18
3	The Effect of Body Mass Index on Long-Term Patient-Reported Outcome Scores after Anterior Cervical Discectomy and Fusion in an Asian Population: A 2-Year Study. Asian Spine Journal, 2021, 15, 512-522.	0.8	6
4	Patients With Poor Baseline Mental Health May Experience Significant Improvements in Pain and Disability After Minimally Invasive Transforaminal Lumbar Interbody Fusion. Clinical Spine Surgery, 2020, 33, 205-214.	0.7	9
5	The Association Between Psychological Resilience and Physical Function Among Older Adults With Hip Fracture Surgery. Journal of the American Medical Directors Association, 2020, 21, 260-266.e2.	1.2	30
6	Clinical and radiographic outcomes of computer-navigated total knee arthroplasty are not adversely affected by body mass index. Journal of Orthopaedics, 2020, 19, 54-58.	0.6	1
7	A comparison of contiguous two-level anterior cervical discectomy and fusion using a structural allograft versus a Polyetheretherketone (PEEK) cage: the results of a three-year follow-up. BMC Musculoskeletal Disorders, 2020, 21, 331.	0.8	8
8	Predictors of Outcomes After Single-level Anterior Cervical Discectomy and Fusion for Cervical Spondylotic Myelopathy. Clinical Spine Surgery, 2020, 33, E525-E532.	0.7	6
9	No Difference in Functional Outcome but Higher Revision Rate Among Smokers Undergoing Cervical Artificial Disc Replacement: Analysis of a Spine Registry. International Journal of Spine Surgery, 2020, 14, 916-923.	0.7	1
10	Women Do Not Have Poorer Outcomes After Minimally Invasive Lumbar Fusion Surgery: A Five-Year Follow-Up Study. International Journal of Spine Surgery, 2020, 14, 756-761.	0.7	0
11	The incidence of infection in routine knee arthroscopy without the use of prophylactic antibiotics is low. Proceedings of Singapore Healthcare, 2019, 28, 110-114.	0.2	0
12	Poor Baseline Mental Health Does Not Influence Improvement in Patient-reported Outcomes, Satisfaction, and Return to Work Two Years After Single-level Anterior Cervical Discectomy and Fusion. Spine, 2019, 44, 839-847.	1.0	17
13	The Influence of Body Mass Index on Functional Outcomes, Satisfaction, and Return to Work After Single-level Minimally-invasive Transforaminal Lumbar Interbody Fusion. Spine, 2019, 44, 809-817.	1.0	12
14	Reduction in foraminal height after lateral access surgery does not affect quality of life: A 2-year outcome study on lateral lumbar interbody fusion. Journal of Orthopaedic Surgery, 2019, 27, 230949901982933.	0.4	2
15	THU0445â€¦..ASSOCIATION BETWEEN PATIENTâ€™S EXPECTATION AND SATISFACTION FOLLOWING TOTAL KNEE REPLACEMENT FOR OSTEOARTHRITIS. , 2019, , .		0
16	AB1324â€¦..MEASUREMENT PROPERTIES OF THE 10-ITEM CONNOR-DAVIDSON RESILIENCE SCALE AMONG PATIENTS WITH TOTAL KNEE REPLACEMENT BASED ON ITEM RESPONSE THEORY. , 2019, , .		1
17	THU0439â€¦..MEASUREMENT PROPERTIES OF PAIN CATASTROPHIZING SCALE IN PATIENTS WITH KNEE OSTEOARTHRITIS. , 2019, , .		0
18	Time Taken to Return to Work Does Not Influence Outcomes of Minimally Invasive Transforaminal Lumbar Interbody Fusion. Spine, 2019, 44, 503-509.	1.0	8

#	ARTICLE	IF	CITATIONS
19	Association between preoperative anaemia and blood transfusion with long-term functional and quality of life outcomes amongst patients undergoing primary total knee arthroplasty in Singapore: a single-centre retrospective study. <i>Quality of Life Research</i> , 2019, 28, 85-98.	1.5	10
20	Pre-operative pressure pain thresholds do not meaningfully explain satisfaction or improvement in pain after knee replacement: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 49-58.	0.6	9
21	Perioperative Factors Influencing Postoperative Satisfaction After Lateral Access Surgery for Degenerative Lumbar Spondylolisthesis. <i>International Journal of Spine Surgery</i> , 2019, 13, 415-422.	0.7	5
22	The Diagnostic Value of Magnetic Resonance Imaging in Identifying Unsuspected Malignancy in Patients Undergoing Percutaneous Vertebral Augmentation for Vertebral Compression Fractures. <i>International Journal of Spine Surgery</i> , 2019, 13, 464-469.	0.7	4
23	Arthroscopic undersurface rotator cuff repair versus conventional arthroscopic double-row rotator cuff repair – Comparable results at 2-year follow-up. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901875757.	0.4	3
24	Outcomes of arthroscopic capsular release for the diabetic frozen shoulder in Asian patients. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901875757.	0.4	7
25	Short-term outcomes of arthroscopic TightRope® fixation are better than hook plate fixation in acute unstable acromioclavicular joint dislocations. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 869-875.	0.6	35
26	Clinical and Radiological Outcomes Comparing Percutaneous Chevron-Akin Osteotomies vs Open Scarf-Akin Osteotomies for Hallux Valgus. <i>Foot and Ankle International</i> , 2018, 39, 311-317.	1.1	69
27	The Impact of Diabetes on Patient Outcomes After Total Knee Arthroplasty in an Asian Population. <i>Journal of Arthroplasty</i> , 2018, 33, 3186-3189.	1.5	11
28	The Role of Prefracture Health Status in Physical and Mental Function After Hip Fracture Surgery. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 989-994.e2.	1.2	4
29	Preoperative Leg Pain Score Predicts Patient Satisfaction After Transforaminal Lumbar Interbody Fusion Surgery. <i>Global Spine Journal</i> , 2018, 8, 354-358.	1.2	15
30	Surgical site infection after primary total knee arthroplasty is associated with a longer duration of surgery. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901878564.	0.4	27
31	Subtalar arthroscopy and fluoroscopy in percutaneous fixation of intra-articular calcaneal fractures. <i>Journal of Orthopaedic Surgery</i> , 2017, 25, 230949901668499.	0.4	6
32	Associated lumbar scoliosis does not affect outcomes in patients undergoing focal minimally invasive surgery-transforaminal lumbar interbody fusion (MISTLIF) for neurogenic symptoms – a minimum 2-year follow-up study. <i>Spine Journal</i> , 2017, 17, 34-43.	0.6	5
33	Single-Level Minimally Invasive Transforaminal Lumbar Interbody Fusion Provides Sustained Improvements in Clinical and Radiological Outcomes up to 5 Years Postoperatively in Patients with Neurogenic Symptoms Secondary to Spondylolisthesis. <i>Asian Spine Journal</i> , 2017, 11, 204-212.	0.8	19
34	Elderly Patients Achieving Clinical and Radiological Outcomes Comparable with Those of Younger Patients Following Minimally Invasive Transforaminal Lumbar Interbody Fusion. <i>Asian Spine Journal</i> , 2017, 11, 230-242.	0.8	19
35	Predictors for Rehabilitation Outcome in Asian Geriatric Hip Fracture Patients. <i>Journal of Orthopaedic Surgery</i> , 2016, 24, 153-157.	0.4	10
36	Intraoperative reduction does not result in better outcomes in low-grade lumbar spondylolisthesis with neurogenic symptoms after minimally invasive transforaminal lumbar interbody fusion – a 5-year follow-up study. <i>Spine Journal</i> , 2016, 16, 182-190.	0.6	31

#	ARTICLE	IF	CITATIONS
37	Bone Morphogenic Protein Is a Viable Adjunct for Fusion in Minimally Invasive Transforaminal Lumbar Interbody Fusion. Asian Spine Journal, 2016, 10, 1091.	0.8	12
38	A proposed set of metrics for standardized outcome reporting in the management of low back pain. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 523-533.	1.2	120
39	Five-Year Outcomes of Minimally Invasive Versus Open Transforaminal Lumbar Interbody Fusion. Spine, 2013, 38, 2049-2055.	1.0	204
40	A Comparison of Clinical Outcomes of Two Methods of Femoral Hamstring Graft Pin Fixation in Anterior Cruciate Ligament Reconstruction. Proceedings of Singapore Healthcare, 2013, 22, 248-252.	0.2	1
41	Clinical and radiological outcomes of open versus minimally invasive transforaminal lumbar interbody fusion. European Spine Journal, 2012, 21, 2265-2270.	1.0	237
42	Clinical and Radiological Outcomes of Minimally Invasive Versus Open Transforaminal Lumbar Interbody Fusion. Spine, 2009, 34, 1385-1389.	1.0	383
43	Radiofrequency Plantar Fascia Coblation With and Without Gastrocnemius Recession in the Management of Recalcitrant Plantar Fasciitis. Foot and Ankle International, 0, , 107110072210918.	1.1	0