Melih Papila

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/916556/publications.pdf

Version: 2024-02-01

44 papers

889 citations

471509 17 h-index 28 g-index

44 all docs 44 docs citations

44 times ranked 1082 citing authors

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------------|
| 1 | Effects of hot melt adhesives on the interfacial properties of overmolded hybrid structures of polyamide-6 on continuous carbon fiber/epoxy composites. Composites Part A: Applied Science and Manufacturing, 2020, 139, 106106. | 7.6 | 20 |
| 2 | Overmolded hybrid composites of polyamide-6 on continuous carbon and glass fiber/epoxy composites:  An assessment of the interface'. Composites Part A: Applied Science and Manufacturing, 2020, 131, 105771. | 7.6 | 25 |
| 3 | Morphological evaluation and phase behavior of PVDF/PEO blends in the presence of graphene nanoplatelets through rheological measurements. Journal of Applied Polymer Science, 2019, 136, 48017. | 2.6 | 17 |
| 4 | Multiscale Reinforcing Interlayers of Self-same P(St-co-GMA) Nanofibers Loaded with MCF for Polymer Composites and Nanocomposites. , $2019, \dots$ | | 1 |
| 5 | Catalytic synthesis of boron nitride nanotubes at low temperatures. Nanoscale, 2018, 10, 4658-4662. | 5.6 | 11 |
| 6 | Preparation of high surface area activated carbon from waste-biomass of sunflower piths: Kinetics and equilibrium studies on the dye removal. Journal of Environmental Chemical Engineering, 2018, 6, 1702-1713. | 6.7 | 116 |
| 7 | Design of and with thin-ply non-crimp fabric as building blocks for composites. Science and Engineering of Composite Materials, 2018, 25, 501-516. | 1.4 | 2 |
| 8 | Polyvinylidene fluoride grafted poly(styrene sulfonic acid) as ionic polymer-metal composite actuator. Sensors and Actuators A: Physical, 2018, 279, 157-167. | 4.1 | 15 |
| 9 | High strain rate response of nanofiber interlayered structural composites. Composite Structures, 2017, 168, 47-55. | 5.8 | 19 |
| 10 | Investigation of electrochemical actuation by polyaniline nanofibers. Smart Materials and Structures, 2017, 26, 095021. | 3 . 5 | 8 |
| 11 | Synergistic role of in-situ crosslinkable electrospun nanofiber/epoxy nanocomposite interlayers for superior laminated composites. Composites Science and Technology, 2017, 151, 310-316. | 7.8 | 14 |
| 12 | Conjugated dual-phase transitions in crystalline/crystalline blend of poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock | 2 19,7ƒ 50 | 302 Td (fluorid |
| 13 | Effect of miscibility state on crystallization behavior and polymorphism in crystalline/crystalline blends of poly(vinylidene fluoride)/poly(ethylene oxide). Macromolecular Research, 2016, 24, 698-709. | 2.4 | 17 |
| 14 | PVA/PANI/rGO ternary electrospun mats as metal-free anti-bacterial substrates. RSC Advances, 2016, 6, 92434-92442. | 3.6 | 18 |
| 15 | Stabilized electrospinning of heat stimuli/ <i>in situ</i> i> crosslinkable nanofibers and their selfâ€same nanocomposites. Journal of Applied Polymer Science, 2016, 133, . | 2.6 | 4 |
| 16 | Graphene-reinforced poly(vinyl alcohol) electrospun fibers as building blocks for high performance nanocomposites. RSC Advances, 2015, 5, 85009-85018. | 3.6 | 30 |
| 17 | Global and local nanofibrous interlayer toughened composites for higher in-plane strength. Composites Part A: Applied Science and Manufacturing, 2014, 58, 73-76. | 7.6 | 39 |
| 18 | Structural composites hybridized with epoxy compatible polymer/MWCNT nanofibrous interlayers. Composites Science and Technology, 2012, 72, 1639-1645. | 7.8 | 46 |

| # | Article | lF | Citations |
|----|---|-----|-----------|
| 19 | MWCNTs/P(St- <i>co</i> GMA) Composite Nanofibers of Engineered Interface Chemistry for Epoxy Matrix Nanocomposites. ACS Applied Materials & Samp; Interfaces, 2012, 4, 777-784. | 8.0 | 50 |
| 20 | Microstructural features and electrical properties of copper oxide added potassium sodium niobate ceramics. Ceramics International, 2010, 36, 1921-1927. | 4.8 | 60 |
| 21 | Dielectric behavior characterization of a fibrousâ€ZnO/PVDF nanocomposite. Polymer Composites, 2010, 31, 1003-1010. | 4.6 | 24 |
| 22 | Engineering Chemistry of Electrospun Nanofibers and Interfaces in Nanocomposites for Superior Mechanical Properties. ACS Applied Materials & Samp; Interfaces, 2010, 2, 1788-1793. | 8.0 | 66 |
| 23 | Electrospun Polymer/MWCNTs Nanofiber Reinforced Composites "Improvement of Interfacial Bonding by Surface Modified Nanofibers― Materials Research Society Symposia Proceedings, 2009, 1224, 1. | 0.1 | 0 |
| 24 | Processing Conditions and Aging Effect on the Morphology of PZT Electrospun Nanofibers, and Dielectric Properties of the Resulting 3–3 PZT/Polymer Composite. Journal of the American Ceramic Society, 2009, 92, 2566-2570. | 3.8 | 31 |
| 25 | Electrical properties of CuO added-KNN ceramics and $1\&\#x2013;3$ Piezocomposites. , $2009,$, . | | 1 |
| 26 | Optimization of clamped circular piezoelectric composite actuators. Sensors and Actuators A: Physical, 2008, 147, 310-323. | 4.1 | 30 |
| 27 | The effect of IPMC parameters in electromechanical coefficient based on equivalent beam theory. , 2008, , . | | 3 |
| 28 | Pb(Zr,Ti)O3 Nanofibers Produced by Electrospinning Process. Materials Research Society Symposia Proceedings, 2008, 1129, 1. | 0.1 | 1 |
| 29 | Poly(vinylidene fluoride)/zinc oxide smart composite material. , 2007, , . | | 5 |
| 30 | Piezoresistive Microphone Design Pareto Optimization: Tradeoff Between Sensitivity and Noise Floor. Journal of Microelectromechanical Systems, 2006, 15, 1632-1643. | 2.5 | 41 |
| 31 | Modeling and optimization of a side-implanted piezoresistive shear stress sensor. , 2006, , . | | 9 |
| 32 | Generalized pointwise bias error bounds for response surface approximations. International Journal for Numerical Methods in Engineering, 2006, 65, 2035-2059. | 2.8 | 2 |
| 33 | Pointwise Bias Error Bounds and Min-Max Design for Response Surface Approximations. AIAA Journal, 2005, 43, 1797-1807. | 2.6 | 3 |
| 34 | Optimization of Synthetic Jet Actuators. , 2003, , . | | 31 |
| 35 | Estimating Optimization Error Statistics via Optimization Runs from Multiple Starting Points., 2002,,. | | 0 |
| 36 | Uncertainty and response surface approximations. , 2001, , . | | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Detection and Repair of Poorly Converged Optimization Runs. AIAA Journal, 2001, 39, 2242-2249. | 2.6 | 12 |
| 38 | Post-Buckling of Composite I-Sections. Part 2: Experimental Validation. Journal of Composite Materials, 2001, 35, 797-821. | 2.4 | 6 |
| 39 | Post-Buckling of Composite I-Sections. Part 1: Theory. Journal of Composite Materials, 2001, 35, 774-796. | 2.4 | 5 |
| 40 | Detection and correction of poorly converged optimizations by Iteratively Reweighted Least Squares. , 2000, , . | | 5 |
| 41 | Response Surface Approximations: Noise, Error Repair, and Modeling Errors. AIAA Journal, 2000, 38, 2336-2343. | 2.6 | 53 |
| 42 | Response surfaces for optimal weight of cracked composite panels - Noise and accuracy. , 2000, , . | | 4 |
| 43 | Response approximations - Noise, error repair, modeling errors. AIAA Journal, 2000, 38, 2336-2343. | 2.6 | 2 |
| 44 | Uncertainty and wing structural weight approximations. , 1999, , . | | 10 |