

Claudio Jeldres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9166524/publications.pdf>

Version: 2024-02-01

160
papers

8,742
citations

26610

56
h-index

51562

86
g-index

163
all docs

163
docs citations

163
times ranked

7173
citing authors

#	ARTICLE	IF	CITATIONS
1	Perioperative Outcomes of Robot-Assisted Radical Prostatectomy Compared With Open Radical Prostatectomy: Results From the Nationwide Inpatient Sample. <i>European Urology</i> , 2012, 61, 679-685.	0.9	345
2	Radical versus partial nephrectomy. <i>Cancer</i> , 2009, 115, 1465-1471.	2.0	285
3	Toxicities Associated with the Administration of Sorafenib, Sunitinib, and Temsirolimus and Their Management in Patients with Metastatic Renal Cell Carcinoma. <i>European Urology</i> , 2008, 53, 917-930.	0.9	226
4	Incidence, survival and mortality rates of stage-specific bladder cancer in United States: A trend analysis. <i>Cancer Epidemiology</i> , 2013, 37, 219-225.	0.8	222
5	A Nomogram Predicting 10-Year Life Expectancy in Candidates for Radical Prostatectomy or Radiotherapy for Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2007, 25, 3576-3581.	0.8	205
6	The European Network for the Study of Adrenal Tumors staging system is prognostically superior to the international union against cancer-staging system: A North American validation. <i>European Journal of Cancer</i> , 2010, 46, 713-719.	1.3	191
7	C-reactive protein is an informative predictor of renal cell carcinoma-specific mortality. <i>Cancer</i> , 2007, 110, 1241-1247.	2.0	165
8	Characteristics and Outcomes of Patients with Clinical T1 Grade 3 Urothelial Carcinoma Treated with Radical Cystectomy: Results from an International Cohort. <i>European Urology</i> , 2010, 57, 300-309.	0.9	159
9	A Competing-Risks Analysis of Survival After Alternative Treatment Modalities for Prostate Cancer Patients: 1988-2006. <i>European Urology</i> , 2011, 59, 88-95.	0.9	159
10	Impact of Tumor Location on Prognosis for Patients with Upper Tract Urothelial Carcinoma Managed by Radical Nephroureterectomy. <i>European Urology</i> , 2010, 57, 1072-1079.	0.9	155
11	Nephroureterectomy and segmental ureterectomy in the treatment of invasive upper tract urothelial carcinoma: A population-based study of 2299 patients. <i>European Journal of Cancer</i> , 2009, 45, 3291-3297.	1.3	151
12	Combination of Multiple Molecular Markers Can Improve Prognostication in Patients With Locally Advanced and Lymph Node Positive Bladder Cancer. <i>Journal of Urology</i> , 2010, 183, 68-75.	0.2	146
13	A Critical Appraisal of the Value of Lymph Node Dissection at Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Urology</i> , 2010, 75, 118-124.	0.5	144
14	A Population Based Assessment of Perioperative Mortality After Cystectomy for Bladder Cancer. <i>Journal of Urology</i> , 2009, 182, 70-77.	0.2	131
15	Clinicians are poor raters of life expectancy before radical prostatectomy or definitive radiotherapy for localized prostate cancer. <i>BJU International</i> , 2007, 100, 1254-1258.	1.3	129
16	Neoadjuvant Sunitinib Induction Therapy May Effectively Down-Stage Renal Cell Carcinoma Atrial Thrombi. <i>European Urology</i> , 2008, 53, 845-848.	0.9	123
17	A Preoperative Prognostic Model for Patients Treated with Nephrectomy for Renal Cell Carcinoma. <i>European Urology</i> , 2009, 55, 287-295.	0.9	121
18	Pathological results and rates of treatment failure in high-risk prostate cancer patients after radical prostatectomy. <i>BJU International</i> , 2011, 107, 765-770.	1.3	120

#	ARTICLE	IF	CITATIONS
19	A critical assessment of the prognostic value of clear cell, papillary and chromophobe histological subtypes in renal cell carcinoma: a population-based study. <i>BJU International</i> , 2009, 103, 1496-1500.	1.3	118
20	Validation of the Contemporary Epstein Criteria for Insignificant Prostate Cancer in European Men. <i>European Urology</i> , 2008, 54, 1306-1313.	0.9	114
21	Can nomograms be superior to other prediction tools?. <i>BJU International</i> , 2009, 103, 492-497.	1.3	108
22	Location of the Primary Tumor is Not an Independent Predictor of Cancer Specific Mortality in Patients With Upper Urinary Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2009, 182, 2177-2181.	0.2	106
23	Gender-related Differences in Patients With Stage I to III Upper Tract Urothelial Carcinoma: Results From the Surveillance, Epidemiology, and End Results Database. <i>Urology</i> , 2010, 75, 321-327.	0.5	106
24	Biopsy Core Number Represents One of Foremost Predictors of Clinically Significant Gleason Sum Upgrading in Patients With Low-risk Prostate Cancer. <i>Urology</i> , 2009, 73, 1087-1091.	0.5	102
25	Segmental Ureterectomy Can Safely be Performed in Patients With Transitional Cell Carcinoma of the Ureter. <i>Journal of Urology</i> , 2010, 183, 1324-1329.	0.2	102
26	Nephron-sparing Surgery Is Equally Effective to Radical Nephrectomy for T1BNOM0 Renal Cell Carcinoma: A Population-based Assessment. <i>Urology</i> , 2010, 75, 271-275.	0.5	98
27	Predictive Value of Combined Immunohistochemical Markers in Patients With pT1 Urothelial Carcinoma at Radical Cystectomy. <i>Journal of Urology</i> , 2009, 182, 78-84.	0.2	93
28	The Rate of Secondary Malignancies After Radical Prostatectomy Versus External Beam Radiation Therapy for Localized Prostate Cancer: A Population-Based Study on 17,845 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 76, 342-348.	0.4	93
29	A Population-based Assessment of Perioperative Mortality After Nephroureterectomy for Upper-tract Urothelial Carcinoma. <i>Urology</i> , 2010, 75, 315-320.	0.5	93
30	Association of Angiogenesis Related Markers With Bladder Cancer Outcomes and Other Molecular Markers. <i>Journal of Urology</i> , 2010, 183, 1744-1750.	0.2	91
31	Treatment Management of Small Renal Masses in the 21st Century: A Paradigm Shift. <i>Annals of Surgical Oncology</i> , 2012, 19, 2380-2387.	0.7	91
32	A population-based competing risks analysis of the survival of patients treated with radical cystectomy for bladder cancer. <i>Cancer</i> , 2011, 117, 103-109.	2.0	89
33	Partial Versus Radical Nephrectomy in Patients With Adverse Clinical or Pathologic Characteristics. <i>Urology</i> , 2009, 73, 1300-1305.	0.5	87
34	Comparison of mortality outcomes after radical prostatectomy versus radiotherapy in patients with localized prostate cancer: A population-based analysis. <i>International Journal of Urology</i> , 2012, 19, 836-844.	0.5	85
35	Should Bladder Cuff Excision Remain the Standard of Care at Nephroureterectomy in Patients with Urothelial Carcinoma of the Renal Pelvis? A Population-based Study. <i>European Urology</i> , 2010, 57, 956-962.	0.9	84
36	Decreasing Rate and Extent of Lymph Node Staging in Patients Undergoing Radical Prostatectomy May Undermine the Rate of Diagnosis of Lymph Node Metastases in Prostate Cancer. <i>European Urology</i> , 2010, 58, 882-892.	0.9	84

#	ARTICLE	IF	CITATIONS
37	Tumour volume and high grade tumour volume are the best predictors of pathologic stage and biochemical recurrence after radical prostatectomy. <i>European Journal of Cancer</i> , 2007, 43, 536-543.	1.3	77
38	Partial Cystectomy Does Not Undermine Cancer Control in Appropriately Selected Patients With Urothelial Carcinoma of the Bladder: A Population-based Matched Analysis. <i>Urology</i> , 2009, 74, 858-864.	0.5	77
39	Stage-specific effect of nodal metastases on survival in patients with non-metastatic renal cell carcinoma. <i>BJU International</i> , 2009, 103, 33-37.	1.3	75
40	Highly predictive survival nomogram after upper urinary tract urothelial carcinoma. <i>Cancer</i> , 2010, 116, 3774-3784.	2.0	73
41	Impact of chronic prostatitis-like symptoms on the quality of life in a large group of men. <i>BJU International</i> , 2007, 100, 1307-1311.	1.3	70
42	Survivin as a Prognostic Marker for Urothelial Carcinoma of the Bladder: A Multicenter External Validation Study. <i>Clinical Cancer Research</i> , 2009, 15, 7012-7019.	3.2	69
43	p53 expression in patients with advanced urothelial cancer of the urinary bladder. <i>BJU International</i> , 2010, 105, 489-495.	1.3	69
44	Cancer-Specific and Other-Cause Mortality After Radical Prostatectomy Versus Observation in Patients with Prostate Cancer: Competing-Risks Analysis of a Large North American Population-Based Cohort. <i>European Urology</i> , 2011, 60, 920-930.	0.9	69
45	Population-based Assessment of Survival After Cytoreductive Nephrectomy Versus No Surgery in Patients With Metastatic Renal Cell Carcinoma. <i>Urology</i> , 2009, 73, 342-346.	0.5	67
46	Tumor Size is a Determinant of the Rate of Stage T1 Renal Cell Cancer Synchronous Metastasis. <i>Journal of Urology</i> , 2009, 182, 1287-1293.	0.2	67
47	Prospective randomized trial of barbed polyglyconate suture to facilitate vesico-urethral anastomosis during robot-assisted radical prostatectomy: time reduction and cost benefit. <i>BJU International</i> , 2012, 109, 1526-1532.	1.3	65
48	Stage-specific impact of pelvic lymph node dissection on survival in patients with non-metastatic bladder cancer treated with radical cystectomy. <i>BJU International</i> , 2012, 109, 1147-1154.	1.3	64
49	A Proposal for Reclassification of the Fuhrman Grading System in Patients with Clear Cell Renal Cell Carcinoma. <i>European Urology</i> , 2009, 56, 775-781.	0.9	62
50	Prognostic significance of lymph node invasion in patients with metastatic renal cell carcinoma. <i>Cancer</i> , 2009, 115, 5680-5687.	2.0	61
51	A Population-based Comparison of Cancer-control Rates Between Radical and Partial Nephrectomy for T1a Renal Cell Carcinoma. <i>Urology</i> , 2010, 76, 883-888.	0.5	61
52	Adenocarcinoma Versus Urothelial Carcinoma of the Urinary Bladder: Comparison Between Pathologic Stage at Radical Cystectomy and Cancer-specific Mortality. <i>Urology</i> , 2010, 75, 376-381.	0.5	61
53	Extranodal Extension Is a Powerful Prognostic Factor in Bladder Cancer Patients with Lymph Node Metastasis. <i>European Urology</i> , 2013, 64, 837-845.	0.9	61
54	Thirty-Day Mortality After Nephrectomy: Clinical Implications for Informed Consent. <i>European Urology</i> , 2009, 56, 998-1005.	0.9	60

#	ARTICLE	IF	CITATIONS
55	How can we predict lymphorrhoea and clinically significant lymphocoeles after radical prostatectomy and pelvic lymphadenectomy? Clinical implications. <i>BJU International</i> , 2011, 107, 1095-1101.	1.3	58
56	Hospital Volume is a Determinant of Postoperative Complications, Blood Transfusion and Length of Stay After Radical or Partial Nephrectomy. <i>Journal of Urology</i> , 2012, 187, 405-410.	0.2	58
57	Prognostic Value of Extranodal Extension and Other Lymph Node Parameters in Patients With Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2012, 187, 845-851.	0.2	57
58	p53 Predictive Value for pT1-2 N0 Disease at Radical Cystectomy. <i>Journal of Urology</i> , 2009, 182, 907-913.	0.2	54
59	Conditional Survival Predictions After Nephrectomy for Renal Cell Carcinoma. <i>Journal of Urology</i> , 2009, 182, 2607-2612.	0.2	52
60	The effect of marital status on stage and survival of prostate cancer patients treated with radical prostatectomy: a population-based study. <i>Cancer Causes and Control</i> , 2011, 22, 1085-1095.	0.8	51
61	Conditional survival of patients with urothelial carcinoma of the urinary bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , 2012, 48, 1503-1511.	1.3	50
62	Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. <i>International Journal of Urology</i> , 2012, 19, 645-651.	0.5	50
63	Can Renal Mass Biopsy Assessment of Tumor Grade be Safely Substituted for by a Predictive Model?. <i>Journal of Urology</i> , 2009, 182, 2585-2589.	0.2	48
64	A comparative population-based analysis of the rate of partial vs radical nephrectomy for clinically localized renal cell carcinoma. <i>BJU International</i> , 2010, 105, 359-364.	1.3	48
65	Is robotic surgery cost-effective. <i>Current Opinion in Urology</i> , 2012, 22, 61-65.	0.9	48
66	Population-based Study of Perioperative Mortality After Retroperitoneal Lymphadenectomy for Nonseminomatous Testicular Germ Cell Tumors. <i>Urology</i> , 2009, 74, 373-377.	0.5	47
67	External Validation of the Updated Partin Tables in a Cohort of French and Italian Men. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 73, 347-352.	0.4	46
68	Mortality at 120 days after prostatic biopsy: A population-based study of 22,175 men. <i>International Journal of Cancer</i> , 2008, 123, 647-652.	2.3	44
69	Baseline renal function, ischaemia time and blood loss predict the rate of renal failure after partial nephrectomy. <i>BJU International</i> , 2009, 103, 1632-1635.	1.3	44
70	Survival after radical cystectomy of non-bilharzial squamous cell carcinoma vs urothelial carcinoma: a competing-risks analysis. <i>BJU International</i> , 2012, 109, 564-569.	1.3	44
71	Cytoreductive Partial Nephrectomy Does Not Undermine Cancer Control in Metastatic Renal Cell Carcinoma: A Population-Based Study. <i>Urology</i> , 2008, 72, 1090-1095.	0.5	43
72	A Stage-for-Stage and Grade-for-Grade Analysis of Cancer-Specific Mortality Rates in Renal Cell Carcinoma According to Age: A Competing-Risks Regression Analysis. <i>European Urology</i> , 2011, 60, 1152-1159.	0.9	43

#	ARTICLE	IF	CITATIONS
73	The Effect of Comorbidity and Socioeconomic Status on Sexual and Urinary Function and on General Health-Related Quality of Life in Men Treated with Radical Prostatectomy for Localized Prostate Cancer. <i>Journal of Sexual Medicine</i> , 2008, 5, 919-927.	0.3	41
74	Pre-treatment biomarker levels improve the accuracy of post-prostatectomy nomogram for prediction of biochemical recurrence. <i>Prostate</i> , 2009, 69, 886-894.	1.2	40
75	Survival Benefit of Radical Prostatectomy in Patients with Localized Prostate Cancer: Estimations of the Number Needed to Treat According to Tumor and Patient Characteristics. <i>Journal of Urology</i> , 2012, 188, 73-83.	0.2	40
76	Age at diagnosis is a determinant factor of renal cell carcinoma-specific survival in patients treated with nephrectomy. <i>Canadian Urological Association Journal</i> , 2013, 2, 610.	0.3	40
77	Prediction of delayed graft function after renal transplantation. <i>Canadian Urological Association Journal</i> , 2013, 3, 377.	0.3	39
78	Clinicians are Most Familiar with Nomograms and Rate their Clinical Usefulness Highest, Look-up Tables are Second Best. <i>European Urology</i> , 2008, 54, 958-959.	0.9	37
79	A population-based comparison of survival after nephrectomy vs nonsurgical management for small renal masses. <i>BJU International</i> , 2009, 103, 899-904.	1.3	37
80	External Validation of the Updated Partin Tables in a Cohort of North American Men. <i>Journal of Urology</i> , 2008, 180, 898-903.	0.2	36
81	Radical cystectomy for patients with pT4 urothelial carcinoma in a large population-based study. <i>BJU International</i> , 2011, 107, 905-911.	1.3	36
82	Development and Validation of a Reference Table for Prediction of Postoperative Mortality Rate in Patients Treated with Radical Cystectomy: A Population-based Study. <i>Annals of Surgical Oncology</i> , 2012, 19, 309-317.	0.7	36
83	A Simple and Accurate Model for Prediction of Cancer-Specific Mortality in Patients Treated with Surgery for Primary Penile Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2009, 15, 1013-1018.	3.2	34
84	A Contemporary Population-Based Assessment of the Rate of Lymph Node Dissection for Penile Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 439-446.	0.7	34
85	Radical Prostatectomy at Academic Versus Nonacademic Institutions: A Population Based Analysis. <i>Journal of Urology</i> , 2011, 186, 1849-1854.	0.2	33
86	Poor Overall Survival in Septa- and Octogenarian Patients after Radical Prostatectomy and Radiotherapy for Prostate Cancer: A Population-Based Study of 6183 Men. <i>European Urology</i> , 2008, 54, 107-117.	0.9	32
87	The effect of surgical volume, age and comorbidities on 30-day mortality after radical prostatectomy: a population-based analysis of 9208 consecutive cases. <i>BJU International</i> , 2008, 101, 826-832.	1.3	30
88	Effect of Body Mass Index on Histopathologic Parameters: Results of Large European Contemporary Consecutive Open Radical Prostatectomy Series. <i>Urology</i> , 2009, 73, 615-619.	0.5	30
89	Body mass index does not predict prostate-specific antigen or percent free prostate-specific antigen in men undergoing prostate cancer screening. <i>European Journal of Cancer</i> , 2007, 43, 1180-1187.	1.3	29
90	Nephrectomy improves the survival of patients with locally advanced renal cell carcinoma. <i>BJU International</i> , 2008, 102, 1610-1614.	1.3	29

#	ARTICLE	IF	CITATIONS
91	Tumor Grade Improves the Prognostic Ability of American Joint Committee on Cancer Stage in Patients With Penile Carcinoma. <i>Journal of Urology</i> , 2011, 185, 501-507.	0.2	29
92	Early Postoperative Plasma Transforming Growth Factor- β 1 is a Strong Predictor of Biochemical Progression After Radical Prostatectomy. <i>Journal of Urology</i> , 2008, 179, 1593-1597.	0.2	28
93	Competing-Risks Mortality After Radiotherapy vs. Observation for Localized Prostate Cancer: A Population-based Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 95-103.	0.4	28
94	Node-positive renal cell carcinoma in the absence of distant metastases: predictors of cancer-specific mortality in a population-based cohort. <i>BJU International</i> , 2012, 110, E21-7.	1.3	28
95	Temporal stage and grade migration in surgically treated patients with upper tract urothelial carcinoma. <i>BJU International</i> , 2010, 105, 799-804.	1.3	27
96	Comparative Study of Inguinal Hernia Repair After Radical Prostatectomy, Prostate Biopsy, Transurethral Resection of the Prostate or Pelvic Lymph Node Dissection. <i>Journal of Urology</i> , 2010, 183, 970-976.	0.2	27
97	Race affects access to nephrectomy but not survival in renal cell carcinoma. <i>BJU International</i> , 2009, 103, 889-893.	1.3	26
98	Oncological and Functional Outcomes After Robot-assisted Radical Cystectomy: Critical Review of Current Status. <i>Urology</i> , 2011, 78, 977-984.	0.5	26
99	Patients with distant metastases from renal cell carcinoma can be accurately identified: external validation of a new nomogram. <i>BJU International</i> , 2007, 101, 071003001542001-???	1.3	25
100	Accuracy of life tables in predicting overall survival in patients after radical prostatectomy. <i>BJU International</i> , 2008, 102, 33-38.	1.3	25
101	Assessment of Pathological Prostate Cancer Characteristics in Men with Favorable Biopsy Features on Predominantly Sextant Biopsy. <i>European Urology</i> , 2009, 55, 617-628.	0.9	25
102	A Population-based Analysis of the Rate of Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma in the United States. <i>Urology</i> , 2009, 74, 837-841.	0.5	25
103	Improvement of racial disparities with respect to the utilization of minimally invasive radical prostatectomy in the United States. <i>Cancer</i> , 2012, 118, 1894-1900.	2.0	25
104	Transperineal Template Guided Prostate Biopsy Selects Candidates for Active Surveillance—How Many Cores are Enough?. <i>Journal of Urology</i> , 2015, 194, 674-679.	0.2	25
105	Unilateral Prostate Cancer Cannot be Accurately Predicted in Low-Risk Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 784-787.	0.4	24
106	Impact of Caseload on Total Hospital Charges: A Direct Comparison Between Minimally Invasive and Open Radical Prostatectomy—A Population Based Study. <i>Journal of Urology</i> , 2011, 185, 855-861.	0.2	24
107	Risk factors for biochemical recurrence following radical perineal prostatectomy in a large contemporary series: A detailed assessment of margin extent and location. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1470-1476.	0.8	24
108	Zonal Origin of Localized Prostate Cancer Does not Affect the Rate of Biochemical Recurrence after Radical Prostatectomy. <i>European Urology</i> , 2007, 51, 949-955.	0.9	23

#	ARTICLE	IF	CITATIONS
109	Baseline Prevalence of Erectile Dysfunction in a Prostate Cancer Screening Population. <i>Journal of Sexual Medicine</i> , 2008, 5, 428-435.	0.3	23
110	Laparoscopic Partial Nephrectomy: Predictors of Prolonged Warm Ischemia. <i>Journal of Urology</i> , 2009, 182, 860-865.	0.2	23
111	Predicting life expectancy in prostate cancer patients. <i>Current Opinion in Supportive and Palliative Care</i> , 2009, 3, 166-169.	0.5	23
112	Discharge patterns after radical prostatectomy in the United States of America. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1022-1032.	0.8	22
113	Development and External Validation of a Highly Accurate Nomogram for the Prediction of Perioperative Mortality After Transurethral Resection of the Prostate for Benign Prostatic Hyperplasia. <i>Journal of Urology</i> , 2009, 182, 626-632.	0.2	21
114	Distribution of prostate specific antigen (PSA) and percentage free PSA in a contemporary screening cohort with no evidence of prostate cancer. <i>BJU International</i> , 2007, 100, 37-41.	1.3	19
115	External validation of a nomogram predicting mortality in patients with adrenocortical carcinoma. <i>BJU International</i> , 2009, 104, 1661-1667.	1.3	19
116	The presence of prostate cancer on saturation biopsy can be accurately predicted. <i>BJU International</i> , 2010, 105, 636-641.	1.3	19
117	Higher perioperative morbidity and in-hospital mortality in patients with end-stage renal disease undergoing nephrectomy for non-metastatic kidney cancer: a population-based analysis. <i>BJU International</i> , 2012, 110, E183-90.	1.3	19
118	The probability of Gleason score upgrading between biopsy and radical prostatectomy can be accurately predicted. <i>International Journal of Urology</i> , 2009, 16, 526-529.	0.5	18
119	Nephrectomy improves survival in patients with invasion of adjacent viscera and absence of nodal metastases (stage T4N0 renal cell carcinoma). <i>BJU International</i> , 2009, 104, 795-799.	1.3	18
120	Blood Transfusions in Radical Prostatectomy: A Contemporary Population-based Analysis. <i>Urology</i> , 2012, 79, 332-338.	0.5	18
121	Effect of Nodal Metastases on Cancer-specific Mortality After Cytoreductive Nephrectomy. <i>Annals of Surgical Oncology</i> , 2013, 20, 2096-2102.	0.7	18
122	High surgical volume is associated with a lower rate of secondary therapy after radical prostatectomy for localized prostate cancer. <i>BJU International</i> , 2008, 102, 463-467.	1.3	17
123	High Provider Volume is Associated with Lower Rate of Secondary Therapies after Definitive Radiotherapy for Localized Prostate Cancer. <i>European Urology</i> , 2008, 54, 97-106.	0.9	17
124	Leapfrog volume thresholds and perioperative complications after radical prostatectomy. <i>Cancer</i> , 2012, 118, 4991-4998.	2.0	17
125	Survival after radical prostatectomy and radiotherapy for prostate cancer: a population-based study. <i>Canadian Urological Association Journal</i> , 2009, 3, 13-21.	0.3	17
126	Health-insurance status is a determinant of the stage at presentation and of cancer control in European men treated with radical prostatectomy for clinically localized prostate cancer. <i>BJU International</i> , 2007, 99, 1404-1408.	1.3	16

#	ARTICLE	IF	CITATIONS
127	Prediction of Pathological Stage is Inaccurate in Men with PSA Values above 20ng/mL. <i>European Urology</i> , 2007, 52, 1374-1380.	0.9	16
128	Comparative Study of Inguinal Hernia Repair Rates After Radical Prostatectomy or External Beam Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 1307-1313.	0.4	16
129	The Importance of Pelvic Lymph Node Dissection in the Elderly Population: Implications for Interpreting the 2010 National Comprehensive Cancer Network Practice Guidelines for Bladder Cancer Treatment. <i>Journal of Urology</i> , 2011, 185, 2078-2084.	0.2	16
130	Impact of academic affiliation on radical cystectomy outcomes in North America: A population-based study. <i>Canadian Urological Association Journal</i> , 2012, 6, 245-250.	0.3	16
131	Multi-Institutional External Validation of Seminal Vesicle Invasion Nomograms: Head-to-Head Comparison of Gallina Nomogram Versus 2007 Partin Tables. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 73, 1461-1467.	0.4	15
132	Does Histologic Subtype Affect Oncologic Outcomes After Nephron-sparing Surgery?. <i>Urology</i> , 2009, 74, 842-845.	0.5	15
133	Medical management of benign prostatic hyperplasia: Results from a population-based study. <i>Canadian Urological Association Journal</i> , 2016, 10, 55.	0.3	15
134	ORIGINAL RESEARCH "MEN'S SEXUAL HEALTH: The Effect of Comorbidities and Socioeconomic Status on Sexual and Urinary Function in Men Undergoing Prostate Cancer Screening. <i>Journal of Sexual Medicine</i> , 2008, 5, 668-676.	0.3	14
135	Assessment of Biochemical Recurrence Rate in Patients With Pathologically Confirmed Insignificant Prostate Cancer. <i>Urology</i> , 2008, 72, 1208-1211.	0.5	13
136	A nomogram predicting metastatic progression after radical prostatectomy. <i>International Journal of Urology</i> , 2008, 15, 889-894.	0.5	12
137	Population-based Analysis of Normal Total PSA and Percentage of Free/Total PSA Values: Results From Screening Cohort. <i>Urology</i> , 2009, 73, 1323-1327.	0.5	12
138	Surgical Caseload is an Important Determinant of Continent Urinary Diversion Rate at Radical Cystectomy: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2011, 18, 2680-2687.	0.7	11
139	The effect of insurance status on outcomes after partial nephrectomy. <i>International Urology and Nephrology</i> , 2012, 44, 343-351.	0.6	11
140	Body Mass Index and its Association with Genitourinary Disorders in Men Undergoing Prostate Cancer Screening. <i>Journal of Sexual Medicine</i> , 2008, 5, 2141-2151.	0.3	10
141	Training and outcome monitoring in robotic urologic surgery. <i>Nature Reviews Urology</i> , 2012, 9, 17-22.	1.9	10
142	Reply to Michael Staehler's Letter to the Editor re: Pierre I Karakiewicz, Nazareno Suardi, Claudio Jeldres, et al. Neoadjuvant Sutent Induction Therapy May Effectively Down-Stage Renal Cell Carcinoma Atrial Thrombi. <i>Eur Urol</i> 2008;53:845-848. <i>European Urology</i> , 2008, 54, 951-953.	0.9	9
143	Effect of body mass index on prostate-specific antigen and percentage free prostate-specific antigen: Results from a prostate cancer screening cohort of 1490 men. <i>International Journal of Urology</i> , 2009, 16, 91-95.	0.5	8
144	United States trends in patterns of care in clinical stage I testicular cancer: Results from the National Cancer Database (1998-2011).. <i>Journal of Clinical Oncology</i> , 2014, 32, 369-369.	0.8	8

#	ARTICLE	IF	CITATIONS
145	Management of upper urinary tract urothelial carcinoma. Expert Review of Anticancer Therapy, 2010, 10, 1955-1965.	1.1	7
146	Does partial nephrectomy at an academic institution result in better outcomes?. World Journal of Urology, 2012, 30, 505-510.	1.2	7
147	The effect of annual surgical caseload on the rates of in-hospital pneumonia and other in-hospital outcomes after radical prostatectomy. International Urology and Nephrology, 2012, 44, 799-806.	0.6	7
148	Differences in histopathological and biochemical outcomes in patients with low Gleason score prostate cancer. BJU International, 2010, 105, 818-823.	1.3	6
149	Life expectancy estimation in prostate cancer patients. Canadian Urological Association Journal, 2012, 6, 374-375.	0.3	6
150	Association of higher institutional volume with improved overall survival in clinical stage III testicular cancer: Results from the National Cancer Data Base (1998-2011).. Journal of Clinical Oncology, 2014, 32, 4519-4519.	0.8	5
151	Pazopanib trial data cannot support first-line use. Nature Reviews Urology, 2010, 7, 307-308.	1.9	4
152	Discharge Patterns After Radical Cystectomy: Contemporary Trends in the United States. Journal of Urology, 2012, 187, 1206-1209.	0.2	4
153	Thirty-Day Mortality After Transurethral Resection of the Prostate in Patients Treated with Androgen Deprivation Therapy. Journal of Endourology, 2009, 23, 1347-1352.	1.1	3
154	Suspected Clinical T3 Prostate Cancer Is Associated with a High Rate of Negative Extended Biopsies: Clinical Implications. European Urology, 2009, 55, 253-254.	0.9	3
155	Association of SPARC expression with metastatic progression and prostate cancer-specific mortality after radical prostatectomy.. Journal of Clinical Oncology, 2013, 31, 5071-5071.	0.8	2
156	Reply to Fabio Campodonico, Giacomo Capponi and Massimo Maffezzini's Letter to the Editor re: Vincent Cloutier, Umberto Capitanio, Laurent Zini, et al. Thirty-Day Mortality after Nephrectomy: Clinical Implications for Informed Consent. Eur Urol 2009;56:998-1005. European Urology, 2009, 56, e47.	0.9	0
157	Clinical experience and critical evaluation of the role of everolimus in advanced renal cell carcinoma. Open Access Journal of Urology, 2011, 3, 43.	0.3	0
158	Life expectancy estimation in prostate cancer patients. Canadian Urological Association Journal, 2012, 6, .	0.3	0
159	Prognostic value of extranodal extension and other lymph node parameters in patients with upper tract urothelial carcinoma.. Journal of Clinical Oncology, 2012, 30, 281-281.	0.8	0
160	Influence of social demographics and African-American race on outcomes in testicular cancer: Analysis of 75,902 patients in the National Cancer database.. Journal of Clinical Oncology, 2014, 32, 391-391.	0.8	0